

Page 1 of 5 SDS-E-G50W

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.0

SDS Revision Date: 1/23/2015

гтера	ared to OSHA, ACC, ANSI, N	Onse, Whilis,	2001/36 & 1212/20	100/EC Staridard	5	303	Revision: 4.0	SDS Revision Date:	1/23/2013
				r o condi	DANIV	IDENITIE	TIC ATION		
	T =		PRODUCT						
1.1	Product Name:	DEOXIT® Gold G-SERIES Wipes, (P/N G50W), 50 count, 100% Solution, 0% VOC							
1.2	Chemical Name:	NA	,						
1.3	Synonyms:	DeoxIT® Gol	d G-Series; P/N	G50W					
1.4	Trade Names:	DeoxIT® Gold							
1.5	Product Uses & Restrictions:	Conditioner,	enhancer for plat	ed and gold p	lated elec	tronic contac	cts & connectors		
1.6	Distributor's Name:	CAIG Labora		<u> </u>					
1.7	Distributor's Address:	12200 Thatch	ner Court, Poway	, CA 92064-6	876 USA				
1.8	Emergency Phone:	CHEMTRE	C: +1 (703)	527-3887 /	+1 (800) 424-930	0 (CCN XXXX	X)	
1.9	Business Phone / Fax:	+1 (800) 224			(000	,	() () () ()		
		(===)	-						
			2. HA	ZARDS II	DENT	FICATION	ON		
2.1	Hazard Identification:	according to DeoxIT®, 100	the classification)% solution is no	criteria of NO n-volatile, non	HSC: 108	88 (2004) and	NOT as DANGE d ADG Code (Ausf lammable.		^
		Classification Hazard State Precautionary	CAUSES EYE IF : Eye Irritant 2; ments (H): H220 y Statements (P)	– Causes eye : P264 – Was	h thoroug	hly after har	ndling. P305+P35	1+P338 – IF IN	$\langle \rangle$
							ve contact lenses sts: Get medical ac		
		3. C	OMPOSITION	ON & ING	REDI	ENT INF	ORMATION	l	
								LIMITS IN AIR (mg/m³)	T
						ACGIH	NOHSC	OSHA	
						ppm	ppm ES- ES- ES-	ppm	
CHEM	ICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV STEL		C PEL STEL IDLH	OTHER
PROF	PRIETARY MIXTURE	NA	NA	NA	60-100	NA NA	NF NF NF	NA NA NA	
_									
			4. 1	FIRST AII	D MEA	SURES	}		
4.1	First Aid:	4. FIRST AID MEASURES Ingestion: If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.							
		Eyes: Skin:	water for at least Wash thorough	st 15 minutes l ly with soap ar	ifting upp	er and lower	lids, occasionally.	with copious amou ly flush skin with plei	
		Inhalation:		to fresh air at			icult, administer ox get medical attenti	kygen. If breathing son.	tops give
4.2	Effects of Exposure:	Ingestion: Eyes:	•			•	ng and/or diarrhea.		ing, irritation and
		Eyes: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. Skin: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in							
		Inhalation:	some sensitive None expected						,
4.3	Symptoms of Overexposure:	Ingestion:			vomiting	and/or diarr	hea.		
		Ingestion: Nausea, intestinal discomfort, vomiting and/or diarrhea. Eyes: Overexposure in eyes may cause redness, itching and watering. Skin: Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Frostbite like symptoms. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some individuals.							
4.4	Acute Health Effects:		when used as				eyes and skin nea aches and nausea.	ar affected areas.	Additionally, high
4.5	Chronic Health Effects:	Non-irritating	when used as	directed. Ove	rexposur	e may trigge		nptoms in some ser	sitive individuals.
4.6	Target Organs:	Eyes, Skin.							



Page 2 of 5 **SDS-E-G50W**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.0

SDS Revision Date: 1/23/2015

Prepa	ared to OSHA, ACC, ANSI,	NOHSC, WHMIS, 2001/58 & 1272/20	JU8/EC Standard	ıs	508	Revision: 4	1.0	202	Revision	Date: 1/23/2	2015
		₫ FIRS	T AID ME	ASIIRI	FS - C	ont'd					
4.7	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, othe target organs (eyes, skin, and	r skin condition	ons, and di		f the HE FL PH	ALTH AMMAI YSICA OTECT	L HAZ	ARDS	IENT	0 0 0 B
						EY	ES	SKIN			
	•										
5.1	Fire & Explosion Hazards:		REFIGHT						(]-11	ı.	
	,	This product is not flammable temperatures to form toxic ga	ises (e.g., CO,	CO _x).		<u> </u>		compos	e at higi	n	
5.2	Extinguishing Methods: Firefighting Procedures:	Water, Foam, CO ₂ , Dry Chemical. Use water spray to cool unopened containers. Fight fires as for surrounding materials. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Avoid spraying water directly into storage containers because of danger of boil-over. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.									
	1	6. ACCIDE			E MEA	SURF	<u> </u>			1	
6.1	Spills:	Before cleaning any spill of Equipment. Plastic or rubbes Small Spills: Wear appropriate material such as vermiculite water or a material such as plastic brooms, shovels, dust Large Spills: Keep incompation or release. Isolate immediated done with minimal risk. Wea	er gloves, respired protective of sand to so "speedy dry" trans) and platible materials a hazard area	rator, eye pequipment i hak up the pto soak up ce into a plate. (e.g., organand keep u	orotection a ncluding operation of product ar material. astic containics such a nauthorize	and apron gloves and nd place in Sweep up liner or pla- as oil) awa ed personn	may be a protection to a control material stic liner by from some out of	required ve eyeventainer for al using within a spill. Starea.	d for cleavear. Use or later non-spanother ay upwi	an-up of land and and and and and and and and and	rge spills. combustible Do not use cerials (e.g., ay from spill e if it can be
		7. HANDLIN	NG & STC	RAGE	INFOF	RMATIC	ON				
7.1	Work & Hygiene Practices:	Do not eat, drink or smoke container(s). When used as contact is possible. Wash un	intended, no	additional	protective	equipmen	t is nece	ure. H essary.	landle a Use ch	as to avoid nemical go	I puncturing ggles if eye
7.2	Storage & Handling:	Use and store in a cool, dry sunlight. Avoid temperatures damage. To avoid unintentio	/, well-ventilate above 120 °F	ed location . Keep awa	(e.g., locay from inc	al exhaust compatible	ventilati substan				
7.3	Special Precautions:	Clean all spills promptly. Spil	lled material m	ay present	a slipping	hazard.					
		8. EXPOSURE CO	NTDOI 6	9 DED	SONA	I DDO	TECT	ION			
8.1	Exposure Limits:	O. LAPOSUKE CO	ACGIH	O F LIN	NOHSC	LFKO		OSHA		OTHER	
	ppm (mg/m³)	CHEMICAL NAME(S)	TLV STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH		
8.2	Ventilation & Engineering Controls:	NA General mechanical (e.g., fa exhaust ventilation to effecti product. Ensure appropriate	vely remove a	and preven	t buildup	of vapors	or mist	genera	ted fron	n the hand	dling of this
8.3	Respiratory Protection:	No special respiratory protection is required under typical circumstances of use or handling. In instances where dusts of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.									
8.4	Eye Protection:	Avoid eye contact. None required under normal conditions of use. Safety glasses could be used when handling or using large quantities of this product.									
8.5	Hand Protection:	None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)), wear rubber, nitrile or impervious plastic gloves.									
8.6	Body Protection:	No apron required when han eye wash stations and deluginvolving large quantities of the	ge showers sh	ould be av	ailable. l	Jpon comp	oletion o	f work	activitie	s	



Page 3 of 5

SDS-E-G50W Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 1/23/2015 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: Light yellow 92 Odor: Ethereal / hydrocarbon odor 9.3 Odor Threshold: NA 9.4 NA 9.5 Melting Point/Freezing Point: NA Initial Boiling Point/Boiling 9.6 >220 °C (428 °F) 9.7 Flashpoint: >250 °C (482 °F) 9.8 Upper/Lower Flammability NA 99 Vapor Pressure: < 0.1 mm Hg @ 20 °C (68 °F) 9.10 Vapor Density: NA 9.11 Relative Density: 0.72 9.12 Solubility: Soluble Partition Coefficient (log Pow): 9.13 NA 9.14 Autoignition Temperature NA 9.15 Decomposition Temperature: NA 5.4-7.5 cSt @ 104 °F Other Information: 9.17 NA 10. STABILITY & REACTIVITY 10.1 Stability: Stable under normal conditions; unstable with heat or contamination. 10.2 Hazardous Decomposition Oxides of carbon (CO, CO₂). Products Hazardous Polymerization: 10.3 Will not occur. Open flames, sparks, high heat, incompatible substances and direct sunlight. 104 Conditions to Avoid: 10.5 Incompatible Substances: Avoid extreme heat and ignition sources. Store away from oxidizers. 11. TOXICOLOGICAL INFORMATION Routes of Entry: 11.1 Inhalation: YES Absorption: YES Ingestion: YES 11.2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product and is not presented in this document. 11.3 Acute Toxicity: Moderate irritation to eyes and skin near affected areas 11.4 Chronic Toxicity: This material may aggravate any pre-existing skin condition (e.g., dermatitis) 11.5 Suspected Carcinogen: 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. This product is not reported to produce embryotoxic effects in humans. Embryotoxicity: Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. 11.8 Biological Exposure Indices: NE 11.9 Physician Recommendations: Treat symptomatically.

12. ECOLOGICAL INFORMATION

12.1	Environmental Stability:	There is no specific data available for this product.
12.2	Effects on Plants & Animals:	There are no specific data available for this product.
12.3	Effects on Aquatic Life:	There are no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life.

13. DISPOSAL CONSIDERATIONS

1	13.1	Waste Disposal:	Products covered by this MSDS, in their original form, when disposed as waste, are considered non hazardous waste
			according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal
			regulations. Dispose of in accordance with federal, state and local regulations.
1	13.2	Special Considerations:	NA



Page 4 of 5 SDS-E-G50W

Prepa	red to OSHA, ACC, ANSI, N	DHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 4.0 SDS Revision Date: 1/23/2015					
		14. TRANSPORTATION INFORMATION					
The	pasic description (ID Num	ber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional					
desc	riptive information may be	e required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.					
14.1	49 CFR (GND):	NOT REGULATED					
14.2	IATA (AIR):	NOT REGULATED					
14.3	IMDG (OCN):	NOT REGULATED					
14.4	TDGR (Canadian GND):	NOT REGULATED					
14.5	ADR/RID (EU):	NOT REGULATED					
14.6	SCT (MEXICO):	NOT REGULATED					
14.7	ADGR (AUS):	NOT REGULATED					
		15. REGULATORY INFORMATION					
15.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, section 313 reporting requirements.					
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.					
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.					
15.4	CERCLA Reportable Quantity (RQ):	NA NA					
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G, (Cosmetics).					
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.					
15.7	State Regulatory Information:	No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).					
15.8	Other Requirements:	The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC: Irritant (Xi) <u>Risk Phrases:</u> (R) 36 – Irritating to eyes. <u>Safety Phrases:</u> (S) 2-25-45 – Keep out of reach of children. Avoid contact with eyes. In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).					
		40. 071170 11170 11471011					
		16. OTHER INFORMATION					
16.1	Other Information:	WARNING! CAUSES EYE IRRITATION. Use only as directed. Keep out of reach of children. Avoid contact with eyes.					
		In case of accident or if you feel unwell seek medical advice immediately (show the label where possible). If skin irritation occurs: get medical advice/attention. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.					
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.					
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & CAIG Laboratories, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.					
16.4	Prepared for:	CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 Tel: +1 (800) CAIG-123 (244-4123) Fax: +1 (858) 486-8398 fax http://www.caig.com/					
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com ShipMate ShipMate ShipMate ShipMate ShipMate Training & Consulting					



Page 5 of 5 SDS-E-G50W

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.0

SDS Revision Date: 1/23/2015

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:


CAS No.	Chemical Abstract Service Number				
EXPOSURE LIMITS IN AIR:					
ACGIH	American Conference on Governmental Industrial Hygienists				
С	C Ceiling Limit				
ES Exposure Standard (Australia)					
IDLH Immediately Dangerous to Life and Health					
OSHA	U.S. Occupational Safety and Health Administration				
PEL	Permissible Exposure Limit				
STEL Short-Term Exposure Limit					
TLV Threshold Limit Value					
TWA	TWA Time Weighted Average				

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide avvgen to the body


HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard			
1	Slight Hazard			
2	Moderate Hazard			
3	Severe Hazard			
4	Extreme Hazard			



PERSONAL PROTECTION RATINGS:

Α			
В			
С		THE SECOND SECON	
D		THE STATE OF THE S	
Е			
F			





Splash Gongles



















Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


ML	Maximum Limit			
mg/m3	milligrams per cubic meter			
NA	NA Not Available			
ND	Not Determined			
NE	Not Established			
NF	Not Found			
NR	No Results			
ppm parts per million				
SCBA	Self-Contained Breathing Apparatus			

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:					
	<u> </u>				
Autoignition					
Temperature	source of ignition				
LEL	LEL Lower Explosive Limit - lowest percent of vapor in air, by volume, that will				
	explode or ignite in the presence of an ignition source				
UEL	UEL Upper Explosive Limit - highest percent of vapor in air, by volume, that will				
	explode or ignite in the presence of an ignition source				

HAZARD RATINGS:

TIME TO			
0	Minimal Hazard		
1	Slight Hazard		
2	Moderate Hazard		
3	Severe Hazard		
4	Extreme Hazard		
ACD	Acidic		
ALK	Alkaline		
COR	Corrosive		
₩	Use No Water		
OX	Oxidizer		
TREFOIL	Radioactive		



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{lo} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	DOT U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NOHSC	National Occupational Health and Safety Commission (Australia)					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					
WGK	Wassergefährdungsklassen (German Water Hazard Class)					
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System					

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	*	(2)		\odot	(4)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

((,							
T.		N. C.	*		Ø	X	X	
С	E	F	N	0	Т	Xi	Xn	
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful	

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\(\frac{1}{2}\)		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment