

Page 1 of 5 SDS-E-G100L

	LABORATORIES, INC.		SAF	EIYD	AIA	4 SF	iee	. I				S	DS-E-G100L
repa	ared to OSHA, ACC, ANSI, N	IOHSC, WHMIS	S, 2001/58 & 1272	/2008/EC Standar	rds	SI	OS Revisio	on: 4.0		SDS	Revisio	n Date:	: 1/23/2015
		1.	. PRODUC	CT & COM	IPANY	IDENT	IFIC	TIOI	N				
1	Product Name:	DEOXIT® Gold G-SERIES, 100% Solution, 0% VOC											
2	Chemical Name:	NA					-						
3	Synonyms:	DeoxIT® G	-Series; PN G10	00L									
4	Trade Names:	DeoxIT® Gold G100L, 2 ml (Part No. G100L-2C, G100L-2CP, G100L-B2C, G100L-CPK); DeoxIT® Gold G100L, 2.3 ml (Part No. G100L-58D); DeoxIT® Gold G100L, 7.4 ml (Part No. G100L-2DB); DeoxIT® Gold G100L, 12 ml (Part No. G100L-12C); DeoxIT® Gold G100L, 25 ml (Part No. G100L-25C); DeoxIT® Gold G100L, 59 ml (Part No. G100L-2); DeoxIT® Gold G100L, 236 ml (Part No. G100L-8); DeoxIT® Gold G100L, 354 ml (Part No. G100L-12); DeoxIT® Gold G100L, 472 ml (Part No. G100L-16); DeoxIT® Gold G100L, 944 ml (Part No. G100L-32); DeoxIT® Gold G100L, 30 L (Part No. G100L-8G); DeoxIT® Gold G100L, 55 Gal. (Part No. G100L-55G)											
5	Product Uses & Restrictions:		, enhancer for p		•			onnect	ors				
6	Distributor's Name:		ratories. Inc.	iatou una golu	platou olot	0.1.01110 0011			0.0				
7	Distributor's Address:		cher Court, Pow	av. CA 92064-	6876 USA								
3	Emergency Phone:		REC: +1 (703				300 (CC	CN XX	XXX)			
)	Business Phone / Fax:	+1 (800) 22	•										
		This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). DeoxIT®, 100% solution is non-volatile, non-hazardous and non-flammable. WARNING! CAUSES EYE IRRITATION. Classification: Eye Irritant 2; Hazard Statements (H): H220 – Causes eye irritation. Precautionary Statements (P): P264 – Wash thoroughly after handling. P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attention.											
					•	•							
		3. (COMPOSIT	TION & INC	GREDI	ENT IN	IFORI	MAT	ION				
									SURE LI	IMITS IN		g/m³)	
						ACGIH		NOHSC			OSHA		
						ppm	ES-	ppm ES-	ES-		ppm		-
IEM	CAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV ST		STEL	PEAK	PEL	STEL	IDLH	OTHER
ROF	RIETARY MIXTURE	NA	NA	NA	60-100	NA N	A NF	NF	NF	NA	NA	NA	
				FIDOT A			•						
				FIRST A			_						
1	First Aid:	Ingestion:	If ingested,	do not induce	vomiting.	If produ	ict has	been s	wallow	ved, d	lrink p	lenty	of water or mi

			T. I INOT AID MEADONED
4.1	First Aid:	Ingestion:	If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.
		Eyes:	Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes lifting upper and lower lids, occasionally.
		Skin:	Wash thoroughly with soap and water. In case of contact, immediately flush skin with plenty of water for at least 15 minutes.
		Inhalation:	Remove victim to fresh air at once. If breathing difficult, administer oxygen. If breathing stops give artificial respiration. Keep person warm, quiet and get medical attention.
4.2	Effects of Exposure:	Ingestion:	If product is swallowed, may cause nausea, vomiting and/or diarrhea.
		Eyes:	Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering.
		Skin:	May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals.
		Inhalation:	None expected.
4.3	Symptoms of Overexposure:	Ingestion:	Nausea, intestinal discomfort, vomiting and/or diarrhea.
		Eyes:	Overexposure in eyes may cause redness, itching and watering.
		Skin:	Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Frostbite like symptoms. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some individuals.
4.4	Acute Health Effects:		g when used as directed. Moderate irritation to eyes and skin near affected areas. Additionally, high ns of vapors can cause drowsiness, dizziness, headaches and nausea.
4.5	Chronic Health Effects:		when used as directed. Overexposure may trigger asthma-like symptoms in some sensitive individuals. luce skin sensitization and respiratory hypersensitivity. Possible allergic dermatitis.
4.6	Target Organs:	Eyes, Skin.	•



Page 2 of 5 **SDS-E-G100L**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.0

SDS Revision Date: 1/23/2015

		4 FID.0	T AID ME	ACLIDI	-0 -	اء لاء،					
4.7	Medical Conditions		T AID ME				AL TU				
4.7	Aggravated by Exposure:	Pre-existing dermatitis, other target organs (eyes, skin, and			soraers or			DUITV			0
		target organie (eyee, ettin, and	a recognition y	otom).			AMMA				0
							IYSICA				0
									QUIPM	ENI	В
						EY	ES	SKIN			
		5. FII	REFIGHT	NG ME	ASURI	ES					
5.1	Fire & Explosion Hazards:	This product is not flammabl temperatures to form toxic ga			a fire, this	product	may ded	compos	e at high	ı	
5.2	Extinguishing Methods:				cool unope	ned conta	ainers.			-	
5.3	Firefighting Procedures:	Water, Foam, CO ₂ , Dry Chemical. Use water spray to cool unopened containers. Fight fires as for surrounding materials. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Avoid spraying water directly into storage containers because of danger of boil-over. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.									
		6. ACCIDI	•		E MEA	SIIDE	9				
6.1	Spills:	Before cleaning any spill of						oor oo	propriet	Porconci	Protective
		Equipment. Plastic or rubbe Small Spills: Wear appropria material such as vermiculite water or a material such as plastic brooms, shovels, dus Large Spills: Keep incompa or release. Isolate immediat done with minimal risk. Wea	ate protective e or sand to so "speedy dry" t tpans) and place tible materials e hazard area	equipment in ak up the part to soak up the control of the control	ncluding g product and material. astic containics such a nauthorize	loves and d place in Sweep up ner or pla is oil) awad personn	protection a core material stic liner by from stell out of	ive eyed ntainer f al using r within s spill. St f area.	wear. U for later non-spanother ay upwii Stop spi	se a non-c disposal. I arking mate container. nd and awa I or release	ombustible Do not use erials (e.g., y from spill if it can be
		7. HANDLII	NG & STC	RAGE	INFOR	MATIC	ON				
7.1	Work & Hygiene Practices:	Do not eat, drink or smoke when handling this product. Contents under pressure. Handle as to avoid puncturing container(s). When used as intended, no additional protective equipment is necessary. Use chemical goggles if eye contact is possible. Wash unintentional residues with soap and warm water.									
7.2	Storage & Handling:	Use and store in a cool, dry sunlight. Avoid temperatures damage. To avoid unintentic	, well-ventilate above 120 °F	ed location . Keep awa	(e.g., loca ay from inc	l exhaust ompatible	ventilat substar				
7.3	Special Precautions:	Clean all spills promptly. Spi	. , ,								
		8. EXPOSURE CO	NTROLS	& PER	<u>SONAI</u>	_ PRO	TECT	TION			
8.1	Exposure Limits: ppm (mg/m³)		ACGIH	1	NOHSC		1	OSHA	1	OTHER	
	ppm (mg/m)	NA	NA NA	NA	ES-STEL NA	ES-PEAK NF	PEL NA	STEL NA	IDLH NA		
8.2	Ventilation & Engineering Controls:	General mechanical (e.g., fa exhaust ventilation to effect product. Ensure appropriate	ans) or natural	ventilation and preven	is sufficie	nt when to	this prod or mist	duct is genera	in use. ted from	the hand	ing of this
8.3	Respiratory Protection:	No special respiratory prote instances where dusts of this protection authorized by 29 CAS Standard Z94.4-93 and Australia.	ction is require product are g CFR §1910.13	ed under ty enerated, a 34, applical	pical circu nd respirat ole U.S. S	mstances ory protectate regul	of use ction is r ations, o	or hand needed, or the 0	dling. Ir use only Canadiar) /)	,
8.4	Eye Protection:	Avoid eye contact. None rewhen handling or using large				se. Safet	y glasse	s could	be used		
8.5	Hand Protection:	None required under normal sensitive individuals. When himpervious plastic gloves.									
8.6	Body Protection:	No apron required when har eye wash stations and deluginvolving large quantities of the	ge showers sh	ould be av	ailable. U	pon comp	oletion c	of work	activities		



13.1

13.2

Waste Disposal:

Special Considerations:

NA

SAFETY DATA SHEET

Page 3 of 5

SDS-E-G100L Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 1/23/2015 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance: Light yellow 92 Odor: Ethereal / hydrocarbon odor 9.3 Odor Threshold: NA 9.4 NA 9.5 Melting Point/Freezing Point: NA Initial Boiling Point/Boiling 9.6 >220 °C (428 °F) 9.7 Flashpoint: >250 °C (482 °F) 9.8 Upper/Lower Flammability NA 99 Vapor Pressure: < 0.1 mm Hg @ 20 °C (68 °F) 9.10 Vapor Density: NA 9.11 Relative Density: 0.72 9.12 Solubility: Soluble Partition Coefficient (log Pow): 9.13 NA Autoignition Temperature 9.14 NA 9.15 Decomposition Temperature: NA 5.4-7.5 cSt @ 104 °F Other Information: 9.17 NA 10. STABILITY & REACTIVITY 10.1 Stability: Stable under normal conditions; unstable with heat or contamination. 10.2 Hazardous Decomposition Oxides of carbon (CO, CO₂). Products Hazardous Polymerization: 10.3 Will not occur. Conditions to Avoid 104 Open flames, sparks, high heat, incompatible substances and direct sunlight. Incompatible Substances: 10.5 Avoid extreme heat and ignition sources. Store away from oxidizers. 11. TOXICOLOGICAL INFORMATION 11.1 Routes of Entry Inhalation: YES Absorption: YFS Ingestion: YES 11.2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product and is not presented in this document. 11.3 Acute Toxicity: Moderate irritation to eyes and skin near affected areas 11.4 Chronic Toxicity: This material may aggravate any pre-existing skin condition (e.g., dermatitis) 11.5 Suspected Carcinogen: 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. 11.8 Biological Exposure Indices: NE 11.9 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There is no specific data available for this product. 12 2 Effects on Plants & Animals: There are no specific data available for this product. 12.3 Effects on Aquatic Life There are no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life. 13. DISPOSAL CONSIDERATIONS

Products covered by this MSDS, in their original form, when disposed as waste, are considered non hazardous waste

according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal

regulations. Dispose of in accordance with federal, state and local regulations.



Page 4 of 5 SDS-E-G100L

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 4.0 SDS Revision Date: 1/23/2015

		OTIOC, WITHING, 2001/30 & 12/2/2000/EC Standards SDC Nevision Date. 1/23/2013				
		14. TRANSPORTATION INFORMATION				
The	basic description (ID Nun	nber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional e required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.				
14.1	49 CFR (GND):	NOT REGULATED				
14.2	IATA (AIR):	NOT REGULATED				
14.3	IMDG (OCN):	NOT REGULATED				
14.4	TDGR (Canadian GND):	NOT REGULATED				
14.5	ADR/RID (EU):	NOT REGULATED				
14.6	SCT (MEXICO):	NOT REGULATED				
14.7	ADGR (AUS):	NOT REGULATED				
		15. REGULATORY INFORMATION				
15.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, section 313 reporting requirements.				
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.				
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.				
15.4	CERCLA Reportable Quantity	NA .				
15.5	(RQ): Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G,				
10.0	Other redefair requirements.	(Cosmetics).				
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.				
15.7	State Regulatory Information:	No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).				
15.8	Other Requirements:	The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC: Irritant (Xi) Risk Phrases: (R) 36 – Irritating to eyes. Safety Phrases: (S) 2-25-45 – Keep out of reach of children. Avoid contact with eyes. In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).				
		16. OTHER INFORMATION				
16.1	Other Information:	WARNING! CAUSES EYE IRRITATION. Use only as directed. Keep out of reach of children. Avoid contact with eyes.				
10.1	Other information.	In case of accident or if you feel unwell seek medical advice immediately (show the label where possible). If skin irritation occurs: get medical advice/attention. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN .				
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.				
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & CAIG Laboratories, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.				
16.4	Prepared for:	CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 Tel: +1 (800) CAIG-123 (244-4123) Fax: +1 (858) 486-8398 fax http://www.caig.com/				
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com				



Page 5 of 5 SDS-E-G100L

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.0

SDS Revision Date: 1/23/2015

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:


CAS No.	Chemical Abstract Service Number			
EXPOSURE LIMITS IN AIR:				
ACGIH	American Conference on Governmental Industrial Hygienists			
С	Ceiling Limit			
ES	Exposure Standard (Australia)			
IDLH	Immediately Dangerous to Life and Health			
OSHA	U.S. Occupational Safety and Health Administration			
PEL	Permissible Exposure Limit			
STEL	Short-Term Exposure Limit			
TLV	Threshold Limit Value			
TWΔ	Time Weighted Average			

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body


HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

Α			
В			
С		THE SECOND SECON	
D		THE STATE OF THE S	
Е			
F		THE STATE OF THE S	

























Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


ML	Maximum Limit
mg/m3	milligrams per cubic meter
NA	Not Available
ND	Not Determined
NE	Not Established
NF	Not Found
NR	No Results
ppm	parts per million
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:					
Autoignition	Minimum temperature required to initiate combustion in air with no other				
Temperature	source of ignition				
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will				
	explode or ignite in the presence of an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will				
	explode or ignite in the presence of an ignition source				

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
OX	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{lo} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System			
DOT	U.S. Department of Transportation			
TC	Transport Canada			
EPA	U.S. Environmental Protection Agency			
DSL Canadian Domestic Substance List				
NOHSC National Occupational Health and Safety Commission (Australia)				
NDSL	Canadian Non-Domestic Substance List			
PSL	Canadian Priority Substances List			
TSCA	U.S. Toxic Substance Control Act			
EU	European Union (European Union Directive 67/548/EEC)			
WGK	Wassergefährdungsklassen (German Water Hazard Class)			
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System			

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	((2)		\odot	(4)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

1 ***		*	*		® X	X	×
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\(\frac{1}{2}\)		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment