

Page 1 of 6 SDS-E-G5L-A

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

disposal facility (TSDF).

SDS Revision: 7.0

SDS Revision Date: 1/24/2015

	1. PRODUCT & COMPANY IDENTIFICATION						
1.1	Product Name:	DEOXIT® Gold G-SERIES, 5% Solution, VOC Compliant					
1.2	Chemical Name:	NA					
1.3	Synonyms:	DeoxIT® Gold G5L-25C-A, 5% Liquid, 25 ml; DeoxIT® Gold G5L-4-A, 5% Liquid, 118 ml; DeoxIT® Gold G5L-12-A, 5% Liquid, 354 ml; DeoxIT® Gold G5L-32-A, 5% Liquid, 944 ml; DeoxIT® Gold G5L-5G-A, 5% Liquid, 30 L; DeoxIT® Gold G5L-55G-A, 5% Liquid, 55 gallon					
1.4	Trade Names:	DeoxIT® Gold G-Series; G5L-A 5% Liquid					
1.5	Product Uses & Restrictions:	Conditioner, enhancer for plated and gold plated electronic contacts & connectors					
1.6	Distributor's Name:	CAIG Laboratories, Inc.					
1.7	Distributor's Address:	12200 Thatcher Court, Poway, CA 92064-6876 USA					
1.8	Emergency Phone:	CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN XXXXX)					
1.9	Business Phone / Fax:	+1 (800) 224-4123					

2. HAZARDS IDENTIFICATION

This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia).

WARNING! CAUSES EYE IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION.

Classification: Eye Irrit 2; Skin Irrit. 1B

Hazard Statements (H): H220 – Causes eye irritation. H317 – May cause an allergic skin reaction.

Precautionary Statements (P): P261 – Avoid breathing dust. P264 – Wash thoroughly after handling. P280 – Wear protective gloves. P302+P352 – IF ON SKIN: Wash with plenty of water. P333+P313 – If skin irritation or rash occurs get medical advice/attention. P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 – Specific treatment see this container label. P362+P364 –



3. COMPOSITION & INGREDIENT INFORMATION

Take off contaminated clothing and was it before reuse. P337+P313 – If eye irritation persists: Get medical advice/attention. P501 - Dispose of contents/container to licenses treatment, storage and

	C. COM COTTON & INCREDIENT IN CRIMATION												
					EXPOSURE LIMITS IN AIR (mg/m³)								
					AC	GIH		NOHSC			OSHA		
					pp	m		ppm			ppm		
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
PETROLEUM NAPTHA	64742-88-7	XS5250000	265-191-7	60-100	100	NA	100	NF	NF	NA	NA	NA	
PETROLEUWINAPTHA													
METHYL NONAFLUOROBUTYL	163702-07-6	NA	NA	10-30	750	NA	NF	NF	NF	NA	NA	NA	SKIN
ETHER													
METHYL NONAFLUOROISOBUTYL	163702-08-7	NA	NA	10-30	750	NA	NF	NF	NF	NA	NA	NA	SKIN
EHTER													
DEOXIT ® Gold G100L (TRADE	NA	NA	NA	1-5	NA	NA	NF	NF	NF	15	NA	NA	
SECRET)													

4. FIRST AID MEASURES

			4. FIRST AID MEASURES				
4.1	First Aid:	Ingestion:	If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.				
		Eyes:	Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes lifting upper and lower lids, occasionally.				
		Skin:	Wash thoroughly with soap and water. In case of contact, immediately flush skin with plenty of water for at least 15 minutes.				
		Inhalation:	Remove victim to fresh air at once. If breathing difficult, administer oxygen. If breathing stops give artificial respiration. Keep person warm, quiet and get medical attention.				
4.2	Effects of Exposure:	Ingestion:	If product is swallowed, may cause nausea, vomiting and/or diarrhea.				
		Eyes:	Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering.				
		Skin:	May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals.				
		Inhalation:	None expected.				
4.3	Symptoms of Overexposure:	Ingestion:	Nausea, intestinal discomfort, vomiting and/or diarrhea.				
		Eyes:	Overexposure in eyes may cause redness, itching and watering.				
		Skin:	Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Frostbite like symptoms. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some individuals.				



Page 2 of 6 SDS-E-G5L-A

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 7.0

SDS Revision Date: 1/24/2015

		4. FIRST	ΔID N	ΛΕΔS	SURFS	– con	t'd				
4.4	Acute Health Effects:	Non-irritating when used as directions of vapors can cau	ected.	Modera	ate irritatio	n to eyes	and skin		affected	areas.	Additionally, high
4.5	Chronic Health Effects:	Non-irritating when used as dire	Non-irritating when used as directed. Overexposure may trigger asthma-like symptoms in some sensitive individuals. May also induce skin sensitization and respiratory hypersensitivity. Possible allergic dermatitis.								
4.6	Target Organs:	Eyes, Skin.									
4.7	Medical Conditions	Pre-existing dermatitis, other sl				rders of t	the HEAL	.TH			1
	Aggravated by Exposure:	target organs (eyes, skin, and res	spiratory	system	າ).		FLAN	IMAB	ILITY		2
							PHYS	SICAL	HAZA	RDS	0
										UIPME	
							EYES		SKIN	<u> </u>	
							'			<u> </u>	
F.4	Fire & Franksking Harrander	5. FIRE									Т
5.1	Fire & Explosion Hazards:	temperatures to form toxic gases	This product is not flammable. However, if involved in a fire, this product may decompose at high emperatures to form toxic gases (e.g., CO,CO _X , Hydrocarbons). CO ₂ , Dry Chemical, Alcohol foam, Dry Chemical. Use water spray to cool unopened containers.								
5.2	Extinguishing Methods: Firefighting Procedures:										
		breathing apparatus (pressure-d after the fire is out. Use water sp upwind. Avoid spraying water Prevent runoff from fire control or natural waterway. Firefighters pressure self-contained breathin	Fight fires as for surrounding materials. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Avoid spraying water directly into storage containers because of danger of boil-over. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.								
		6. ACCIDEN	TAL	RELE	EASE I	MEASL	JRES				
		Before cleaning any spill or leading Equipment. Plastic or rubber glood Small Spills: Wear appropriate pure material such as vermiculite or swater or a material such as "speplastic brooms, shovels, dustpan Large Spills: Keep incompatible or release. Isolate immediate had done with minimal risk. Wear ap	oves, re protectives and to eedy dry s) and promaterial zard are propriat	spirator e equip soak u y" to so blace in als (e.g. ea and l	, eye prote ment inclu p the prod ak up ma to a plastic , organics keep unau ctive equip	ection and uding glove luct and pluct and pluct and pluct erial. Sw container such as outhorized poment inclu	apron may es and prot lace into a eep up ma or plastic lill) away fro ersonnel ouding respiration	be req ective contain terial uniner with m spill at of are	uired for eyeweather for lasing not thin another. Stay learn Stoy	r clean-our. Use later dis later dis later dis later dis later condupwind a pospill or later distribution of the condupwind a later distribution of the conduction of the cond	up of large spills. a non-combustible posal. Do not use ing materials (e.g., itainer. and away from spill release if it can be
		7. HANDLING	& S7	TOR A	AGE IN	FORM	ATION				
7.1	Work & Hygiene Practices:	Do not eat, drink or smoke who container(s). When used as into contact is possible. Wash uninte	ended,	no addi	tional prot	ective equ	ipment is r				
7.2	Storage & Handling:	Use and store in a cool, dry, we sunlight. Avoid temperatures about	ell-venti ove 120	lated lo	cation (e.g	g., local e	xhaust ven patible sub	tilation stance:	, fans) s. Prote	away fro	om heat and direct ainers from physical
7.3	Special Precautions:	damage. To avoid unintentional solution Clean all spills promptly. Spilled									
		Clean all spills promptly. Spilled	materia	i iliay pi	ieseiii a si	ipping naz	aiu.				
		8. EXPOSURE CONT	ROI	S & I	PERSO	ΝΔΙ Ε	PROTE	CTIC	N		
8.1	Exposure Limits:			GIH		NOHSC		 	OSHA		OTHER
	ppm (mg/m³)	CHEMICAL NAME(S)	TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH	
		PETROLEUM NAPTHA	100	NA	100	NF	NF	NA	NA	NA	
		METHYL NONAFLUOROBUTYL ETHER	750	NA	NF	NF	NF	NA	NA	NA	SKIN
		METHYL NONAFLUOROISOBUTYL EHTER	750	NA	NF	NF	NF	NA	NA	NA	SKIN
		DEOXIT ® Gold G100L (TRADE SECRET)	NA	NA	NF	NF	NF	NA	NA	NA	
8.2	Ventilation & Engineering Controls:	General mechanical (e.g., fans) exhaust ventilation to effectively product. Ensure appropriate dec	remov	e and p	prevent bu	uildup of v	apors or m	nist ge	nerated	from th	ne handling of this
8.3	Respiratory Protection:	instances where dusts of this proprotection authorized by 29 CFR	product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). No special respiratory protection is required under typical circumstances of use or handling. In instances where dusts of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.								
8.4	Eye Protection:	Avoid eye contact. Safety glass product.	es sho	uld be u	used wher	handling	or using la	irge qu	antities	of this	



Page 3 of 6 SDS-E-G5L-A

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 7.0

SDS Revision Date: 1/24/2015

	8.	EXPOSURE CONTROLS & PERSONAL PROTECTION – cont'd
8.5	Hand Protection:	None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)), wear rubber, nitrile or impervious plastic gloves.
8.6	Body Protection:	No apron required when handling small quantities. When handling large quantities (e.g., ≥ 5 lbs), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.
		9. PHYSICAL & CHEMICAL PROPERTIES
9.1	Appearance:	Light yellow liquid
9.2	Odor:	Ethereal / hydrocarbon odor
9.3	Odor Threshold:	NA
9.4	pH:	NA NA
9.5	Melting Point/Freezing Point:	NA NA
9.6	Initial Boiling Point/Boiling Range:	171.1-204 °C @ 760 mm Hg
9.7	Flashpoint:	48.8-54.4 °C (120-130 °F)
9.8	Upper/Lower Flammability	NA
9.9	Limits: Vapor Pressure:	35 psig @ 20 °C; 50 psig @ 50 °C
9.10	Vapor Density:	NA
9.11	Relative Density:	0.75
9.12	Solubility:	Insoluble
9.13	Partition Coefficient (log Pow):	NA NA
9.14	Autoignition Temperature:	NA NA
9.15	Decomposition Temperature:	NA NA
9.16	Viscosity:	10.0 cPs
9.17	Other Information:	VOC 588 g/L
		10. STABILITY & REACTIVITY
10.1	Stability:	Stable under normal conditions; unstable with heat or contamination.
10.2	Hazardous Decomposition	Oxides of carbon (CO, CO ₂).
10.3	Products: Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Open flames, sparks, high heat, incompatible substances and direct sunlight, incompatible substances and heavi
10.5	Incompatible Substances:	trafficked areas. Avoid extreme heat and ignition sources. Store away from oxidizers.
	,	Avoid extreme fleat and ignition sources. Glore away from extracts.
		11. TOXICOLOGICAL INFORMATION
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES
11.2	Toxicity Data:	This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is
11.3	Acute Toxicity:	available for some of the components of the product and is not presented in this document. Moderate irritation to eyes and skin near affected areas.
11.4	Chronic Toxicity:	This material may aggravate any pre-existing skin condition (e.g., dermatitis).
11.5	Suspected Carcinogen:	No.
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.
11.7	Irritancy of Product:	The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.
11.8	Biological Exposure Indices:	NE NE
11.9	Physician Recommendations:	Treat symptomatically.
		12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	There is no specific data available for this product.
12.1	Effects on Plants & Animals:	There are no specific data available for this product. There are no specific data available for this product.
12.3	Effects on Aquatic Life:	There are no specific data available for this product; however, very large releases of this product may be harmful or fata
		to overexposed aquatic life.



Page 4 of 6 SDS-E-G5L-A

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 7.0

SDS Revision Date: 1/24/2015

Порс		OHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 7.0 SDS Revision Date: 1/24/20	<u></u>
		13. DISPOSAL CONSIDERATIONS	
3.1	Waste Disposal:	Products covered by this MSDS, in their original form, when disposed as waste, are considered non hazard according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state a regulations. Dispose of in accordance with federal, state and local regulations.	
3.2	Special Considerations:	NA	
		14. TRANSPORTATION INFORMATION	
		nber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation.	Addition
4.1	49 CFR (GND):	e required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. NOT REGULATED PER 49 CFR 173.150(f)	
4.2	IATA (AIR):	ID8000 CONSUMER COMMODITY, 9 (≤ 500 ml) UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III (IP VOL > 500 ml)	\supset
4.3	IMDG (OCN):	UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III (III VOL > 5.0 L) UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III (IP VOL > 5.0 L)	
4.4	TDGR (Canadian GND):	MARK PACKAGE "LIMITED QUANTITY" or "QUANTITÉ LIMITÉE" or "LTD QTY" or "QUANT LTÉE" (IP VOL ≤ 5.0 L) UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III (IP VOL > 5.0 L)	
4.5	ADR/RID (EU):	UN1268 PETROLEUM DISTILLATES, N.O.S., 3, III, LTD QTY (IP VOL ≤ 5.0 L) UN1268 PETROLEUM DISTILLATES, N.O.S., 3, III (IP VOL > 5.0 L)	\mathbf{Y}
4.6	SCT (MEXICO):	UN1268, DESTILADO DEL PETROLEO, N.E.P., 3, III, CANTIDAD LIMITADA (IP VOL ≤ 5.0 L) UN1268, DESTILADO DEL PETROLEO, N.E.P., 3, III (IP VOL > 5.0 L)	
4.7	ADGR (AUS):	UN1268 PETROLEUM DISTILLATES, N.O.S., 3, III, LTD QTY (IP VOL ≤ 5.0 L) UN1268 PETROLEUM DISTILLATES, N.O.S., 3, III (IP VOL > 5.0 L)	:
' This	s product may also be shippe	d as an Excepted Quantity (Inner Package Volume ≤ 30 mL, Total Quantity ≤ 500 mL per Outer Package)	
		15. REGULATORY INFORMATION	
5.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, section 313 reporting requirements.	
5.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.	
5.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.	
5.4	CERCLA Reportable Quantity (RQ):	NA NA	
5.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter (Cosmetics).	r G ,
5.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.	T
5.7	State Regulatory Information:	No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the follo criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic S List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous S List (WI).	Substance Minneso List (N)
5.8	Other Requirements:	The primary components of this product are listed in Annex I of EU Directive 67/548/EEC: Petroleum Naphtha: Flammable (F); Harmful (Xn). Risk Phrases (R): 10-65 – Flammable. Harmful: may cause lung damage if swallowed. Safety Phrases (S): 2-23-24-62 – Keep away from children. Do not breathe gas, fumes, vapor or spray. Avoid contact with skin. If swallowed, do not induce vomiting: seek medical advice immediately and	X

show this MSDS or the container label.



Page 5 of 6 SDS-E-G5L-A

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 7.0

SDS Revision Date: 1/24/2015

	16. OTHER INFORMATION							
16.1	Other Information:	WARNING! CAUSES EYE IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION. Use only as directed. Do not breathe gas, fumes, vapor or spray. Avoid contact with skin. If swallowed, do not induce vomiting: seek medical advice immediately and show this MSDS or the container label. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.						
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.	See last page of this Safety Data Sheet.					
16.3	Disclaimer:	government regulations must be reviewed for Laboratories, Inc.'s knowledge, the information accuracy, suitability or completeness is not guar provided. The information contained herein rela	OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other applicability to this product. To the best of ShipMate's & CAIG contained herein is reliable and accurate as of this date; however, anteed and no warranties of any type, either expressed or implied, are ates only to the specific product(s). If this product(s) is combined with the considered. Data may be changed from time to time. Be sure to					
16.4	Prepared for:	CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 Tel: +1 (800) CAIG-123 (244-4123) Fax: +1 (858) 486-8398 fax http://www.caig.com/	CAIG LABORATORIES, INC.					
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate Dangerous Goods Training & Consulting					



Page 6 of 6 SDS-E-G5L-A

repared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision Date: 1/24/2015

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:


CAS No.	Chemical Abstract Service Number				
EXPOSURE LIMITS IN AIR:					
ACGIH	American Conference on Governmental Industrial Hygienists				
С	Ceiling Limit				
ES	Exposure Standard (Australia)				
IDLH	IDLH Immediately Dangerous to Life and Health				
OSHA	OSHA U.S. Occupational Safety and Health Administration				
PEL	Permissible Exposure Limit				
STEL	EL Short-Term Exposure Limit				
TLV	Threshold Limit Value				
TWA	Time Weighted Average				

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body


HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard			
1	Slight Hazard			
2	Moderate Hazard			
3	Severe Hazard			
4	Extreme Hazard			



PERSONAL PROTECTION RATINGS:

Α			
В			
С		THE STATE OF THE S	
D		THE STATE OF THE S	
Е			
F			























9 Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


ML	Maximum Limit		
mg/m3	milligrams per cubic meter		
NA Not Available			
ND	Not Determined		
NE	Not Established		
NF	Not Found		
NR	No Results		
ppm	parts per million		
SCBA	Self-Contained Breathing Apparatus		

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:								
Autoignition	Minimum temperature required to initiate combustion in air with no other							
Temperature	source of ignition							
LEL	LEL Lower Explosive Limit - lowest percent of vapor in air, by volume, that will							
	explode or ignite in the presence of an ignition source							
UEL	UEL Upper Explosive Limit - highest percent of vapor in air, by volume, that will							
explode or ignite in the presence of an ignition source								

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩	Use No Water
OX	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals				
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal				
ppm	Concentration expressed in parts of material per million parts				
TD _{Io}	Lowest dose to cause a symptom				
TCLo	Lowest concentration to cause a symptom				
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects				
TC, TC _o , LC _{lo} , & LC _o					
IARC	International Agency for Research on Cancer				
NTP	National Toxicology Program				
RTECS	Registry of Toxic Effects of Chemical Substances				
BCF	Bioconcentration Factor				
TLm	Median threshold limit				
log Kow or log Koc	Coefficient of Oil/Water Distribution				

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NOHSC	National Occupational Health and Safety Commission (Australia)
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(2)	(2)		\odot	®		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

- (
1 ***		*	*		® X	X	×
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\limits		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment