

Page 1 of 6 SDS-E-L260GQP

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.0

SDS Revision Date: 2/3/2015

Prepa	ared to OSHA, ACC, ANSI, NO	DHSC, WHMIS, 2	2001/58 & 1272/2	2008/EC Standard	ds		SDS	Revisio	n: 3.0		SDS	Revisio	n Date:	: 2/3/2015
		1.	PRODUC	T & COM	PANY	IDE	NTIF	FICA	OIT	N				
1.1	Product Name:	DEOXIT	® GREAS	E, TYPE L	_260G	QP ((GR/	APH	ITE	/ QU	AR	ΓZ P	ART	TCLES)
1.2	Chemical Name:	NA												
1.3	Synonyms:			GQP, (Part No.										
1.4	Trade Names:			GQP; P/N L260					1 (28 g	j); P/N	L260-	GQ500	G (50 g	g); P/N L260-
1.5	Product Uses & Restrictions:	Lubricating G		GQ8 (226 g); P/	IN L260-G	U35 (15.9 K	<u>g)</u>						
1.6	Distributor's Name:	CAIG Laboratories, Inc.												
1.7	Distributor's Address:	12200 Thatcher Court, Poway, CA 92064-6876 USA												
1.8	Emergency Phone:			527-3887 /			-930	0 (CC	X NC	(XXX)			
1.9	Business Phone / Fax:	+1 (800) 224-						`			,			
		,												
			2. H	AZARDS I	DENT	IFIC	ATIC	NC						
2.1	Hazard Identification:			s a HAZARDO								GOOD	S	
				n criteria of NC										
				il contains < 3% . IF SWALLOW	, ,				-	to IP3	46.			
		_		04 – May be fat			-		-					
				P): P280 – Wea							P302 +	- P352	_	
		IF ON SKIN	- Wash with p	enty of soap a	ınd water.	P301	1+P31	0: IF S	WALL	OWE): Imr	nediate	ly	
				doctor/physicia										
				Data Sheet (Fi several minute										·
				ore locked up.										
		treatment, sto	orage or dispos	al facility.										
			2112221	10110 111										
		3. 00	<u> </u>	ION & INC	KEDI	<u>EN I</u>	INF	ORI					. 2.	
						AC	GIH		NOHSC		IMITS II	OSHA	g/m³)	1
					INFOON - W	ppm			ppm		ppm			
								ES-	ES-	ES-				
	ICAL NAME(S) JM GREASE LUBRICATING	NA	NA	NA	% 60-100	TLV NA	STEL NA	TWA NF	STEL NF	PEAK NF	PEL NA	STEL	IDLH NA	OTHER
BASE	OIL CONTAINING ONE OR		1		00 .00		1.0.	1			1.0	1		<u> </u>
	E OF THE FOLLOWING EDIENTS:													
	LLATES (PETROLEUM),	64742-65-0	SE7500000	265-169-7	NA	5	10	NF	NF	NF	100	10	NA	RESP MIST
	ENT-DEWAXED HEAVY	Carc. 1B; H35	50		I.									•
	FFINIC	64742-01-4		265-101-6	INIA	-	10	NE	NIE	NIE	-	10	NIA	DECD MICT
	DUAL OILS (PETROLIUM) ENT-REFINED	Carc. 1B; H35		203-101-0	NA	5	10	NF	NF	NF	5	10	NA	RESP MIST
	LLATES (PETROLEUM),	64741-88-4	PY8040500	265-090-8	NA	5	10	NF	NF	NF	5	10	NA	RESP MIST
SOLV	ENT-DEWAXED HEAVY	Carc. 1B; H35	50		1		1	1						JI
PARA	FFINIC	68649-42-3	NA NA	272-028-3	INIA	NIA	NIA	NE	NIE	NIE	NIA	LNA	NIA	
ZINC	ALKYLDITHIOPHOSPHATE	00049-42-3	INA	272-020-3	NA	NA	NA	NF	NF	NF	NA	NA	NA	
0040	NUTE	7782-42-5	MD9659600	231-955-3	NA	0.2	NA	NF	NF	NF	0.1	NA	100	FUME
GRAP	THIE													1
SILICA	A	7631-86-9	VV7565000	231-545-4	< 10	NA	NA	NF	NF	NF	20	NA	3000	FUMED
		TRADE SEC	DET		TNIA	NIA	NIA.	l NE	NE	NE	LNIA	LNA	NIA	4
Deoxl	T® PROPRIETARY MIX	TRADE SEC	KEI		NA	NA	NA	NF	NF	NF	NA	NA	NA	
		I												
			4.	FIRST AI	D ME	ASU	RES	-						
4.1	First Aid:	Ingestion:							peen s	swallov	ved, c	drink p	lenty	of water or milk
			IMMEDIATEL'	Y. If the patier	nt is vomi	ting, co	ontinue	e to off	er wat	er or r	nilk. 1	Never (give w	ater or milk to an
unconscious person. Contact th														
			estimate of the swallowed.	ne time at whi	cn the m	aterial	was	ıngest	ea and	the	amour	it of th	ne sub	ostance that was
		Eyes:		not likely: how	vever. if r	oroduct	t aets	in the	eves	flush	with o	opious	amoi	unts of lukewarm
			water for at lea	ast 15 minutes	lifting upp	er and	l lower	lids, o	ccasio	nally.		•		
		Skin: Wash thoroughly with soap and water. In case of contact, immediately flush skin with plenty of water for at												
		Inhalation:	least 15 minut	es. n to fresh air at	once If I	areathi	na diff	icult o	dminio	ter ov	men	If broo	thing o	etone give
		<u>ii ii ididiiUII</u> .										ıı bitd	umiy S	nopa give
artificial respiration. Keep person warm, quiet and get medical attention.														



Page 2 of 6 SDS-E-L260GQP

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 2/3/2015 4. FIRST AID MEASURES 42 Effects of Exposure: If product is swallowed, may cause nausea, temporary gastrointestinal irritation. vomiting and/or diarrhea. Ingestion: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and Eyes: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in Skin: some sensitive individuals. Inhalation: None expected. 4.3 Symptoms of Overexposure: Nausea, intestinal discomfort, vomiting and/or diarrhea. Ingestion: Eyes: Overexposure in eyes may cause redness, itching and watering. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Frostbite Skin: like symptoms. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some individuals. Non-irritating when used as directed. Moderate irritation to eyes and skin near affected areas. Additionally, high 4.4 Acute Health Effects: concentrations of vapors can cause drowsiness, dizziness, headaches and nausea. Chronic Health Effects: 4.5 None reported by the manufacturer. 46 Target Organs: Eyes, Skin Medical Conditions Aggravated by Exposure: 4.7 Pre-existing dermatitis, other skin conditions, and disorders of the HEALTH 1 target organs (eyes). **FLAMMABILITY** 0 PHYSICAL HAZARDS 0 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES Fire & Explosion Hazards: This product is not flammable. However, if involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO,CO_x). 52 Extinguishing Methods: Water, Foam, CO₂, Dry Chemical. Use water spray to cool unopened containers. 5.3 Firefighting Procedures: Fight fires as for surrounding materials. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Avoid spraying water directly into storage containers because of danger of boil-over. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Do not eat, drink, or smoke while handling this product. Wash thoroughly after handling. Avoid contact with flammable or combustible materials. Avoid contamination from any source, including metals, dust and organic materials. Keep bulk covered. Wash unintentional residues with soap and warm water. 7.2 Storage & Handling: Store at temperatures between 59 °F and 95 °F (15 °C and 35 °C) in a dry, well-ventilated location. Keep away from heat, sparks, open flame, and other sources of ignition. Container is not designed to contain pressure. Don not use pressure to empty container or it may rupture with explosive force. Normal shelf-life: 2-3 years. 7.3 Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Empty containers may contain product residues. Avoid contaminating soil or releasing this material into sewage and drainage systems and

bodies of water.



Page 3 of 6 SDS-E-L260GQP

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.0

SDS Revision Date: 2/3/2015

3.1	Exposure Limits:		AC	GIH		NOHSC			OSHA		OTHER
	ppm (mg/m³)	CHEMICAL NAME(S)	TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH	
		DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC	5	10	NF	NF	NF	100	10	NA	RESP MIST
		RESIDUAL OILS (PETROLIUM) SOLVENT-REFINED	5	10	NF	NF	NF	5	10	NA	RESP MIST
		DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC	5	10	NF	NF	NF	5	10	NA	RESP MIST
		GRAPHITE	0.2	NA	NF	NF	NF	0.1	NA	100	FUME
		SILICA	NA	NA	NF	NF	NF	20	NA	3000	FUMED
3.2	Ventilation & Engineering Controls:	When working with large quantit that an eyewash station, sink or							al exhau	ust vent	ilation, fans). Er
8.3	Respiratory Protection:	necessary, use only respirator	No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its								
8.4	Eye Protection:	product. Always use protective	Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants.								
8.5	Hand Protection:	None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)), wear rubber or									
8.6	Body Protection:	impervious plastic gloves. No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.									
		9. PHYSICAI	C	HFM	IICAL F	PROPE	RTIFS				
9.1	Appearance:	Amber / black		···-							
9.2	Odor:	Ethereal / hydrocarbon odor									
9.3	Odor Threshold:	NA									
9.4	pH:	NA									
9.5	Melting Point/Freezing Point:	NA									
9.6	Initial Boiling Point/Boiling	>240 °C (464 °F)									
9.7	Range: Flashpoint:	` '	and One	on Cun)							
9.8	Upper/Lower Flammability	> 244 °C (471 °F) COC (Clevela	ли Оре	=ii Cup)							
	Limits:	NA									
9.9	Vapor Pressure:	< 0.01 mm Hg @ 20 °C (68 °F)									
9.10	Vapor Density:	NA									
9.11	Relative Density:	0.72									
9.12	Solubility:	Insoluble									
9.13	Partition Coefficient (log Pow):	NA									
9.14	Autoignition Temperature:	NA									
9.15	Decomposition Temperature:	NA									
9.16	Viscosity:	5.4 – 7.5 cSt @ 104 °F									
9.17	Other Information:	NA									
		10. ST	ABIL	ITY 8	REAC	TIVIT	Y				
10.1	Stability:	This product is stable.									
10.2	Hazardous Decomposition Products:	Oxides of carbon (CO, CO ₂) and	d sulfur	(SO ₂). L	iberation o	of gas my	result in dar	ngerou	s press	ure.	
10.3	Hazardous Polymerization:	Will not occur.									
10.4	Conditions to Avoid:	Excessive heat, and incompatib	le mate	rials.							
10.5	Incompatible Substances:	Avoid extreme heat and ignition									



Page 4 of 6 SDS-E-L260GQP

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 2/3/2015 11. TOXICOLOGICAL INFORMATION Inhalation: YES Ingestion: YES 11.1 Routes of Entry: Absorption: YES 11 2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product and is not presented in this document 11.3 Acute Toxicity: Moderate irritation to eyes and skin near affected areas. 11.4 Chronic Toxicity: This material may aggravate any pre-existing skin condition (e.g., dermatitis). Suspected Carcinogen: 11.5 Reproductive Toxicity: 11.6 This product is not reported to produce reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. This product contains alkyl dithiophosphates Mutagenicity: (ZDDPs). Several ZDDPs have been reported to have weak mutagenic activity in cultured mammalian cells but only at concentrations that were toxic. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. Biological Exposure Indices: 11.8 NE Physician Recommendations: 11.9 Treat symptomatically. 12. ECOLOGICAL INFORMATION Environmental Stability: 12.1 There is no specific data available for this product. Effects on Plants & Animals: 12.2 There are no specific data available for this product. 12.3 Effects on Aquatic Life: This material should be kept out of sewage and drainage systems and all bodies of water. Releases of large volumes of this product are expected to be harmful or fatal to overexposed aquatic life. 13. DISPOSAL CONSIDERATIONS Waste Disposal Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate 13.1 disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and disposal of hazardous waste must be provided by a licensed facility or waste hauler. Special Considerations: NA 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): NOT REGULATED IATA (AIR): 14.2 NOT REGULATED 14.3 IMDG (OCN): NOT REGULATED 14.4 TDGR (Canadian GND): **NOT REGULATED** ADR/RID (EU): 14.5 NOT REGULATED 14.6 SCT (MEXICO): NOT REGULATED ADGR (AUS): 14.7 **NOT REGULATED** 15. REGULATORY INFORMATION SARA Reporting 15.1 This product contains the following chemicals subject to the reporting requirements of section 313 of the Emergency Requirements: Planning and Community Right-to-know Act of 1986 and of CFR 372; 68649-42-3 Zinc Alkyldithiophosphate SARA Threshold Planning 15.2 There are no specific Threshold Planning Quantities for the components of this product. Quantity: 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory. CERCLA Reportable Quantity 15.4 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G, (Cosmetics) 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.



Page 5 of 6 SDS-E-L260GQP

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.0

SDS Revision Date: 2/3/2015

Перс	ared to OSHA, ACC, ANSI, N	Onsc, Whilis, 2001/58 & 1272/2008/EC Standards	SDS Revision: 3.0 SDS Revision Date: 2/3/2015
		15. REGULATORY INFO	RMATION – cont'd
15.7	State Regulatory Information:	Substance List (PA), Wisconsin Hazardous Su Jersey Right to Know List (NJ), new York Righ Toxic Substances List (FL). No other ingredients in this product, present in a criteria lists: California Proposition 65 (CA65), List (FL), Massachusetts Hazardous Substar Hazardous Substances List (MN), New Jersey	st(s): Massachusetts Right to Know List (MA), Pennsylvania Hazardous abstance List (WI), Minnesota Hazardous Substance List (MN), New to Know List (NY), Michigan Critical Substances List (MI), and Florida concentration of 1.0% or greater, are listed on any of the following state Delaware Air Quality Management List (DE), Florida Toxic Substances codes List (MA), Michigan Critical Substances List (MI), Minnesota Right-to-Know List (NJ), New York Hazardous Substances List (NY), on Permissible Exposures List (WA), Wisconsin Hazardous Substances
15.8	Other Requirements:		alation, in contact with skin and if swallowed. Safety dren. Wear suitable protective clothing. In case of
		16. OTHER INFO	ORMATION
16.1	Other Information:	children. Wear suitable protective clothing. In	AND ENTERS AIRWAYS. Use only as directed. Keep out of reach of case of accident or if you feel unwell seek medical advice immediately n occurs: get medical advice/attention. KEEP LOCKED UP AND OUT
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.	
16.3	Disclaimer:	government regulations must be reviewed for Laboratories, Inc.'s knowledge, the information accuracy, suitability or completeness is not gual provided. The information contained herein rela	OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other applicability to this product. To the best of ShipMate's & CAIG contained herein is reliable and accurate as of this date; however, ranteed and no warranties of any type, either expressed or implied, are ates only to the specific product(s). If this product(s) is combined with be considered. Data may be changed from time to time. Be sure to
16.4	Prepared for:	CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 Tel: +1 (800) CAIG-123 (244-4123) Fax: +1 (858) 486-8398 fax http://www.caig.com/	CAIG LABORATORIES, INC.
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate* Dangerous Goods Training & Consulting



Page 6 of 6 SDS-E-L260GQP

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.0

SDS Revision Date: 2/3/2015

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:


CAS No.	Chemical Abstract Service Number				
EXPOSURE LIMITS IN AIR:					
ACGIH	American Conference on Governmental Industrial Hygienists				
С	Ceiling Limit				
ES	Exposure Standard (Australia)				
IDLH	Immediately Dangerous to Life and Health				
OSHA	U.S. Occupational Safety and Health Administration				
PEL	Permissible Exposure Limit				
STEL	Short-Term Exposure Limit				
TLV	Threshold Limit Value				
TWA	Time Weighted Average				

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body


HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

Α			
В			
С		THE STATE OF THE S	
D		THE STATE OF THE S	
Е			
F			

















Dust & Vapor Half-Mask Respirator



Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


ML	Maximum Limit			
mg/m3	milligrams per cubic meter			
NA	Not Available			
ND	Not Determined			
NE	Not Established			
NF	Not Found			
NR	No Results			
ppm	parts per million			
SCBA	Self-Contained Breathing Apparatus			

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:				
Autoignition	Minimum temperature required to initiate combustion in air with no other			
Temperature	source of ignition			
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will			
	explode or ignite in the presence of an ignition source			
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will			
I	explode or ignite in the presence of an ignition source			

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
OX	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{lo} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NOHSC	National Occupational Health and Safety Commission (Australia)
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(2)	(2)		\odot	®		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

F.		2	¥		*	X	×
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\(\frac{1}{2}\)		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment