

Page 1 of 6 SDS-E-TPC14

	LABORATORIES, INC.		SAF	EIYL	AIA	4 3	П						S	DS-E-TPC1
Prepa	ared to OSHA, ACC, ANSI, N	OHSC, WHMIS,	2001/58 & 1272/	2008/EC Standa	rds		SDS	Revision	: 3.0		SDS	Revisio	n Date	: 2/2/2015
		1.	PRODUC	CT & COM	IPANY	IDE	NTIF	ICA"	ΓΙΟΙ	N				
.1	Product Name:	DEOXIT	® BRAND	TIP TINI	NER &	CLE	ANE	R, (F	₂ /Ν .	TPC	-14)	, 14.	2 g	
.2	Chemical Name:	NA										•		
3	Synonyms:	DeoxIT® Bra	and Tip Tinner,	PN TPC-14										
4	Trade Names:	DeoxIT® Bra	and Tip Tinner,	PN TPC-14										
5	Product Uses & Restrictions:	Cleaning Co	mpound for Sol	dering Iron Tip	S									
6	Distributor's Name:	CAIG Labora												
7	Distributor's Address:		her Court, Pow	ay, CA 92064-	6876 USA	1								
8	Emergency Phone:		EC: +1 (703)				-930) (CC	N XX	(XXX))			
9	Business Phone / Fax:	+1 (800) 224	•		`	,		•			•			
			2 4	AZARDS	IDENT	IEIC	ΛΤΙC)NI						
.1	Hazard Identification:	This product							- DAI	NCED!	OLIC A	2000	<u> </u>	
This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). WARNING! CAUSES EYE IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION. Classification: Eye Irrit 2; Skin Irrit. 1B Hazard Statements (H): H220 – Causes eye irritation. H317 – May cause an allergic skin reaction. Precautionary Statements (P): P261 – Avoid breathing dust. P264 – Wash thoroughly after handling. P280 – Wear protective gloves. P302+P352 – IF ON SKIN: Wash with plenty of water. P333+P313 – If skin irritation or rash occurs get medical advice/attention. P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 – Specific treatment see this container label. P362+P364 – Take off contaminated clothing and was it before reuse. P337+P313 – If eye irritation persists: Get medical advice/attention. P501 - Dispose of contents/container to licenses treatment, storage and disposal facility (TSDF).														
		3. C	OMPOSIT	ION & IN	GRED	ENT	INF	ORN	IAT	ION				
										SURE LI	MITS IN	I AIR (m	g/m³)	
						AC	GIH	N	NOHSC			OSHA		
						pp	om		ppm			ppm		
IEM	ICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
N	.,	7440-31-5	XP7320000	231-141-8	30-60	2	NA	2	NF	NF	2	NA	NA	
	0	7783-28-0	TB9375000	231-987-8	30-60	NA	NA	NF I	NF	NF	NA	NA	NA	
MM	ONIUM PHOSPATE													•

4.	FIRST	AID	MEASURES	

4.1	First Aid:	Ingestion: Eyes: Skin: Inhalation:	If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes lifting upper and lower lids, occasionally. Wash thoroughly with soap and water. In case of contact, immediately flush skin with plenty of water for at least 15 minutes. Remove victim to fresh air at once. If breathing difficult, administer oxygen. If breathing stops give artificial respiration. Keep person warm, quiet and get medical attention.
4.2	Effects of Exposure:	Ingestion: Eyes: Skin: Inhalation:	If product is swallowed, may cause nausea, vomiting and/or diarrhea. Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. None expected.



Page 2 of 6 SDS-E-TPC14

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.0

SDS Revision Date: 2/2/2015

Порс	ared to OSHA, ACC, ANSI, N	iorioc, writing,	2001/36 & 1212/20	00/LC C	otariuarus	i	303	Revision:	3.0	303	Revision	Date: 2/2/	2015
			4. FIRS	ΤΔΙ	D MF	ASUR	FS – co	ont'd					
4.3	Symptoms of Overexposure:	Ingestion: Eyes: Skin:	Nausea, intestir Overexposure in Symptoms of s like symptoms. individuals.	nal disc n eyes kin ove	comfort, may cau erexposu	vomiting a use rednes ure may ir	nd/or diari ss, itching nclude red	rhea. and water ness, itch	ing, and	irritation	n of affe	ected are	as. Frostbite titis) in some
4.4	Acute Health Effects:		when used as								ted are	as. Add	itionally, high
4.5	Chronic Health Effects:	Non-irritating	when used as ouce skin sensitiza	directe	d. Over	exposure	may trigg	er asthma	ı-like syn	nptoms		e sensitiv	e individuals.
4.6	Target Organs:	Eyes, Skin.											
4.7	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes, skin, and respiratory system). HEALTH FLAMMABILITY O PHYSICAL HAZARDS O PROTECTIVE EQUIPMENT B							0				
									ES	SKIN	<u> </u>		
			5. FIR	REFI	GHTII	NG ME	ASUR	ES					
5.1	Fire & Explosion Hazards:	temperatures	is not flammable to form toxic gas	ses (e.	g., CO,C	O _X).				<u> </u>			
5.2	Extinguishing Methods:	Water, Foan containers.	n, CO ₂ , Dry Cho	emical,	Halon	(if permit	ted). Us	e water s	spray to	cool u	nopene	d	
5.3	Firefighting Procedures:	breathing apparter the fire upwind. Prevent runo any natural was pressure self	for surrounding a paratus (pressure is out. Use water Avoid spraying a firm fire controvaterway. Firefig-contained breat in products and control of the firefigen is the firm of the firefigen is the firm of the	e-dema er spra water d ol or d ghters hing ap	and) and y to coo lirectly in ilution from must us oparatus	I full prote I fire-expo nto storage om enteri e full bund to protec	ective gear sed surface e containe ng sewers ker gear in	r. Keep of ces and to ers because, drains, on cluding N	container protect e of dan drinking	rs cool of personal ger of be water so oproved	until we al. Figh poil-over upply, c positive	II 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0
			6. ACCIDE	NT.	AL RE	LEAS	E MEA	SURE	S				
6.1	Spills:	Before clear Equipment. Small Spills: material suc water or a m plastic broon Large Spills: or release. I	ning any spill or Plastic or rubber Wear appropriate as vermiculite atterial such as services, shovels, dust Keep incompatisolate immediatenimal risk. Wear	leak, r gloveste proteor sand speed pans) a tible mare that are the that are that ar	individus, respira ective ed d to soa y dry" to and place aterials (d area a	als involvator, eye pquipment ik up the posoak up e into a plae.g., organd keep u	red in spill protection a ncluding goroduct ar material. astic contanics such a nauthorize	Il cleanup and apron gloves and of place ir Sweep u siner or pla as oil) awa ed personi	must w may be d protection nto a cor p materion stic liner ay from some	required ve eyeventainer for al using within a spill. Starea.	d for cleavear. Use or later non-spanother ay upwi	an-up of I Ise a nor disposal. arking m container nd and a Il or relea	arge spills. n-combustible Do not use aterials (e.g., way from spill use if it can be
		7	HANDLIN	IC º	STO	DACE	INFOE	ORA TI	ON.				
7.1	Work & Hygiene Practices:	Do not eat, container(s).	drink or smoke When used as	when intend	handling ed, no a	this prod additional	duct. Cor protective	ntents und equipmer	ler press				
7.2	Storage & Handling:	contact is possible. Wash unintentional residues with soap and warm water. Store at temperatures between 59 °F and 95 °F (15 °C and 35 °C) in a dry, well-ventilated location. Keep away from heat, sparks, open flame, and other sources of ignition. Container is not designed to contain pressure. Do not use pressure to empty container or it may rupture with explosive force. Normal shelf-life: 2-3 years.											
7.3	Special Precautions:		s promptly. Spill										
		0 575	OUDE OO	\ I = -	01.0	0 555	00111	. DD -	TE ^=	1011			
0 4	Evenoure Limite:	ö. EXPC	SURE CO			& PER		L PRO	IECI			OTUES	
8.1	Exposure Limits: ppm (mg/m³)	CHEMICAL NAM	E(S)	TLV	STEL	ES-TWA	NOHSC ES-STEL	ES-PEAK	PEL	STEL	IDLH	OTHER	
8.2	Ventilation & Engineering Controls:	exhaust vent	hanical (e.g., fa ilation to effective ure appropriate of	ely re	move a	nd preven	t buildup	of vapors	or mist	genera	ted fror	n the hai	ndling of this
8.3	Respiratory Protection:	No special re instances wh protection au	espiratory protective dusts of this thorized by 29 (d Z94.4-93 and	tion is produc CFR §	required at are ge 1910.13	d under ty nerated, a 4, applica	rpical circu nd respira ble U.S. S	umstances itory prote State regu	of use ction is r lations, o	or hand eeded, or the C	dling. I use onl Canadia	n y n	



Page 3 of 6 SDS-E-TPC14

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.0

SDS Revision Date: 2/2/2015

	8.	EXPOSURE CONTROLS & PERSONAL PROTECTION – cont'd
8.4	Eye Protection:	Avoid eye contact. Wear splash proof goggles or equivalent eye protection (ANSI Z87). Safety glasses need to be used when handling or using this product.
8.5	Hand Protection:	Impermeable gloves required. May cause skin irritation in some sensitive individuals. When handling wear rubber, nitrile or impervious plastic gloves.
8.6	Body Protection:	No apron required when handling small quantities. When handling large quantities (e.g., ≥ 5 lbs), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.
		9. PHYSICAL & CHEMICAL PROPERTIES
9.1	Appearance:	Silver paste
9.2	Odor:	Low odor when heated
9.3	Odor Threshold:	NA NA
9.4	pH:	NA NA
9.5	Melting Point/Freezing Point:	>232 °C (500°F)
9.6	Initial Boiling Point/Boiling	
0.0	Range:	>260 °C (500 °F)
9.7	Flashpoint:	NA
9.8	Upper/Lower Flammability	NA NA
9.9	Limits: Vapor Pressure:	NA NA
9.9	Vapor Density:	NA NA
9.10	Relative Density:	
9.11	Solubility:	NA Tip insoluble, ammonium phoophote water caluble
	,	Tin insoluble, ammonium phosphate water soluble
9.13	Partition Coefficient (log Pow):	NA
9.14	Autoignition Temperature:	NA
9.15	Decomposition Temperature:	NA
9.16	Viscosity:	NA NA
9.17	Other Information:	NA
		10. STABILITY & REACTIVITY
10.1	Stability:	Stable under normal conditions; unstable with heat or contamination.
10.2	Hazardous Decomposition	Oxides of carbon (CO, CO ₂).
400	Products:	
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Open flames, sparks, high heat, incompatible substances and direct sunlight.
10.5	Incompatible Substances:	Avoid extreme heat and ignition sources. Store away from oxidizers.
		11. TOXICOLOGICAL INFORMATION
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES
11.2	Toxicity Data:	This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, available for some of the components of the product and is not presented in this document.
11.3	Acute Toxicity:	Moderate irritation to eyes and skin near affected areas.
11.4	Chronic Toxicity:	This material may aggravate any pre-existing skin condition (e.g., dermatitis).
11.5	Suspected Carcinogen:	No.
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to cause teratogenic effects in humans. This product is not reported to cause reproductive effects in humans.
11.7	Irritancy of Product:	The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.
11.8	Biological Exposure Indices:	NE
11.9	Physician Recommendations:	Treat symptomatically.
	,	Troat dymptomatically.
		12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	There is no specific data available for this product.
12.2	Effects on Plants & Animals:	There are no specific data available for this product.
12.3	Effects on Aquatic Life:	There are no specific data available for this product; however, very large releases of this product may be harmful or fat



Page 4 of 6 SDS-E-TPC14

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 2/2/2015 13. DISPOSAL CONSIDERATIONS Products covered by this MSDS, in their original form, when disposed as waste, are considered non hazardous waste according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal 13.1 Waste Disposal: regulations. Dispose of in accordance with federal, state and local regulations. 13.2 Special Considerations: The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state, federal and provincial regulations. 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): **NOT REGULATED** IATA (AIR): 14.2 NOT REGULATED IMDG (OCN): 14.3 NOT REGULATED TDGR (Canadian GND): 14 4 NOT REGULATED ADR/RID (EU): 14.5 NOT REGULATED SCT (MEXICO): 14 6 NOT REGULATED ADGR (AUS): 14.7 **NOT REGULATED** 15. REGULATORY INFORMATION SARA Reporting This product does not contain a substance subject to SARA Title III, section 313 reporting requirements. Requirements 15.2 SARA Threshold Planning There are no specific Threshold Planning Quantities for the components of this product. Quantity: 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory. 15.4 CERCLA Reportable Quantity NA (RQ): 15.5 Other Federal Requirements: NA 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. Tin is found on the following state criteria list: Massachusetts Hazardous Substances List (MA), New Jersey Right-to-15.7 State Regulatory Information: Know List (NJ) and Pennsylvania Right-to-Know List (PA). No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). Other Requirements: The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC: Irritant (Xi) Risk Phrases: (R) 36/38 - Irritating to eyes and skin. Safety Phrases: (S) 2-24-25-36-45 - Keep out of reach of children. Avoid contact with skin. Avoid contact with eyes. Wear suitable protective

clothing. In case of accident or if you feel unwell seek medical advice immediately (show the label

where possible).



Page 5 of 6 SDS-E-TPC14

SDS Revision: 3.0 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 2/2/2015 16. OTHER INFORMATION WARNING! CAUSES EYE IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION. Use only as directed. 16.1 Other Information: Keep out of reach of children. Avoid contact with skin. Avoid contact with eyes. Wear suitable protective clothing. In case of accident or if you feel unwell seek medical advice immediately (show the label where possible). If skin irritation occurs: get medical advice/attention. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN. 16.2 Terms & Definitions: See last page of this Safety Data Sheet. 16.3 Disclaimer: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & CAIG Laboratories, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16.4 Prepared for: CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 Tel: +1 (800) CAIG-123 (244-4123) Fax: +1 (858) 486-8398 fax http://www.caig.com/ Prepared by: ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA

Training & Consulting

Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700

http://www.shipmate.com



Page 6 of 6 SDS-E-TPC14

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.0

SDS Revision Date: 2/2/2015

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number			
EXPOSURE LIMITS IN AIR:				
ACGIH	American Conference on Governmental Industrial Hygienists			
С	Ceiling Limit			
ES	Exposure Standard (Australia)			
IDLH	Immediately Dangerous to Life and Health			
OSHA	U.S. Occupational Safety and Health Administration			
PEL	Permissible Exposure Limit			
STEL	Short-Term Exposure Limit			
TLV	Threshold Limit Value			
TWA	Time Weighted Average			

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body


HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

Α			
В			
С		THE STATE OF THE S	
D		THE STATE OF THE S	
Ε			
F			





Splash Goggles



& vear















Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


ML	Maximum Limit
mg/m3	milligrams per cubic meter
NA	Not Available
ND	Not Determined
NE	Not Established
NF	Not Found
NR	No Results
ppm	parts per million
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:				
Autoignition	Minimum temperature required to initiate combustion in air with no other			
Temperature	source of ignition			
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will			
	explode or ignite in the presence of an ignition source			
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will			
	explode or ignite in the presence of an ignition source			

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
OX	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals				
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal				
ppm	Concentration expressed in parts of material per million parts				
TD _{Io} Lowest dose to cause a symptom					
TCLo	Lowest concentration to cause a symptom				
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects				
TC, TC _o , LC _{lo} , & LC _o					
IARC	International Agency for Research on Cancer				
NTP	National Toxicology Program				
RTECS	Registry of Toxic Effects of Chemical Substances				
BCF	Bioconcentration Factor				
TLm	Median threshold limit				
log Kow or log Koc	Coefficient of Oil/Water Distribution				

REGULATORY INFORMATION:

WHMIS						
DOT	DOT U.S. Department of Transportation					
TC	Transport Canada					
EPA U.S. Environmental Protection Agency						
DSL	Canadian Domestic Substance List					
NOHSC National Occupational Health and Safety Commission (Australia)						
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					
WGK	Wassergefährdungsklassen (German Water Hazard Class)					
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System					

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(2)	(2)		\odot	®		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

	,	_					
1 ***		*	*		® X	X	×
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\ODE		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment