

Page 1 of 5
SDS-E-DX10S

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.0

SDS Revision Date: 2/2/2015

				T 9 COM	ΣΔΝΥ	IDE		10 4	TION	J				
		1.	PRODUC <sup>*</sup>			IUC	NHH	'ICA	HUI	v				
.1	Product Name:		3 X10S PR							•				
2	Chemical Name:	NA												
3	Synonyms:	DeoxIT® X105	S-P, oiler pen,	5 mL (Part No	o. X10S-F	P, X10	S-P5C	;); Dec	xIT® X	10S,	needle	dispe	enser,	25 mL (Part
			eoxIT® X10S, b			0S-32)	)					•		,
4	Trade Names:		DeoxIT® X10S Precision Oil; DeoxIT® DX10S											
5	Product Uses & Restrictions:		Precision Lubricating Oil											
6 7	Distributor's Name: Distributor's Address:		CAIG Laboratories, Inc.											
, В	Emergency Phone:	Ti and the second secon	12200 Thatcher Court, Poway, CA 92064-6876 USA  CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN XXXXX)											
9	Business Phone / Fax:			527-38877	+1 (800	) 424	-9300	טט) נ	N XX	<b>XXX</b>	)			
3	business i none / i ax.	+1 (800) 224-	4123											
			2. HA	ZARDS I	DENT	IFIC	ATIC	N						
.1	Hazard Identification:	This product	is classified as						as DAN	IGER	ous c	GOOD	S	
		according to the	he classification	criteria of NO										_
			CAUSES EYE II	RRITATION.										
		Classification:	Eye Irrit 2; nents (H): H220	) – Causes eve	irritation									$\langle \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$
			Statements (P				er han	dling.	P305+	P351-	+P338	– IF II	N	<b>\•</b> /
		EYES: Rinse	cautiously with	water for sev	eral mini	utes.	Remov	e con	act ler	nses, i	f prese	ent an	d	
		easy to do. C	ontinue rinsing.	P337+P313 -	- If eye irr	ritation	persis	ts: Get	medic	al adv	ice/atte	ention.	.	
		3 CC	OMPOSITI	ON & ING	RFDI	FNT	INF	ORN	/ΔΤΙ	ON				
		<u> </u>							EXPOS		MITS IN	AIR (mg	g/m³)	
							GIH		NOHSC			OSHA		
						pp	om	ES-	ppm ES-	ES-		ppm		
						T1 1/	STEL	TWA						
EMIC	CAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	-		STEL	PEAK	PEL	STEL	IDLH	OTHER
)LY	(DIMETHYLSILOXANE)	63148-62-9	JT6484500 <b>4.</b>	FIRST AII	60-100 D MEA	NA ASUI	NA RES	NF	NF	NF	NA	NA	NA	
OLY	(DIMETHYLSILOXANE)	63148-62-9	JT6484500 <b>4.</b>	FIRST AII	60-100 D MEA	NA ASUI	NA RES	NF	NF	NF	NA	NA	NA	
OLY	, ,	63148-62-9 Ingestion:	JT6484500	FIRST All	60-100 <b>D ME</b> Avomiting.	NA \SUI	RES	NF has b	NF een sv	NF wallow	NA ved, di	NA rink pl	NA lenty (	of water or
DLY (	(DIMETHYLSILOXANE)	63148-62-9  Ingestion:	JT6484500  4. If ingested, do IMMEDIATELY unconscious pe	FIRST All o not induce of the patient erson. Contact	O MEA vomiting. t is vomit t the near	ASUI If priting, correst Po	RES roduct ontinue oison C	has be to offe	neen sver wate	wallow er or m	ved, di	rink pl	lenty o	of water or ater or milk to ber. Provide
DLY (	(DIMETHYLSILOXANE)	63148-62-9  Ingestion:	JT6484500  4. If ingested, do IMMEDIATELY unconscious peestimate of the	FIRST All o not induce of the patient erson. Contact	O MEA vomiting. t is vomit t the near	ASUI If priting, correst Po	RES roduct ontinue oison C	has be to offe	neen sver wate	wallow er or m	ved, di	rink pl	lenty o	of water or ater or milk to ber. Provide
DLY (	(DIMETHYLSILOXANE)	63148-62-9  Ingestion:	JT6484500  4. If ingested, do IMMEDIATELY unconscious peestimate of the swallowed.	FIRST All o not induce for the patienterson. Contacte time at whice	D MEA vomiting. t is vomit t the near	NA  If priting, correst Polaterial	RES roduct ontinue oison C was i	has be to offectoring	neen sver wate Center	wallow er or m	ved, di nilk. N cal em	rink pl lever g ergend t of th	NA lenty ogive wa cy num ne sub	of water or ater or milk to aber. Provide stance that
OLY	(DIMETHYLSILOXANE)	63148-62-9  Ingestion:  Eyes:	JT6484500  4. If ingested, do IMMEDIATELY unconscious peestimate of the swallowed. Splashes are rwater for at least	FIRST AII o not induce v or. If the patien erson. Contace time at whice not likely; how st 15 minutes l	O MEA vomiting. t is vomit t the near ch the m ever, if p	NA  ASUI  If priting, correst Poraterial  broduction and	RES roduct ontinue bison C was i	has be to offectorion the lids, or	NF een sver water Centered and eyes,	wallower or more the a	ved, dinilk. Nocal emamount	rink pl lever g ergend t of th	lenty ogive wacy num	of water or ater or milk to ober. Provide stance that unts of lukew
OLY	(DIMETHYLSILOXANE)	63148-62-9  Ingestion:  Eyes: Skin:	JT6484500  4.  If ingested, do IMMEDIATELY unconscious peestimate of the swallowed. Splashes are rwater for at leas Wash thorough	FIRST AII o not induce of the patient erson. Contact the time at which the patient of the patien	O MEA vomiting. t is vomit t the near ch the m ever, if p	NA  ASUI  If priting, correst Poraterial  broduction and	RES roduct ontinue bison C was i	has be to offectorion the lids, or	NF een sver water Centered and eyes,	wallower or more the a	ved, dinilk. Nocal emamount	rink pl lever g ergend t of th	lenty ogive wacy num	of water or ater or milk to ober. Provide stance that unts of lukew
DLY (	(DIMETHYLSILOXANE)	63148-62-9  Ingestion:  Eyes: Skin:	JT6484500  4. If ingested, do IMMEDIATELY unconscious pe estimate of the swallowed. Splashes are r water for at leas Wash thorough least 15 minute	FIRST All on not induce of the patien erson. Contact the time at which the patien in the patien erson of the patien at which the patien is the patien at which is the patien at which is the patient in t	O MEA vomiting. t is vomit t the near ch the m ever, if p ifting upp	If priting, corest Poaterial productiver and In case	RES roduct ontinue bison C was i lower se of co	has be to officentrol in the lids, or ontact,	NF seen sween swee	wallower or more or looked the afflush valuely.	ved, drinilk. Nocal emamount	rink pl lever g ergend t of th opious	lenty of plenty	of water or ater or milk to ober. Provide stance that unts of lukew onty of water fo
DLY (	(DIMETHYLSILOXANE)	63148-62-9  Ingestion:  Eyes: Skin: Inhalation:	JT6484500  4. If ingested, do IMMEDIATELY unconscious pe estimate of the swallowed. Splashes are rwater for at leas Wash thorough least 15 minute Remove victim	FIRST All on not induce of the patient of the patie	O MEA vomiting. t is vomit t the near ch the m ever, if p ifting upp nd water.	If priting, corest Poaterial productiver and In cas	RES roduct ontinue bison C was i lower se of co	has be to officentrol in the lids, or ontact, acult, acult, acut,	NF ween sweer water Centered and eyes, for coasion immediately and the coasion immedia	wallower or more or look the afflush vally. diately	ved, dinilk. Nocal emamount with conflush s	rink pl lever g ergence t of th opious skin wi	lenty of plenty	of water or ater or milk to ober. Provide stance that unts of lukew onty of water fo
DLY (	(DIMETHYLSILOXANE)	63148-62-9  Ingestion:  Eyes: Skin: Inhalation:	JT6484500  4. If ingested, do IMMEDIATELY unconscious pe estimate of the swallowed. Splashes are r water for at leas Wash thorough least 15 minute	FIRST AII o not induce of the patient erson. Contact the etime at which the patient in the patient erson of the pa	O MEA vomiting. t is vomit t the near ch the m ever, if p ifting upp nd water. once. If t	If priting, correst Poraterial product er and In case preathin, quie	RES roduct portinue pison C was i lower se of command diffirit and g	has be to office to office to the lids, or ontact, acult, acget me	NF ween sy er water Center d and eyes, focasion immed dministed dical at	wallower or more the afflush vially. Siately er oxygention	ved, dinilk. Nocal emamount with conflush s	rink pl lever g ergence t of th opious skin wi	lenty of plenty	of water or ater or milk to ober. Provide stance that unts of lukew onty of water fo
DLY (	(DIMETHYLSILOXANE)  First Aid:	63148-62-9  Ingestion:  Eyes: Skin: Inhalation: Ingestion:	JT6484500  4.  If ingested, do IMMEDIATELY unconscious perestimate of the swallowed. Splashes are resulting water for at least Wash thorough least 15 minute Remove victim artificial respira	FIRST AII o not induce of the patient erson. Contact the etime at which the patient erson of	O MEA  womiting. t is vomit t the near th the m  ever, if p ifting upp nd water.  once. If the reson warm cause nat	NA  ASUI  If priting, correct Potaterial  productiver and In case  preathin, quie  usea, v	RES roduct continue bison C was i gets lower se of co	has be to officent the lids, ocontact, acult, acget men g and/o	NF ween sy er water Center d and eyes, for casion immed dministed dical attor diarr	wallower or more the afflush vially. diately er oxygentention hea.	ved, dinilk. Nocal emamount with conflush sigen. It	rink pl lever g ergend t of th opious skin wi	lenty of pive was by number substantial amounts the pler shing s	of water or ater or milk to aber. Provide stance that ints of lukew anty of water for tops give
DLY (	(DIMETHYLSILOXANE)  First Aid:	63148-62-9  Ingestion:  Eyes: Skin: Inhalation: Ingestion: Eyes:	JT6484500  4. If ingested, do IMMEDIATELY unconscious pe estimate of the swallowed. Splashes are rwater for at leas Wash thorough least 15 minute Remove victim artificial respira If product is sw Moderately irrit watering.	FIRST All on not induce of the patient erson. Contact of the time at which the patient of the pa	D MEA vomiting. t is vomit t the near ch the m ever, if p iffting upp nd water. once. If b rson warm cause nau ves. Sym	If priting, corest Potaterial productiver and In cast preathing, quiecusea, vertical production, quiecus productio	RES roduct continue bison C was i gets lower se of co	has be to officentrol in the lids, or ontact, auget med g and/eerexpo	een sver water Centered and eyes, focasion immediately at the control of the cont	wallower or more or location the afflush vally. diately erroxyetention hea.	ved, dinilk. Nocal emamount with conflush sigen. It is clude relationship to the conflush sigen.	rink pl lever g ergence t of the opious skin wi	lenty of the sub- amouth pler thing s	of water or ater or milk to ober. Provide stance that ants of lukeway of water for tops give
DLY (	(DIMETHYLSILOXANE)  First Aid:	63148-62-9  Ingestion:  Eyes: Skin: Inhalation: Ingestion: Eyes:	JT6484500  4. If ingested, do IMMEDIATELY unconscious peestimate of the swallowed. Splashes are rwater for at lea: Wash thorough least 15 minute Remove victim artificial respira If product is sw Moderately irrit watering. May be irritatin	FIRST All on not induce of the patient of the patie	D MEA vomiting. t is vomit t the near ch the m ever, if p iffting upp nd water. once. If b rson warm cause nau ves. Sym	If priting, corest Potaterial productiver and In cast preathing, quiecusea, vertical production, quiecus productio	RES roduct continue bison C was i gets lower se of co	has be to officentrol in the lids, or ontact, auget med g and/eerexpo	een sver water Centered and eyes, focasion immediately at the control of the cont	wallower or more or location the afflush vally. diately erroxyetention hea.	ved, dinilk. Nocal emamount with conflush sigen. It is clude relationship to the conflush sigen.	rink pl lever g ergence t of the opious skin wi	lenty of the sub- amouth pler thing s	of water or ater or milk to ober. Provide stance that ants of lukeway of water for tops give
DLY (	(DIMETHYLSILOXANE)  First Aid:	63148-62-9  Ingestion:  Eyes: Skin: Inhalation: Eyes: Skin:	JT6484500  4. If ingested, do IMMEDIATELY unconscious peestimate of the swallowed. Splashes are rwater for at lea: Wash thorough least 15 minute Remove victim artificial respira If product is sw Moderately irrit watering. May be irritatin some sensitive	FIRST All on not induce of the patient of the patie	D MEA vomiting. t is vomit t the near ch the m ever, if p iffting upp nd water. once. If b rson warm cause nau ves. Sym	If priting, corest Potaterial productiver and In cast preathing, quiecusea, vertical production, quiecus productio	RES roduct continue bison C was i gets lower se of co	has be to officentrol in the lids, or ontact, auget med g and/eerexpo	een sver water Centered and eyes, focasion immediately at the control of the cont	wallower or more or location the afflush vally. diately erroxyetention hea.	ved, dinilk. Nocal emamount with conflush sigen. It is clude relationship to the conflush sigen.	rink pl lever g ergence t of the opious skin wi	lenty of the sub- amouth pler thing s	of water or ater or milk to ober. Provide stance that ants of lukeway of water for tops give
11	(DIMETHYLSILOXANE)  First Aid:	63148-62-9  Ingestion:  Eyes: Skin: Inhalation: Eyes: Skin: Inhalation:	JT6484500  4. If ingested, do IMMEDIATELY unconscious peestimate of the swallowed. Splashes are rwater for at lea: Wash thorough least 15 minute Remove victim artificial respira If product is sw Moderately irrit watering. May be irritatin	FIRST All on not induce of the patient of the patie	D MEA vomiting. t is vomit t the neal ch the m ever, if p ifting upp nd water. once. If t rson warn cause nau ves. Sym	NA  If priting, corest Potaterial product for and In cast preathing, quieusea, vantons can ca	RES roduct continue coison C was i gets lower se of co ng diffirit and c romiting of ove	has be to officentrol in the lids, or ontact, auget merge and/derexpo	een sver water Centered and eyes, focasion immediately at the control of the cont	wallower or more or location the afflush vally. diately erroxyetention hea.	ved, dinilk. Nocal emamount with conflush sigen. It is clude relationship to the conflush sigen.	rink pl lever g ergence t of the opious skin wi	lenty of the sub- amouth pler thing s	of water or ater or milk to ober. Provide stance that ants of lukeway of water for tops give
11 1 22 2	(DIMETHYLSILOXANE)  First Aid:  Effects of Exposure:	63148-62-9  Ingestion:  Eyes: Skin: Inhalation: Eyes: Skin: Inhalation: Ingestion:	JT6484500  4. If ingested, do IMMEDIATELY unconscious peestimate of the swallowed. Splashes are rwater for at lea: Wash thorough least 15 minute Remove victim artificial respira If product is sw Moderately irrit watering. May be irritatin some sensitive None expected	FIRST All on not induce of the patient of the patie	D MEA vomiting. t is vomit t the neal ch the m ever, if p ifting upp nd water. once. If t rson warn cause nau ves. Sym e product	NA  If priting, corest Potaterial productiver and In cast preathing, quieusea, vantons can can and/o	RES roduct continue bison C was i gets lower se of co ng diffit and c romiting s of ove	has be to officentrol in the lids, or ontact, and get merg and/or erexpo	een sver water Centered and eyes, focasion immedical at the property of the pr	wallower or more or location the afflush vally. diately erroxyetention hea.	ved, dinilk. Nocal emamount with conflush sigen. It is clude relationship to the conflush sigen.	rink pl lever g ergence t of the opious skin wi	lenty of the sub- amouth pler thing s	of water or ater or milk to ober. Provide stance that ants of lukeway of water for tops give
11 1 22 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1	(DIMETHYLSILOXANE)  First Aid:  Effects of Exposure:	63148-62-9  Ingestion:  Eyes: Skin: Inhalation: Eyes: Skin: Inhalation: Ingestion: Eyes: Skin: Inhalation:	JT6484500  4. If ingested, do IMMEDIATELY unconscious peestimate of the swallowed. Splashes are rwater for at lea: Wash thorough least 15 minute Remove victim artificial respira If product is sw Moderately irrit watering. May be irritatin some sensitive None expected Nausea, intestii Overexposure i Symptoms of st	FIRST All on not induce of the patient erson. Contact erson. Contact erson is more tikely; howest ly with soap are is to fresh air at tion. Keep per allowed, may or ating to the eyon goto skin. The individuals.	D MEA vomiting. t is vomit t the near ch the m ever, if p ifting upp nd water. once. If t rson warn cause nau ves. Sym e product  vomiting ause redn aure may	NA  If priting, corest Potaterial product and In case preathing, quie usea, where the control of	RES roduct continue coison C was i gets lower se of co ng diffin t and g romitin s of ove ause al	has be to officential to the lids, or ontact, acget merger and/cerexpooling and library and waress, it	een sver water varied and eyes, focasion immediately but dical at or diarrisure meskin restering.	wallower or more or look the afflush vally. diately er oxystention hea. action	ved, dinilk. Nocal emamount with conflush sign. It is clude risk (e.g.	rink plever gergend tof the opious skin wife breat edness, rashed of aff	lenty of give was cy number subtraction amounts the pler shing services, we fected	of water or atter or milk to ober. Provide stance that unts of lukewanty of water for tops give ing, irritation areas. Fros
11 1 22 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1	(DIMETHYLSILOXANE)  First Aid:  Effects of Exposure:	63148-62-9  Ingestion:  Eyes: Skin: Inhalation: Eyes: Skin: Inhalation: Ingestion: Eyes: Skin: Inhalation:	JT6484500  4. If ingested, do IMMEDIATELY unconscious peestimate of the swallowed. Splashes are rwater for at lea: Wash thorough least 15 minute Remove victim artificial respira If product is sw Moderately irrit watering. May be irritatin some sensitive None expected Nausea, intestii Overexposure i Symptoms of slike symptoms.	FIRST All on not induce of the patient erson. Contact erson. Contact erson is more tikely; howest ly with soap are is to fresh air at tion. Keep per allowed, may or ating to the eyon goto skin. The individuals.	D MEA vomiting. t is vomit t the near ch the m ever, if p ifting upp nd water. once. If t rson warn cause nau ves. Sym e product  vomiting ause redn aure may	NA  If priting, corest Potaterial product and In case preathing, quie usea, where the control of	RES roduct continue coison C was i gets lower se of co ng diffin t and g romitin s of ove ause al	has be to officential to the lids, or ontact, acget merger and/cerexpooling and library and waress, it	een sver water varied and eyes, focasion immediately but dical at or diarrisure meskin restering.	wallower or more or look the afflush vally. diately er oxystention hea. action	ved, dinilk. Nocal emamount with conflush sign. It is clude risk (e.g.	rink plever gergend tof the opious skin wife breat edness, rashed of aff	lenty of give was cy number subtraction amounts the pler shing services, we fected	of water or atter or milk to ober. Provide stance that unts of lukewanty of water for tops give ing, irritation areas. Fros
DLY (11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(DIMETHYLSILOXANE)  First Aid:  Effects of Exposure:  Symptoms of Overexposure:	63148-62-9  Ingestion:  Eyes: Skin: Inhalation: Eyes: Skin: Inhalation: Ingestion: Eyes: Skin: Inhalation: Ingestion: Eyes: Skin:	JT6484500  4. If ingested, do IMMEDIATELY unconscious peestimate of the swallowed. Splashes are rwater for at lea: Wash thorough least 15 minute Remove victim artificial respira. If product is sw Moderately irrit watering. May be irritatin some sensitive None expected Nausea, intestii Overexposure i Symptoms of slike symptoms. individuals.	FIRST All on not induce of the patient of the patie	D MEA vomiting. t is vomit t the near ch the m ever, if p ifting upp nd water. once. If t rson warn cause nau ves. Sym e product  vomiting ause redn aure may t can cau	NA  SUI  If priting, corest Potaterial  product er and In case preathing, quie usea, vary and/o ess, ite includuse alle	RES roduct roduc	has be to officential to the lids, or ontact, and get men grand/derexpoolilergic mea.	een sver water varied and eyes, scasion immediately arrivation of the sure must be the sure	wallower or more or look the afflush valley. He are oxyetention hea. He are the are th	ved, dinilk. Nocal emamount with conflush sign. It is clude risk (e.g.	rink pl lever g ergend t of th opious skin wi f breat ednes: , rasho	lenty of give was cy number substantial amounts the pler shing services, we fected lts, de	of water or atter or milk to ober. Provide stance that unts of lukewanty of water for tops give ling, irritation lits, dermatitis areas. Fros rmatitis) in s
1 1 2 3	(DIMETHYLSILOXANE)  First Aid:  Effects of Exposure:	63148-62-9  Ingestion:  Eyes: Skin: Inhalation: Eyes: Skin: Inhalation: Ingestion: Eyes: Skin: Inhalation: Ingestion: Eyes: Skin: Inhalation:	JT6484500  4. If ingested, do IMMEDIATELY unconscious peestimate of the swallowed. Splashes are rwater for at lea: Wash thorough least 15 minute Remove victim artificial respira. If product is sw Moderately irrit watering. May be irritatin some sensitive None expected Nausea, intestii Overexposure i Symptoms of slike symptoms. individuals. when used as	FIRST All onot induce of the patient	D MEA vomiting. t is vomit t the neal ch the m ever, if p ifting upp nd water. once. If t rson warn cause nat ves. Sym e product  vomiting ause redn aure may t can cau	If priting, corest Potaterial product ler and In case preathing, quie usea, variousea, itc includuse alle	RES roduct roduc	has be to officential to the lids, or ontact, acget mea gand/cerexpound library and waress, its kin reaves and wares and wares wes and wares and w	een sver water varied and eyes, focasion immedical attended and skin researching, actions and skin researching actions actions and skin researching actions and skin researching actions actions actions actions actions and skin researching actions acti	wallower or more or look the afflush vially. diately er oxyetention hea. action action and irri (e.g., near	ved, dinilk. Nocal emamount with conflush sign. It is clude risk (e.g.	rink pl lever g ergend t of th opious skin wi f breat ednes: , rasho	lenty of give was cy number substantial amounts the pler shing services, we fected lts, de	of water or atter or milk to ober. Provide stance that unts of lukewanty of water for tops give ling, irritation lits, dermatitis areas. Fros rmatitis) in s
1 1 2 2 3 3 4	(DIMETHYLSILOXANE)  First Aid:  Effects of Exposure:  Symptoms of Overexposure:	Ingestion:   Eyes:   Skin:   Inhalation:   Eyes:   Skin:   Inhalation:   Ingestion:   Eyes:   Skin:   Inhalation:   Ingestion:   Ingestion:   Eyes:   Skin:   Inhalation:   Ingestion:   Eyes:   Skin:   On-irritating concentrations	JT6484500  4. If ingested, do IMMEDIATELY unconscious personance of the swallowed. Splashes are reported water for at leasy Wash thorough least 15 minute Remove victim artificial respiral If product is swallowed. Moderately irrit watering. May be irritatin some sensitive None expected Nausea, intesti Overexposure in Symptoms of selike symptoms individuals. When used as selection of the symptoms of selike symptoms individuals.	FIRST All on not induce of the patient erson. Contact the etime at which the patient erson. Contact the etime at which the patient erson. Contact the etime at which the patient erson. The product the patient erson. Keep per allowed, may contact the etime etime. The individuals.  In all discomfort, in eyes may cast overexposed the product directed. Michael and cause drowsin.	D MEA vomiting. t is vomit t the near ch the m ever, if p ifting upp nd water. once. If t rson warn cause nau ves. Sym e product  vomiting ause redn aure may t can cau oderate in	If priting, corest Potaterial product er and In case preathin, quieusea, variousea, itc includuse alle pritatior iness,	RES roduct roduc	has be to officential to the lids, or ontact, and get men grand/derexportation and waress, its skin reaches and wares and w	een sver water varied and eyes, scasion immediately and skin research sure many skin research sure skin research skin research sure skin research sure skin research sure skin research skin research sure skin research skin resea	wallower or more or look the afflush valley. He are oxyetention hea. The area of the area	ved, dinilk. Nocal emamount with conflush sign. It is clude risk (e.g. ritation rashed)	rink plever gergend tof the opious skin wife breat edness, rashed of affes, welled are	lenty of give was cy number subtraction amounts the pler shing state of the second sta	of water or atter or milk to ober. Provide stance that unts of lukewanty of water for tops give sing, irritation lits, dermatitis areas. Fros rmatitis) in s
1 1 22 2 3 3 4 4	(DIMETHYLSILOXANE)  First Aid:  Effects of Exposure:  Symptoms of Overexposure:  Acute Health Effects:	Eyes: Skin: Inhalation: Eyes: Skin: Inhalation: Ingestion: Eyes: Skin: Inhalation: Ingestion: Eyes: Skin: Inhalation: Ingestion: Eyes: Non-irritating concentrations Non-irritating	JT6484500  4. If ingested, do IMMEDIATELY unconscious peestimate of the swallowed. Splashes are rwater for at lea: Wash thorough least 15 minute Remove victim artificial respira. If product is sw Moderately irrit watering. May be irritatin some sensitive None expected Nausea, intestii Overexposure i Symptoms of slike symptoms. individuals. when used as	FIRST All o not induce of the patient erson. Contact the etime at which the patient erson. Contact the patient erson. Contact the patient erson. Contact the patient erson. Contact the patient erson. The product the patient erson. The product the	D MEA  vomiting. t is vomit t the near the me ever, if p ifting upp nd water.  once. If the reson warn cause natures. Sym e product  vomiting ause redn aure may the can cau oderate in thess, dizz erexposur	If priting, correct Potaterial productiver and In case preathing, quiecusea, vaptoms can case and/o ess, ito includuse allo pritation iness, e may	RES roduct roduc	has be to officential to the lids, or ontact, acget men g and/cerexpoolilergic linea. Individual to the lids of th	eeen sver water de and eyes, focasion immedical at or diarrissure muskin restering. Sections ad skin nd nauma-like	wallower or more or looker or more alley. diately erroxyetention hea. action action and irresea.	ved, dinilk. No cal emamount with conflush sign. It is clude riss (e.g.	rink pleever gergenot of the opious skin with the o	lenty of give was cy number subtraction amounts the pler shing state of the second sta	of water or atter or milk to ober. Provide stance that unts of lukewanty of water for tops give sing, irritation lits, dermatitis areas. Fros rmatitis) in s
1 1 2 2 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	(DIMETHYLSILOXANE)  First Aid:  Effects of Exposure:  Symptoms of Overexposure:  Acute Health Effects:	Eyes: Skin: Inhalation: Eyes: Skin: Inhalation: Ingestion: Eyes: Skin: Inhalation: Ingestion: Eyes: Skin: Inhalation: Ingestion: Eyes: Skin: Inhalation: Eyes: Skin: Inhalation: Eyes: Skin: Ingestion: Eyes: Skin: Eyes, Skin:	JT6484500  4. If ingested, do IMMEDIATELY unconscious personance of the swallowed. Splashes are resulted in water for at lease. Wash thorough least 15 minute Remove victim artificial respiral If product is swallowed. May be irritating some sensitive None expected. Nausea, intestion Overexposure in Symptoms of solike symptoms. Individuals. When used as sof vapors can when used as ce skin sensitize.	FIRST All onot induce of the patient erson. Contact enter at which the patient erson. The product enter the product directed. More cause drows at ion and respondenters the product enter the pr	D MEA vomiting. t is vomit t the near ch the m ever, if p ifting upp nd water. once. If t rson warn cause nat ves. Sym e product  vomiting ause redn aure may t can cau oderate in less, dizz erexposur iratory hy	If priting, corest Potaterial product ler and In case preathing, quie usea, variousea, itc includuse alle rritatior iness, e may perser	RES roduct roduc	has be to officent to the lids, or ontact, and get men grand/officent to the lids of the l	een sver water varied and eyes, focasion immedical attributes with the skin restrictions and skin restrictions	wallower or more or look the afflush wallower oxyetention hea. action and irri (e.g., near sea. sympergic or	ved, dinilk. No cal emamount with conflush sign. It is clude riss (e.g.	rink pleever gergenot of the opious skin with the o	lenty of give was cy number subtraction amounts the pler shing state of the second sta	of water or atter or milk to ober. Provide stance that unts of lukewanty of water for tops give sing, irritation lits, dermatitis areas. Fros rmatitis) in s
DLY (1)	(DIMETHYLSILOXANE)  First Aid:  Effects of Exposure:  Symptoms of Overexposure:  Acute Health Effects:  Chronic Health Effects:  Target Organs:  Medical Conditions	Ingestion:  Eyes: Skin: Inhalation: Eyes: Skin: Inhalation: Ingestion: Eyes: Skin: Inpertiating Ingestion: Eyes: Skin: Inpertiating Ingestion: Eyes: Skin: Inpertiating Inpertiat	JT6484500  4. If ingested, do IMMEDIATELY unconscious personance of the swallowed. Splashes are resulted in water for at lease. Wash thorough least 15 minutes are resulted in water for at lease. Wash thorough least 15 minutes are resulted in water in artificial respiral. If product is sw. Moderately irrit watering. May be irritating some sensitives None expected. Nausea, intestion overexposure in Symptoms of solike symptoms. Individuals. When used as sof vapors can when used as ce skin sensitized ermatitis, other	FIRST All onot induce of the patient erson. Contact the etime at which the patient erson to fresh air at tion. Keep per allowed, may distribute the etime that the patient erson the product of the product	D MEA  vomiting. t is vomit t the near the mean	If priting, corest Potaterial product ler and In case preathing, quie usea, variousea, itc includuse alle rritatior iness, e may perser	RES roduct roduc	has be to officent to the lids, or ontact, and get men grand/officent to the lids of the l	een sver water varied and eyes, focasion immedical attributes with the skin restrictions and skin restrictions	wallower or more or look the afflush wallower oxyetention hea. action and irri (e.g., near sea. sympergic or	ved, dinilk. No cal emamount with conflush sign. It is clude riss (e.g.	rink pleever gergenot of the opious skin with the o	lenty of give was cy number subtraction amounts the pler shing state of the second sta	of water or atter or milk to ober. Provide stance that unts of lukewanty of water for tops give sing, irritation lits, dermatitis areas. Fros rmatitis) in s
OLY ( 1 1	(DIMETHYLSILOXANE)  First Aid:  Effects of Exposure:  Symptoms of Overexposure:  Acute Health Effects:  Chronic Health Effects:  Target Organs:	Ingestion:  Eyes: Skin: Inhalation: Eyes: Skin: Inhalation: Ingestion: Eyes: Skin: Inpertiating Ingestion: Eyes: Skin: Inpertiating Ingestion: Eyes: Skin: Inpertiating Inpertiat	JT6484500  4. If ingested, do IMMEDIATELY unconscious personance of the swallowed. Splashes are resulted in water for at lease. Wash thorough least 15 minute Remove victim artificial respiral If product is swallowed. May be irritating some sensitive None expected. Nausea, intestion Overexposure in Symptoms of solike symptoms. Individuals. When used as sof vapors can when used as ce skin sensitize.	FIRST All onot induce of the patient erson. Contact the etime at which the patient erson to fresh air at tion. Keep per allowed, may distribute the etime that the patient erson the product of the product	D MEA  vomiting. t is vomit t the near the mean	If priting, corest Potaterial product ler and In case preathing, quie usea, variousea, itc includuse alle rritatior iness, e may perser	RES roduct roduc	has be to officential to the lids, or ontact, and get merger and wares, its kin readers are asther. Possithe	een sver water varied and eyes, focasion immedical attributes with the skin restrictions and skin restrictions	wallower or more or look the afflush in a lay incompaction and irresponding to the action are and irresponding to the action are action are action are action are action action are action action are action are action action action action are action acti	ved, dinilk. Nocal emamount with conflush sign. It is clude results affect witoms idermate	rink pleever gergenot of the opious skin with the o	lenty of give was cy number subtraction amounts the pler shing state of the second sta	of water or atter or milk to ober. Provide stance that unts of lukewanty of water for tops give sing, irritation areas. Fros rmatitis) in sandditionally, sitive individuals
OLY (	(DIMETHYLSILOXANE)  First Aid:  Effects of Exposure:  Symptoms of Overexposure:  Acute Health Effects:  Chronic Health Effects:  Target Organs:  Medical Conditions	Ingestion:  Eyes: Skin: Inhalation: Eyes: Skin: Inhalation: Ingestion: Eyes: Skin: Inpertiating Ingestion: Eyes: Skin: Inpertiating Ingestion: Eyes: Skin: Inpertiating Inpertiat	JT6484500  4. If ingested, do IMMEDIATELY unconscious personance of the swallowed. Splashes are resulted in water for at lease. Wash thorough least 15 minutes are resulted in water for at lease. Wash thorough least 15 minutes are resulted in water in artificial respiral. If product is sw. Moderately irrit watering. May be irritating some sensitives None expected. Nausea, intestion overexposure in Symptoms of solike symptoms. Individuals. When used as sof vapors can when used as ce skin sensitized ermatitis, other	FIRST All onot induce of the patient erson. Contact the etime at which the patient erson to fresh air at tion. Keep per allowed, may distribute the etime that the patient erson the product of the product	D MEA  vomiting. t is vomit t the near the mean	If priting, corest Potaterial product ler and In case preathing, quie usea, variousea, itc includuse alle rritatior iness, e may perser	RES roduct roduc	has be to officential to the lids, or ontact, and get merger and wares, its kin real to the lids are asthressed to the lids are a	eeen sver water Centered and eyes, focasion immediately by the content of the con	wallower or more or look the afflush in a flush in a fl	ved, dinilk. Nocal emamount with conflush sign. It is clude results affect with the conflush sign.	rink plever gergend tof the opious skin wife breat ednes:  a of affes, welled are in somititis.	lenty of give water your new substantial amounts the pler shing stantial st	of water or atter or milk to ober. Provide stance that unts of lukewanty of water for tops give sing, irritation areas. Fros rmatitis) in sadditionally, sitive individu
	(DIMETHYLSILOXANE)  First Aid:  Effects of Exposure:  Symptoms of Overexposure:  Acute Health Effects:  Chronic Health Effects:  Target Organs:  Medical Conditions	Ingestion:  Eyes: Skin: Inhalation: Eyes: Skin: Inhalation: Ingestion: Eyes: Skin: Inpertiating Ingestion: Eyes: Skin: Inpertiating Ingestion: Eyes: Skin: Inpertiating Inpertiat	JT6484500  4. If ingested, do IMMEDIATELY unconscious personance of the swallowed. Splashes are resulted in water for at lease. Wash thorough least 15 minutes are resulted in water for at lease. Wash thorough least 15 minutes are resulted in water in artificial respiral. If product is sw. Moderately irrit watering. May be irritating some sensitives None expected. Nausea, intestion overexposure in Symptoms of solike symptoms. Individuals. When used as sof vapors can when used as ce skin sensitized ermatitis, other	FIRST All onot induce of the patient erson. Contact the etime at which the patient erson to fresh air at tion. Keep per allowed, may distribute the etime that the patient erson the product of the product	D MEA  vomiting. t is vomit t the near the mean	If priting, corest Potaterial product ler and In case preathing, quie usea, variousea, itc includuse alle rritatior iness, e may perser	RES roduct roduc	has be to officential to the lids, or ontact, and get med grand/gerexpollergic linea. In the lids are as the l	eeen sver water Centered and eyes, focasion immediately by the content of the con	wallower or me or location flush wallower oxygen tention hea.  and irregion action  and irregion near sea.  symplergic of the sea.  symplergic of the sea.	ved, dinilk. Nocal emamount with conflush sign. It is clude results affect with the conflush sign.	rink place of the prior of the	lenty of give water substitute amounts the pler shing services, we feeted lits, decreas.	of water or ater or milk to ober. Provide stance that unts of lukeway of water for tops give sing, irritation areas. Fros rmatitis) in substitute individually, sitive individual of the control of the c



Page 2 of 5 SDS-E-DX10S

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.0

SDS Revision Date: 2/2/2015

<ul><li>5.1</li><li>5.2</li><li>5.3</li></ul>		5. FIREFIGHTING MEASURES		
	Fire & Explosion Hazards:	This product is not flammable. However, if involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO,CO <sub>X</sub> ).		
5.3	Extinguishing Methods:	Water, Foam, CO <sub>2</sub> , Dry Chemical. Use water spray to cool unopened containers.		
	Firefighting Procedures:	Fight fires as for surrounding materials. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Avoid spraying water directly into storage containers because of danger of boil-over. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or		
		decomposition products and oxygen deficiencies.		
6.1	Spills:	6. ACCIDENTAL RELEASE MEASURES		
0.1	Gyins.	Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. Plastic or rubber gloves, respirator, eye protection and apron may be required for clean-up of large spills. <a href="Small Spills">Small Spills</a> : Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible material such as vermiculite or sand to soak up the product and place into a container for later disposal. Do not use water or a material such as "speedy dry" to soak up material. Sweep up material using non-sparking materials (e.g., plastic brooms, shovels, dustpans) and place into a plastic container or plastic liner within another container.  Large Spills: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spil or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant.		
		7. HANDLING & STORAGE INFORMATION		
7.1	Work & Hygiene Practices:	Do not eat, drink or smoke when handling this product. Contents under pressure. Handle as to avoid puncturing		
	, g	container(s). When used as intended, no additional protective equipment is necessary. Use chemical goggles if eye contact is possible. Wash unintentional residues with soap and warm water.		
7.2	Storage & Handling:	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120 °F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying keep cap in place when not in use.		
7.3	Special Precautions:	Clean all spills promptly. Spilled material may present a slipping hazard.		
		8. EXPOSURE CONTROLS & PERSONAL PROTECTION		
8.1	Exposure Limits:	ACGIH NOHSC OSHA OTHER		
0.1	ppm (mg/m³)	CHEMICAL NAME(S)  TLV STEL ES-TWA ES-STEL ES-PEAK PEL STEL IDLH		
8.2	Ventilation & Engineering Controls:	NA N		
8.3	Respiratory Protection:	No special respiratory protection is required under typical circumstances of use or handling. In instances where dusts of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.		
8.4	Eye Protection:	Avoid eye contact. None required under normal conditions of use. Safety glasses could be used when handling or using large quantities of this product.		
	Hand Protection:	None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)), wear rubber, nitrile or impervious plastic gloves.		
8.5				
8.5	Body Protection:	impervious plastic gloves.  No apron required when handling small quantities. When handling large quantities (e.g., ≥ 5 lbs), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.		
	Body Protection:	impervious plastic gloves.  No apron required when handling small quantities. When handling large quantities (e.g., ≥ 5 lbs), eye wash stations and deluge showers should be available. Upon completion of work activities		
	Body Protection:  Appearance:	impervious plastic gloves.  No apron required when handling small quantities. When handling large quantities (e.g., ≥ 5 lbs), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.  9. PHYSICAL & CHEMICAL PROPERTIES		
8.6		impervious plastic gloves.  No apron required when handling small quantities. When handling large quantities (e.g., ≥ 5 lbs), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.		
9.1	Appearance:	impervious plastic gloves.  No apron required when handling small quantities. When handling large quantities (e.g., ≥ 5 lbs), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.  9. PHYSICAL & CHEMICAL PROPERTIES  Colorless		
9.1	Appearance: Odor:	impervious plastic gloves.  No apron required when handling small quantities. When handling large quantities (e.g., ≥ 5 lbs), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.  9. PHYSICAL & CHEMICAL PROPERTIES  Colorless  Characteristic odor		
9.1 9.2 9.3	Appearance: Odor: Odor Threshold:	impervious plastic gloves.  No apron required when handling small quantities. When handling large quantities (e.g., ≥ 5 lbs), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.  9. PHYSICAL & CHEMICAL PROPERTIES  Colorless  Characteristic odor  NA		
9.1 9.2 9.3 9.4	Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling	impervious plastic gloves.  No apron required when handling small quantities. When handling large quantities (e.g., ≥ 5 lbs), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.  9. PHYSICAL & CHEMICAL PROPERTIES  Colorless  Characteristic odor  NA  NA		
9.1 9.2 9.3 9.4 9.5	Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point:	impervious plastic gloves.  No apron required when handling small quantities. When handling large quantities (e.g., ≥ 5 lbs), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.  9. PHYSICAL & CHEMICAL PROPERTIES  Colorless  Characteristic odor  NA  NA  NA  >65 °C (149 °F)		
9.1 9.2 9.3 9.4 9.5 9.6	Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range:	impervious plastic gloves.  No apron required when handling small quantities. When handling large quantities (e.g., ≥ 5 lbs), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.  9. PHYSICAL & CHEMICAL PROPERTIES  Colorless  Characteristic odor  NA  NA  NA		



Page 3 of 5 SDS-E-DX10S

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 2/2/2015 9. PHYSICAL & CHEMICAL PROPERTIES - cont'd 9.10 Vapor Density: NA 9 11 Relative Density: 0.97- @ 25 °C 9.12 Solubility **Partial** 9.13 Partition Coefficient (log Pow): NA 9.14 Autoignition Temperature NA Decomposition Temperature: 9.15 NA 9.16 Viscosity: 350 cSt 9.17 Other Information NA 10. STABILITY & REACTIVITY 10.1 Stability Stable under normal conditions; unstable with heat or contamination. 10.2 Hazardous Decomposition Oxides of carbon (CO, CO<sub>2</sub>). Products 10.3 Hazardous Polymerization: Will not occur. 10 4 Conditions to Avoid Open flames, sparks, high heat, incompatible substances and direct sunlight. 10.5 Incompatible Substances: Avoid extreme heat and ignition sources. Store away from oxidizers 11. TOXICOLOGICAL INFORMATION 11.1 Routes of Entry: Absorption: YES Inaestion: YES 11.2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product and is not presented in this document. 11.3 Acute Toxicity: Moderate irritation to eyes and skin near affected areas 11.4 Chronic Toxicity This material may aggravate any pre-existing skin condition (e.g., dermatitis) Suspected Carcinogen: 11.5 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans Mutagenicity This product is not reported to produce mutagenic effects in humans This product is not reported to produce embryotoxic effects in humans. Embryotoxicity Teratogenicity This product is not reported to cause teratogenic effects in humans Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. 11.8 Biological Exposure Indices: NE 11.9 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There is no specific data available for this product. Effects on Plants & Animals: There are no specific data available for this product. 12.2 12.3 Effects on Aquatic Life: There are no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life. 13. DISPOSAL CONSIDERATIONS Waste Disposal: Products covered by this MSDS, in their original form, when disposed as waste, are considered non hazardous waste 13.1 according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations. Dispose of in accordance with federal, state and local regulations. 13.2 Special Considerations: NA 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): NOT REGULATED IATA (AIR) 14.2 **NOT REGULATED** IMDG (OCN): 14.3 NOT REGULATED TDGR (Canadian GND): 14.4 NOT REGULATED 14.5 ADR/RID (EU): NOT REGULATED 14.6 SCT (MEXICO): NOT REGULATED 14.7 ADGR (AUS): NOT REGULATED



Page 4 of 5 SDS-E-DX10S

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.0

SDS Revision Date: 2/2/2015

Порс	area to Ooria, ACC, ANOI, IN	7/10C, WTINIO, 2001/30 & 12/2/2000/EC Statidards   3D3 Nevision: 4.0   3D3 Nevision Date: 2/2/2013			
		45 DECLII ATODY INCODMATION			
45.4	CARA Reservices	15. REGULATORY INFORMATION			
15.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, section 313 reporting requirements.			
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.			
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.			
15.4	CERCLA Reportable Quantity (RQ):	NA			
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G, (Cosmetics).			
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.			
15.7	State Regulatory Information:	No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).			
15.8	Other Requirements:	The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC:  Irritant (Xi)  Risk Phrases: (R) 36 – Irritating to eyes. Safety Phrases: (S) 2-25-45 – Keep out of reach of children. Avoid contact with eyes. In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).			
		16. OTHER INFORMATION			
16.1	Other Information:	WARNING! CAUSES EYE IRRITATION. Use only as directed. Keep out of reach of children. Avoid contact with eyes.			
		In case of accident or if you feel unwell seek medical advice immediately (show the label where possible). If skin irritation occurs: get medical advice/attention. <b>KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.</b>			
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.			
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & CAIG Laboratories, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.			
16.4	Prepared for:	CAIG Laboratories, Inc.  12200 Thatcher Court  Poway, CA 92064-6876  Tel: +1 (800) CAIG-123 (244-4123)  Fax: +1 (858) 486-8398 fax  http://www.caig.com/			
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com			



Page 5 of 5 SDS-E-DX10S

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.0

SDS Revision Date: 2/2/2015

### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**


CAS No.	S No.   Chemical Abstract Service Number		
EXPOSURE LIMITS IN AIR:			
ACGIH	American Conference on Governmental Industrial Hygienists		
С	Ceiling Limit		
ES	Exposure Standard (Australia)		
IDLH	Immediately Dangerous to Life and Health		
OSHA	U.S. Occupational Safety and Health Administration		
PEL	Permissible Exposure Limit		
STEL	STEL Short-Term Exposure Limit		
TLV	Threshold Limit Value		
TWA	Time Weighted Average		

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body


#### HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



#### PERSONAL PROTECTION RATINGS:

Α			
В			
С		THE STATE OF THE S	
D			
E			
F		THE SECOND	





Splash Goggler

















Airline Hood/Mask or SCBA

#### OTHER STANDARD ABBREVIATIONS:


ML	Maximum Limit			
mg/m3	milligrams per cubic meter			
NA	Not Available			
ND	Not Determined			
NE	Not Established			
NF	Not Found			
NR	No Results			
ppm	parts per million			
SCBA	Self-Contained Breathing Apparatus			

### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:			
Autoignition	Minimum temperature required to initiate combustion in air with no other		
Temperature	source of ignition		
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will		
	explode or ignite in the presence of an ignition source		
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will		
	explode or ignite in the presence of an ignition source		

#### **HAZARD RATINGS:**

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩	Use No Water
ОХ	Oxidizer
TREFOIL	Radioactive



#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD <sub>Io</sub>	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD <sub>io</sub> , LD <sub>io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC <sub>o</sub> , LC <sub>lo</sub> , & LC <sub>o</sub>	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

#### **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System			
DOT	U.S. Department of Transportation			
TC	TC Transport Canada			
EPA	U.S. Environmental Protection Agency			
DSL	Canadian Domestic Substance List			
NOHSC	National Occupational Health and Safety Commission (Australia)			
NDSL	Canadian Non-Domestic Substance List			
PSL	Canadian Priority Substances List			
TSCA	U.S. Toxic Substance Control Act			
EU	European Union (European Union Directive 67/548/EEC)			
WGK	Wassergefährdungsklassen (German Water Hazard Class)			
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System			

### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	<b>(2)</b>	<b>(2)</b>		$\odot$	<b>®</b>		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

### EC (67/548/EEC) INFORMATION:

F.		2	¥		<b>*</b>	X	×
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

#### CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$			<b>\limits</b>		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment