Material Safety Data Sheet

24630385

MSDS0002 Page 1 of 5

Revision Date: October 1, 2001

Section 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name:

Plating Solution, Gold (OROBRUSH 999)

Product Number:

1oz: 115-3821

4oz: 115-3824

DISTRIBUTOR:

Circuit Technology Center

45 Research Drive, Haverhill, MA 01832-1293 Phone: 978-374-5000, FAX: 978-372-5700

Emergency Response 24-Hour Telephone:

CHEMTRECUnited States: (800) 424-9300

International: (703) 527-3887 (collect)

Section 2. COMPOSITION, INFORMATION OR INGREDIENTS

 CHEMICAL
 C.A.S. Number
 Weight %

 Potassium Aurocyanide
 KAu(CN)₂
 554-07-4
 8-9%

 Cobalt Complex
 C₁₀H₁₂CoN₂O₂
 14931-83-0
 1.06

 Nickel Complex
 C₀H₀NiNO₀H
 3333-67-3
 0.07

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200):

Exposure Limits 8 Hours TWA (PPM)

OSHA PEL ACGIH TLV

Potassium Aurocyanide

KAu(CN)₂ NA 5mg/M3

Cobalt Complex

C₁₀H₁₂CoN₂O₈ NA 0.05mg Co⁺²/M3

Nickel Complex

C₆H₆NiNO₆H NA 0.05mg Ni⁺²/M3

Section 3. HAZARD IDENTIFICATION

Emergency Overview:

Potential Health Effects:

INHALATION: Weakness, dizziness, headache, vomiting, unconscious and death.

EYES:

"Cyanide Rash" - itching, macular, papular and vesicular eruptions. There are often

secondary infections.

SKIN:

"Cyanide Rash" - itching, macular, papular and vesicular eruptions. There are often

secondary infections.

INGESTION:

May cause death or permanent injury from small quantities. (If detected early: vomiting or

unconsciousness).

ACUTE HEALTH EFFECTS: Local:

Irritant that causes readily reversible changes which disappear after

end of exposure.

Systemic:

Ingestion or inhalation may cause death or permanent injury after

a very short exposure to small quantities.

CHRONIC HEALTH EFFECTS: Local:

Irritant that may cause reversible and irreversible changes; but not

severe enough to cause death or permanent injury.

Systemic:

Ingestion or inhalation can cause readily reversible changes which

disappear after end of exposure.

This product contains material known to the state of California to cause cancer.

The American Conference of Governmental Industrial Hygienists has classified nickel compounds as

A1 Carcinogens.

Type

Motorial Safaty Data Shoot

MSDS0002 Page 2 of 5

| Material Safety | Data Sheet | MSDS0002 Page 2 of 5 |
|---|---|---|
| Section 4. FIRST AID ME | ASURES | |
| INHALATION: Treat | 5 times at 15 second inter | vals with amyl nitrite broken in cloth. Artificial respiration if |
| | sary. Call a physician. | |
| | | nutes or longer). Call a physician. |
| | thoroughly with soap and | |
| | scious, give emetic (1 table Call a physician. | espoon salt to a glass of warm water). Repeat until vomit fluid is |
| | | ======================================= |
| Section 5. FIRE-FIGHTIN | | |
| Flash Point & Method: | NA | |
| Flammable Limits: | | L: NA |
| Autoignition Temperature: | NA | C. I. C |
| GENERAL HAZARD: | release flan | re-fighting water run-off enter sewer which may be acidic and name. |
| FIRE FIGHTING INSTRUCT | | ve gear with a NIOSH/MSHA approved, self-contained opparatus and protective gear if fully involved in a fire. |
| HAZARDOUS COMBUSTIC | • | |
| FLAMMABLE PROPERTIE | | I not burn. |
| EXTINGUISHING MEDIA: | Use media : extinguishe | appropriate for the surrounding fire. Do not use a carbon dioxide r. |
| ========= | • | ======================================= |
| Section 6. ACCIDENTAL | RELEASE MEASURES | |
| LAND SPILL: | | uit Repair Corporation for refining - contains gold. Treat as |
| | complexed cyanide. | - |
| NEUTRALIZING AGENT: NA | Ą | |
| ========== | ======================================= | ======================================= |
| Section 7. HANDLING A | ND STORAGE | |
| STORAGE TEMPERATUR | E: 55-85 * F | |
| STORAGE PRESSURE: | Atmospheric | |
| GENERAL: | Store in a cool, dry | place away from strong acids and food products. |
| _========= | ======================================= | ======================================= |
| Section 8. EXPOSURE Co | ONTROLS AND PERSON | AL PROTECTION |
| Engineering Controls: | | |
| (X) Local Exhaust | ventilation is required. | |
| () Mechanical ver | ntilation recommended. | |
| | proof ventilation equipmen | |
| () Do not use in (| confined spaces without m | echanical ventilation equipment. |
| | onent exposure guidelines | 5. |
| Personal Protection: | Wash thoroughly before | eating or smoking. |
| RESPIRATOR: | | A approved respirator in a major spill. |
| HAND PROTECTION: | (X) Protective Gloves R | |
| | Ise one of the following) | |
| | (X) Safety Glasses | (X) Chemical Goggles |
| OTHER RECOMMEND.: (X |) Rubber Apron | |
| ======================================= | ========== | ======================================= |
| Section 9. PHYSICAL AN | | |
| Density | 1.056 g/cm3 | pH NA |
| Boiling Point | NA | % Volatile By Volume NA |
| Freezing Point | NA | % Solids NA |
| Vapor Density (Air = 1) | NA | Evaporation Rate (Butyl Acetate = 1) NA |

Evaporation Rate (Butyl Acetate = 1)..... NA Vapor Density (Air = 1)..... NA Viscosity..... Solubility in Water..... Very Soluble Physical State.....Liquid Molecular Weight..... NA None Odor..... Non-Exempt VOC (g/L)..... NA Vapor Pressure(mmHg)...... NA Appearance: Purple solution

> Circuit Technology Center, Inc. disclaims all liability associated with the use of this information. © 2001 Circuit Technology Center, Inc., 45 Research Drive, Haverhill, MA 01832-1293 USA

Phone: 978-374-5000 - Fax: 978-372-5700

E-mail: info@circuittechctr.com - Website: http://www.circuittechctr.com

Material Safety Data Sheet

MSDS0002 Page 3 of 5

| Section 10. STABILITY AND R GENERAL: INCOMPATIBLE MATERIALS AN HAZARDOUS DECOMPOSITION | ID CONDITIONS TO AVOID: Do | Stable. o not mix with strong acids, acid fumes or steam. Hydrogen cyanide. |
|---|---|---|
| HAZARDOUS POLYMERIZATIO | N: | Will not occur. |
| Section 11. TOXICOLOGICAL RESULTS OF COMPONENT TO HUMAN EXPERIENCE: | INFORMATION XICITY TEST PERFORMED: Inf | |
| Section 12. ECOLOGICAL INF FURTHER INFORMATION: | | Information not available. |
| Section 13. DISPOSAL CONS | | |
| RCRA 40 CFR 261 Classification | : | |
| Federal, State, and Local law with proper authorities before | e disposal. | s can differ. Ensure proper disposal compliance |
| Section 14. TRANSPORT INFO | | |
| DOT. IATA. ICAO, and IMO Desc | | |
| Basic Description: | Gold Plating Solution | |
| Proper Shipping Name: | | Potassium Metallic Cyanide Mixture) |
| • • • • • • • | 6.1 | |
| . marraging arrach. | 11 | |
| | 3287 T-E-8249 | |
| Label Requirements: DO Max. Shippable Qty.: | 1-E-6249 5 liters for Air, (No ground limita | ations) |
| Packaging: | Meets Performance Oriented Pa | |
| Reportable Quantity (RQ): | NA | actoging reduiements |
| 1996 NAERG Guide#: | NA | |
| | NA | E. Company |
| ======================================= | ======= ============================= | ======================================= |
| Section 15. REGULATORY INI | FORMATION | |
| UNITED STATES FEDERAL RE | | |
| MSDS complies with OSHA' | s Hazard Communication Rule, 2 | 29 CFR 1910.1200. |
| | | |
| CERCLA/SUPERFUND, 40 (| | |
| None of the chemicals are | Superfund hazards | |
| Section 302 - Extremely | hazardous substances (40 CFR | 6 TITLE III Sections 302, 311, 312 and 313: |
| None of the chemical | ls are Section 302 hazards | |
| Section 311/312 - Materi | ial Safety Data Sheet Requireme valuation, this product is non-haz | ents (40 CFR 370) zardous |
| (X) By our hazard e hazard: | valuation, this product is hazardo | ous. It should be reported under the following EPA |
| , , | acute) health hazard | |
| | ronic) chronic health hazard | |
| , , | ase of pressure hazard | |
| () Reactive Ha | zalu | |
| | | |
| Section 313 - List of Tov | cic Chemicals (40 CFC 372) | |

Material Safety Data Sheet

MSDS0002 Page 4 of 5

This product contains the following chemicals (at levels of 1% or greater) which are found on the 313 list of Toxic Chemicals

Toxic Chemical C.A.S. Number Weight %

Potassium Aurocyanide

KAu(CN)₂ 554-07-4 8-9%

Cobalt Complex

C₁₀H₁₂CoN₂O₈ 14931-83-0 1.06

TOXIC SUBSTANCE CONTROL ACT (TSCA): All substances are TSCA Listed.

RESOURCE CONSERVATION AND RECOVERY ACT (RCRA 40 CFR 261) Subpart C&D: Refer to Section 11. for RCRA classification.

FEDERAL WATER POLLUTION CONTROL ACT, CLEAN WATER ACT, 40 CFR 401.15 (FORMERLY SECTION 307), 40 CFR 116 (FORMERLY SECTION 311)

This product contains the following chemicals which are listed:

CHEMICAL

C.A.S. Number

Weight %

CLEAN AIR ACT: -- No Information ---

STATE REGULATIONS:

CALIFORNIA PROPOSITION 65:

This product contains the following ingredients which appear on the California proposition 65 list: CHEMICAL

C.A.S. Number

Weight %

Nickel Complex

C6H6NINO6H

3333-67-3

0.07

INTERNATIONAL REGULATIONS:

CANADA WHIMS:

NA

EUROPE EINECS NUMBERS:

NA

For purposes of the New Jersey Right to Know Law, the contents are partially unknown.

Section 16. OTHER INFORMATION

LABEL INFORMATION:

European risk and Safety Phrases:

NA

European Symbols Needed:

NA

Canadian WHIMS Symbols:

NA

NFPA HAZARD RATING:

(3) Flammability

(0) Health

(1) Reactivity

(B) Personal Protection

REVISION DATES, SECTIONS, REVISED BY:

01-JANUARY-00, J. FORBES

ABBREVIATIONS USED IN THIS DOCUMENT:

NE - Not Established, NA - Not Applicable/Not Available, NIF - No Information Found

REFERENCES:

Code of Federal Regulations (CFR)

The Sigma-Aldrich Library of Regulatory and Safety Data

Chemical Guide and OSHA Hazard Communication Standard

Various Federal, State & Local Regulations

Circuit Technology Center, Inc. disclaims all liability associated with the use of this information.

© 2001 Circuit Technology Center, Inc., 45 Research Drive, Haverhill, MA 01832-1293 USA
Phone: 978-374-5000 - Fax: 978-372-5700

E-mail: info@circuittechctr.com - Website: http://www.circuittechctr.com