CHIP QUIK, INC. The SMD Removal Solution 195 Falmouth Road Unit 1C Mashpee, MA 02649

31980001 (ms) Thru SMD 16

319502000

SMD 32

Material Safety Data Sheet

Common Name	AIM 58	Code	Not available.	
Supplier	AIM	MSDS#	Not available.	
		Validation D	ate 5/20/98	
Synonym	Bi./In./Pb./Sn.	Print Date	8/20/99	
Trade name	AIM 58		USA: Infotrac (800)535-5053 INTERNATIONAL: Infotrac (708)91	
Material Uses	Metal industry: Metallurgy, Low melting alloy	-	1900 CANADA: not available	
Manufacturer	AlM 9100 Henri-Bourassa east, Montreal, Quebec, H1E 2S4			

Section 2 Compo	sition and Information of	iligredients		
Name	CAS#	% by Weight	TLV/PFL	LC ₂₀ /LD ₂₀
Indium	7440-74-6	10-30	TWA: 0.1 (mg/m²) from ACGIH (TLV) [1986] Total. TWA: 0.1 (mg/m²) from ACGIH TWA: 0.1 (mg/m²) from NIOSH	Not avaitable.
Lead	7439-92-1	10-30	TWA: 0.05 (mg/m²) from ACGIH (TLV) TWA: 0.05 (mg/m²) from ACGIH TWA: 0.1 (mg/m²) from NIOSH	Not available.
Tin	7440-31-5	7-13	TWA: 2 STEL: 0.2 (mg/m²) from OSHA (PEL) [1997] Respirable. TWA: 2 (mg/m²) from OSHA (PEL) [1993] Respirable. TWA: 2 STEL: 0.2 (mg/m²) from ACGIH [1994] Respirable. TWA: 2 (mg/m²) from NIOSH	Not available.

Section 3. Hazards to	entification .
Routes of Entry	Eye contact. Ingestion. Inhalation. Skin contact.
Potential Acute Health Effects	Furnes and/or dusts produced by this product may be hazardous in case of eye contact (initant), of ingestion, of inhalation. Inflammation of the eye is characterized by redness, watering, and itching. This product may be hazardous in case of skin contact (initant, sensitizer).
Potential Chronic Health Effects	Furnes and/or dusts produced by this product may be hazardous in case of eye contact (irritant), of ingestion, of inhalation. This product may be hazardous in case of skin contact (irritant, sensitizer). CARCINOGENIC EFFECTS: [LEAD]: Classified + (Proven) by OSHA, A3 (Proven for animal) by ACGIH, 2B (Possible for human) by IARC. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: PROVEN [Lead] The product may be toxic to blood, kidneys, liver, heart, upper respiratory tract, skin, eyes, the nervous system, the reproductive system, spleen, brain, digestive system, gastro-intestinal tract, lungs. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated exposure to toxic material may produce general deterioration of health by an accumulation in one or many human organs.

	•	
AIM 58		Page Number: 2

Section 4. First Aid N	feasures
Eye Contact	Check for and remove any contact lenses. DO NOT use an eye ointment. Seek medical attention.
Skin Contact	Prolonged and repeated contact with bare skin may cause irritation. Wash gently and thoroughly the contaminated skin with running water and non-abrasive soap.
Hazardous Skin Contact	MOLTEN METAL causes SEVERE BURNS! In case of BURNS: DO NOT USE WATER. Cover with antiseptic ointment and steril gauze, Seek IMMEDIATE medical attention.
Inhalation	Allow the victim to rest in a well ventilated area. Seek immediate medical attention.
Hazardous Inhalation	No additional information.
Ingestion	DO NOT induce vomiting. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.
Hazardous Ingestion	No additional information.

Section 5. Fire and Exp	plosion Data
Flammability of the Product	Non-flammable.
Auto-Ignition Temperature	Not applicable.
Flash Points	Not applicable.
Flammable Limits	Not applicable.
Products of Combustion	Not applicable.
Fire Hazards in Presence of Various Substances	Not applicable.
Explosion Hazards in Presence of Various Substances	Non-explosive in presence of open flames and sparks, of shocks, of heat.
Fire Fighting Media and Instructions	Not applicable.
Special Remarks on Fire Hazards	Massive metal is nonflammable.
Special Remarks on Explosion Hazards	No additional remark,

Section 6: Acci	lental Release Measures
Small Spill	MOLTEN METAL: Let cool before picking up and returning to process or recycling. OTHER: Use appropriate tools to put the spilled solid in a container reserved to that effect.
Large Spill	MOLTEN METAL: Let cool before picking up and returning to process or recycling. OTHER: Use appropriate instruments to put the spilled material in a container reserved to that effect.

Section 7: Har	odling and Storage
Handling	Wear suitable protective clothing. Use in a well ventilated area. When using do not eat, drink or smoke. Avoid contact with skin and eyes. After handling, always wash hands thoroughly with soap and water.
Storage	Keep container tightly closed. Keep in a cool and well-ventilated area. Highly toxic or infectious materials should be stored in a separate locked safety storage cabinet or room.

Continued on Next Page

AIM 58	a a	Page Number: 3

Section 8. Exposure C	ontrols Persor	al Protection	
Engineering Controls	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.		
Personal Protection	HANDLING: gloves, safety glasses, dust respirator REMELTING: heat resistant gloves, splash goggles or face-shield, coveralls, dust and fume respirator. Wear suits respirator if ventilation is inadequate. Be sure to use a MSHA/NIOSH approved respirator or equivalent.		s, splash goggles or face-shield, coveralls, dust and fume respirator. Wear suitable
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.		
Chemical Name or Product 1	Name	CAS#	Exposure Limits
Indiam		7440-74-6	TWA:0.1 (mg/nf) from ACGH (TLV) [1986] Total TWA:0.1 (mg/nf) from ACGH
t _e eed		7439-92-1	TWA:0.1 (ngmi) from NOSH TWA:0.05 (ngmi) from ACSH (TLV) TWA:0.05 (ngmi) from ACSH TWA:0.05 (ngmi) from ACSH
Tin		7440-31-5	TWA-0.1 (rightf) from NOSH TWA-2.5TEL-0.2 (rightf) from OSHA(PEL)[1997] Respirable. TWA-2 (rightf) from OSHA(PEL)[1993] Respirable. TWA-2.5TEL-0.2 (rightf) from ACCSH [1994] Respirable. TWA-2 (rightf) from NOSH

Section 9: Physical :	and Chemical Properties		
Physical state and appearance	Solid.	Odor	Odorless.
Molecular Weight	Not applicable.	Taste	Not applicable.
pH (1% soln/water)	Not applicable.	Color	Silver-grey.
Boiling Point	Not available.		
Melting Point	58°C (136.4°F)		
Critical Temperature	Not available.		
Specific Gravity	9.24 (Water = 1)		
Vapor Pressure	Not available		
Vapor Density	Not available.		
Volatility	Not available.		
Odor Threshold	Not available.	····	
Evaporation rate	Not available.		
Viscosity	Not available.	****	
Water/Oil Dist. Coeff.	The product is insoluble in water and oil.		, , , , , , , , , , , , , , , , , , ,
Ionicity (in Water)	Non-ionic.		
Dispersion Properties	Is not dispersed in cold water, hot water, metr	nanoi, diethyl ether	r, n-octanol, acetone.
Solubility	Insoluble in cold water, hot water, methanol, o	diethyl ether, n-oci	anol, acetone.
Physical Chemical Comments	Not available.		

Chemical Stability	The product is stable.
Conditions of Instability	Over melting point, toxic metallic oxides may be evolved.
Incompatibility with various substances	Molten metal reacts violently with water.
Hazardous Decomposition Products	Not available.
Hazardous Polymerization	No.

AIM 58	Page Number: 4

Toxicity to Animals	LD50; Not available. LC50; Not available.	
Chronic Effects on Humans	CARCINOGENIC EFFECTS: [LEAD]: Classified + (Proven) by OSHA, A3 (Proven for animal) by ACGIH, 2B (Possible for human) by IARC. DEVELOPMENTAL TOXICITY: PROVEN [Lead] The product may be toxic to blood, kidneys, liver, heart, upper respiratory tract, skin, eyes, the nervous system, the reproductive system, spleen, brain, digestive system, gastro-intestinal tract, lungs.	
Other Toxic Effects on Humans	Furnes and/or dusts produced by this product may be hazardous in case of eye contact (irritant), of ingestion, of inhalation. This product may be hazardous in case of skin contact (irritant, sensitizer).	
Special Remarks on Toxicity to Animals	No additional remark.	
Special Remarks on Chronic Effects on Humans		
	MOLTEN METAL can cause severe BURNS!	

Section 12 Ecologica	l Information
Ecotoxicity	Not available.
BOD5 and COD	Not available.
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation	The products of degradation are more toxic.
Special Remarks on the Products of Biodegradation	No additional remark.

Section 18 Dispu	osal Considerations
Waste Disposal	Recycle, if possible. Consult your local or regional authorities.

Section 14. Transport	Information
DOT Classification	Not a DOT controlled material (United States).
Propper Shipping Name	Not applicable.
DOT Identification Number	Not applicable.
Packing Group	Not applicable.
Hazardous Substances Reportable Quantity	Not available.
Special Provisions for Transport	Not applicable.
TDG Classification	Not controlled under TDG (Canada).
IMDG Classification	Not controlled under IMDG.
IATA Classification	Not controlled under IATA.

Continued on Next Page

AIM 58

Page Number: 5

Section 15. Regulatory Information

Federal and State Regulations

California prop. 65: This product contains [LEAD] for which the State of California has found to cause cancer, birth defects or other reproductive harm (female, male), which would require a warning under the statute.

California prop. 65 (no significant risk level): Lead: 0.0005 mg/day (inhalation)

Rhode Island RTK hazardous substances: Lead, Tirr,

Pennsylvania RTK: Indium; Lead; Tin; Florida: Indium; Lead; Tin; Minnesota: Indium; Lead; Tin;

Michigan critical material: Lead; Massachusetts RTK: Indium; Lead; Tin;

New Jersey: Lead; Tin;

TSCA inventory: Bismuth; Indium; Lead; Tirr,

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Leadt delayed health hazard;

SARA 313 toxic chemical notification and release reporting: Lead: 0.1%;

CERCLA hazardous substances: Lead: 10 lbs. (4.536 kg);

NOTE:

BE AWARE THAT THESE REGULATIONS MAY NOT APPLY TO THE PARTICULAR FORM IN WHICH THIS

PRODUCT IS SOLD.

PLEASE CHECK WITH YOUR LOCAL AUTHORITIES.

Other Classifications

WHMIS (Canada) WHMIS CLASS D-2A: Material causing other toxic effects (VERY TOXIC).

DSCL (EEC) R33- Danger of cumulative-effects.

R61- May cause harm to the unborn child.

R62-Possible risk of impaired fertility. R20/22- Harmful by inhalation and if swallowed.

Section 16. Other Information

HMIS (U.S.A.)

	*	1
		0
Reactivity		0
Personal Protection		j

National Fire Protection Association (U.S.A.)

en (1

Fire Hazard

Specific bazard

References

-ACGIH, Threshold Limit Values, 1994-1995. -Canada Gazette Part II, Vol. 122, No. 2 Registration SOR/88-64 31 December, 1987 Hazardous Products Act "Ingredient Disclosure List". -CFR29, OSHA's Permissible Exposure Limits, revision July, 1993. -CFR29, part 1910.1200, Hazard Communication. -Components' manufacturer's Material Safety Data Sheet -CRC Handbook of chemistry and physics, 67 th edition, CRC Press inc., Boca Rota, Florida. -CSST (Comission de Santé et Sécurité au Travail), document #RT-12: Classification of Certain Chemical Substances. -NFPA, Fire Protection Guide to Chemical Hazards, 11th edition. -NIOSH, Pocket Guide to Chemical Hazards, revision June 1994. -TSCA (Toxic Substance Contral Act), Chemical Substance Inventory List, 1985. - IATA, Dangerous Goods Regulations, 37th edition (January 1, 1996) - LOLIPRO vol. 13, Environmental Health & Safety Series II, Micromedex Inc.

Other Special Considerations -ALL INGREDIENTS WITH SUSCEPTIBLE HAZARDS THAT ARE PRESENT IN A CONCENTRATION GREATER THAN 1 % (GREATER THAN 1 MICH SAFETY DOCUMENT.

Validated by C. Gosselin on 5/20/98.

Verified by C. Gosselin.

Printed 8/20/99.

USA: Infotrac (800)535-5053

INTERNATIONAL: Infotrac (708)918-1900

CANADA: not available

Notice to Reader

To the best of our knowledge, the information contained hereix is accurate. However, neither the above named supplies nor ony of its subsidiaries assumes any liability obstacover for the accuracy or completeness of the information contained hereix. Final determination of suitability of any naterial is the sole responsibility of the user. All naterials may present unknown hazards and should be used with cention. Although certain hazards an described hereix, per country guarantee that these are the and permit edits.