



SAFETY DATA SHEET

POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

1. Identification

Product identifier

Product name POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

Product number MCC-POCGL,MCC-POC03M,MCC-POCP,MCC-POCL,MCC-POCG,MCC-POCGG,MCC-POCD

Synonyms; trade names NSN: 6850-01-592-9391; NATO: 6850-99-328-5073

Recommended use of the chemical and restrictions on use

Application Cleaning agent.

Details of the supplier of the safety data sheet

Supplier MicroCare Corporation

Manufacturer MICROCARE CORPORATION
595 John Downey Drive
New Britain, CT 06051
United States of America
CAGE: OATV9
Tel: +1 860-827-0626
Fax: +1 860-827-8105
techsupport@microcare.com

Emergency telephone number

Emergency telephone CHEMTREC (800) 424-9300

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Human health Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.

Environmental The product contains a substance which is harmful to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

Physicochemical Vapors are heavier than air and may travel along the floor and accumulate in the bottom of containers. Gas or vapor displaces oxygen available for breathing (asphyxiant). Not considered to be a significant hazard due to the small quantities used.

Label elements

Hazard statements NC Not Classified

POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

Supplemental label information EUH210 Safety data sheet available on request.
RCH001a For use in industrial installations only.

Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

3. Composition/information on ingredients

Mixtures

Methyl Nonafluoroisobutyl Ether	30-60%
CAS number: 163702-08-7	
Classification Not Classified	
Methyl Nonafluorobutyl Ether	30-60%
CAS number: 163702-07-6	
Classification Not Classified	
PROPAN-2-OL	5-10%
CAS number: 67-63-0	
Classification Flam. Liq. 2 - H225 Eye Irrit. 2A - H319 STOT SE 3 - H336	

The Full Text for all Hazard Statements are Displayed in Section 16.

Composition comments The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of CFR 1900.1200, TSCA: The ingredients of this product are on the TSCA Inventory.

4. First-aid measures

Description of first aid measures

General information	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. If breathing stops, provide artificial respiration. Never give anything by mouth to an unconscious person.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Consult a physician for specific advice.
Skin Contact	Due to the small packaging, the risk of skin contact is minimal. Remove contaminated clothing and rinse skin thoroughly with water.

POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

Most important symptoms and effects, both acute and delayed

General information For further information, please refer to section 11.

Inhalation Vapors in high concentrations are anesthetic. Symptoms following overexposure may include the following: Headache. Fatigue. Dizziness. Central nervous system depression.

Ingestion Due to the physical nature of this material it is unlikely that swallowing will occur. May cause nausea, headache, dizziness and intoxication. Congestion of the lungs may occur, producing severe shortness of breath.

Skin contact Prolonged skin contact may cause redness and irritation. Mild dermatitis, allergic skin rash.

Eye contact May cause temporary eye irritation.

Indication of immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media The product is not flammable.

Special hazards arising from the substance or mixture

Flammability Class The product is not flammable.

Specific hazards Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m³. Containers can burst violently when heated, due to excess pressure build-up.

Hazardous combustion products Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

Advice for firefighters

Protective actions during firefighting Closed containers can burst violently when heated, due to excess pressure build-up. Containers close to fire should be removed or cooled with water. Keep away from heat, sparks and open flame. Thermal decomposition or combustion products may include the following substances: Toxic and corrosive gases or vapors.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

Environmental precautions

Environmental precautions Not considered to be a significant hazard due to the small quantities used. Avoid discharge into drains or watercourses or onto the ground. Contain spillage with sand, earth or other suitable non-combustible material.

Methods and material for containment and cleaning up

POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

Methods for cleaning up	Absorb spillage with non-combustible, absorbent material. Do not discharge into drains or watercourses or onto the ground.
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards.

7. Handling and storage

Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid contact with skin and eyes.

Conditions for safe storage, including any incompatibilities

Storage precautions Do not store near heat sources or expose to high temperatures. Keep containers upright.

Storage class The product is not flammable.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2. For use in industrial installations only.

Usage description Cleaning agent.

Reference to other sections. Store away from incompatible materials (see Section 10).

8. Exposure Controls/personal protection

Control parameters

Occupational exposure limits

Methyl Nonafluoroisobutyl Ether

Long-term exposure limit (8-hour TWA): 750 ppm

Methyl Nonafluorobutyl Ether

Long-term exposure limit (8-hour TWA): 750 ppm

PROPAN-2-OL

Long-term exposure limit (8-hour TWA): OSHA 400 ppm 980 mg/m³

Long-term exposure limit (8-hour TWA): ACGIH 200 ppm 492 mg/m³

Short-term exposure limit (15-minute): ACGIH 400 ppm 984 mg/m³

A4

OSHA = Occupational Safety and Health Administration.

ACGIH = American Conference of Governmental Industrial Hygienists.

A4 = Not Classifiable as a Human Carcinogen.

Ingredient comments WEL = Workplace Exposure Limits Threshold Limit Values (2005), ACGIH, by the American Conference on Governmental Industrial Hygienists. ACGIH = US Standard. SUP = Supplier's recommendation. EU = Indicative Values according to Commission Directive 91/322/EEC.

Exposure controls

Protective equipment



Appropriate engineering controls

No specific ventilation requirements. This product must not be handled in a confined space without adequate ventilation.

POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.
Hand protection	Hand protection not required. Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Neoprene.
Hygiene measures	When using do not eat, drink or smoke. No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.
Respiratory protection	No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Clear liquid.
Color	Colorless.
Odor	Slight alcoholic.
Odor threshold	No information available.
pH	No information available.
Melting point	No information available.
Initial boiling point and range	54°C/129°F @ 101.3 kPa
Flash point	The product is not flammable.
Evaporation rate	58 (BUOAC = 1)
Evaporation factor	No information available.
Upper/lower flammability or explosive limits	Upper flammable/explosive limit: 16.7 %(V) Lower flammable/explosive limit: 4.0 %(V)
Other flammability	No information available.
Vapor pressure	27.6 kPa @ 25°C
Vapor density	7.0
Relative density	1.48 (H ₂ O = 1) @ 20°C
Bulk density	No information available.
Solubility(ies)	Slightly soluble in water.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	<=0.01 Pa s @ 23°C
Refractive index	No information available.
Particle size	Not applicable.
Molecular weight	No information available.

POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

Volatility	100%
Saturation concentration	No information available.
Critical temperature	No information available.
Flammability	The product is not flammable.

10. Stability and reactivity

Reactivity	Strong alkalis. Chemically-active metals.
Stability	Stable at normal ambient temperatures and when used as recommended.
Possibility of hazardous reactions	Will not polymerize.
Conditions to avoid	Keep away from heat, sparks and open flame. Thermal decomposition or combustion products may include the following substances: Toxic and corrosive gases or vapors.
Materials to avoid	Alkali metals. Alkaline earth metals. Powdered metal. Strong acids.
Hazardous decomposition products	Heating may generate the following products: Toxic and corrosive gases or vapors. Hydrogen fluoride (HF). Hydrogen chloride (HCl). Halogenated hydrocarbons. Carbon dioxide (CO ₂).

11. Toxicological information

Information on toxicological effects

Other health effects	There is no evidence that the product can cause cancer.
Inhalation	Vapors may irritate throat/respiratory system. A single exposure may cause the following adverse effects: Coughing. Difficulty in breathing.
Ingestion	May cause stomach pain or vomiting. May cause nausea, headache, dizziness and intoxication.
Skin Contact	Repeated exposure may cause skin dryness or cracking. Product has a defatting effect on skin. May cause allergic contact eczema.
Eye contact	May cause temporary eye irritation.

Toxicological information on ingredients.

Methyl Nonafluoroisobutyl Ether

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 5,000.0

Species Rat

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 1,000.0

Species Rat

ATE inhalation (vapours mg/l) 1,000.0

POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

Methyl Nonafluorobutyl Ether

Other health effects There is no evidence that the product can cause cancer.

Acute toxicity - oral

**Acute toxicity oral (LD₅₀
mg/kg)** 5,000.0

Species Rat

ATE oral (mg/kg) 5,000.0

Acute toxicity - inhalation

**Acute toxicity inhalation
(LC₅₀ vapours mg/l)** 1,000.0

Species Rat

**ATE inhalation (vapours
mg/l)** 1,000.0

PROPAN-2-OL

Acute toxicity - oral

**Acute toxicity oral (LD₅₀
mg/kg)** 5,800.0

Species Rat

ATE oral (mg/kg) 5,800.0

Acute toxicity - dermal

**Acute toxicity dermal (LD₅₀
mg/kg)** 13,000.0

Species Rabbit

ATE dermal (mg/kg) 13,000.0

Acute toxicity - inhalation

**Acute toxicity inhalation
(LC₅₀ vapours mg/l)** 16,000.0

Species Rat

**ATE inhalation (vapours
mg/l)** 16,000.0

Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

NTP carcinogenicity Not listed.

OSHA Carcinogenicity Not listed.

12. Ecological Information

Ecotoxicity There are no data on the ecotoxicity of this product.

Ecological information on ingredients.

POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

Methyl Nonafluoroisobutyl Ether

Ecotoxicity The product is not expected to be toxic to aquatic organisms.

Methyl Nonafluorobutyl Ether

Ecotoxicity There are no data on the ecotoxicity of this product.

Toxicity

Toxicity Not considered toxic to fish.

Ecological information on ingredients.

Methyl Nonafluoroisobutyl Ether

Toxicity Not considered toxic to fish.

Methyl Nonafluorobutyl Ether

Toxicity Not considered toxic to fish.

PROPAN-2-OL

Acute toxicity - fish LC₅₀, 96 hours: 9,640 mg/l, Fish

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 5102 mg/l, Daphnia magna

Acute toxicity - aquatic plants IC₅₀, 72 hours: >2,000 mg/l, Algae

Persistence and degradability

Persistence and degradability No data available.

Ecological information on ingredients.

Methyl Nonafluoroisobutyl Ether

Persistence and degradability The product is not expected to be biodegradable.

Methyl Nonafluorobutyl Ether

Persistence and degradability No data available.

Bioaccumulative potential

Bio-Accumulative Potential No data available on bioaccumulation.

Partition coefficient No information available.

Ecological information on ingredients.

Methyl Nonafluoroisobutyl Ether

Bio-Accumulative Potential No data available on bioaccumulation.

Methyl Nonafluorobutyl Ether

POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

Bio-Accumulative Potential No data available on bioaccumulation.

Mobility in soil

Mobility	The product contains volatile substances which may spread in the atmosphere. Not considered to be a significant hazard due to the small quantities used.
Adsorption/desorption coefficient	Not known.
Henry's law constant	Not known.
Surface tension	Not determined.

Ecological information on ingredients.

Methyl Nonafluoroisobutyl Ether

Mobility Not applicable.

Methyl Nonafluorobutyl Ether

Mobility Not applicable.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

Other adverse effects

Other adverse effects The product contains volatile organic compounds (VOCs) which have a photochemical ozone creation potential.

13. Disposal considerations

Waste treatment methods

General information	When handling waste, the safety precautions applying to handling of the product should be considered.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

14. Transport information

General Not regulated. The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable. Non-hazardous substance.

UN proper shipping name

Not applicable. Non-hazardous substance.

Transport hazard class(es)

Not applicable. Non-hazardous substance.

Transport labels

Packing group

Not applicable. Non-hazardous substance.

POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

Environmental hazards

Environmentally Hazardous Substance

No.

Special precautions for user

No information required.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information required. Not relevant.

15. Regulatory information

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

Not listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

Not listed.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

Not listed.

SARA 313 Emission Reporting

Not listed.

CAA Accidental Release Prevention

Not listed.

SARA (311/312) Hazard Categories

Acute

OSHA Highly Hazardous Chemicals

Not listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

Not listed.

California Air Toxics "Hot Spots" (A-I)

PROPAN-2-OL

Present.

California Air Toxics "Hot Spots" (A-II)

Not listed.

California Directors List of Hazardous Substances

PROPAN-2-OL

Present.

Massachusetts "Right To Know" List

PROPAN-2-OL

Present.

POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

Rhode Island "Right To Know" List

PROPAN-2-OL

Present.

Minnesota "Right To Know" List

PROPAN-2-OL

Present.

New Jersey "Right To Know" List

PROPAN-2-OL

Present.

Pennsylvania "Right To Know" List

PROPAN-2-OL

Present.

Inventories

Canada - DSL/NDSL

Yes

US - TSCA

Yes

16. Other information

Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	2/3/2016
Revision	25
Supersedes date	1/12/2016
SDS No.	BULK - POC
SDS status	Approved.
Hazard statements in full	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
NFPA - health hazard	Extremely hazardous, serious injury. (3)
NFPA - flammability hazard	Burns only if pre-heated. (1)
NFPA - instability hazard	Normally stable. (0)
NFPA - special hazard	N/A
ACA HMIS Health rating.	Slight Hazard. (1)
ACA HMIS Flammability rating.	Burns only if pre-heated. (1)
ACA HMIS Physical hazard rating.	Normally stable. (0)

POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

**ACA HMIS Personal
protection rating.**

B

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.