INDIUM CORPORATION OF AMERICA ®\EUROPE®\ASIA-PACIFIC® INDIUM CORPORATION (SUZHOU) ®

SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier:WF-9945LEAD FREE ROSIN FLUXSDS Number:SDS-4710Revised Date:17 DECEMBER 2013Product Use:INDUSTRIAL USE (mixture) - WAVE SOLDER FLUX

MANUFACTURER:

In America:

The Indium Corporation of America 1676 Lincoln Ave., Utica NY 13502 Information: (315) 853-4900 nswarts@indium.com

In Europe:

Indium Corporation of Europe 7 Newmarket Ct. Kingston, Milton Keynes, UK, MK 10 OAG Information: +44 [0] 1908 580400

In Asia:

Indium Corporation of America Asia-Pacific Operations-Singapore 29 Kian Teck Avenue Singapore 628908 Information: +65 6268-8678

EMERGENCY PHONE: CHEMTREC 24 hrs. USA: 1 (800) 424-9300 Outside USA: +1 (703) 527-3887

In China:

Indium Corporation (Suzhou), Co., Ltd No. 428 Xinglong Street Suzhou Industrial Park Suchun Industrial Square Unit No. 14-C Jiangsu Province, China 215126 Information: (86) 512-6283-4900

2. HAZARD	S IDENTIFICATION					
PRIMARY ROUTES OF ENTRY: Carcinogen listed in						
⊗Eye	⊗Inhalation ⊗Skin	⊗Ingestion	NTP	IARC	OSHA	⊗Not Listed
GHS						
Signal Word: Dan	ger					
Hazard Statement H225 H H315 C H317 M H319 C H334 M H335 M H336 M	-	action symptoms or brea on ziness	-	ulties if inha	led	
Precautionary stat P210 P233 P261 P270 P273 P280 P362 P301 + P314 P302 +P352 P304 + 341 P305 + 351 P501 Classification: Flammable Liquid Skin irritant- Catego Eye irritant- Catego	Keep away from heat/spar Keep container tightly clos Avoid breathing dust/fume, Do not eat, drink or smoke Avoid release to the enviro Wear protective gloves/pro Take off contaminated clot IF SWALLOWED: Get Med IF ON SKIN: Wash with ple IF INHALED: If breathing is for breathing IF IN EYES: Rinse continu Dispose of in accordance of - Category 2 gory 3	ed /gas/mist/vapors/s when using this p onment otective clothing/ey hing and wash bef dical advice/attenti enty of soap and w s difficult, remove v ously with water for	oray roduct e protectio ore reuse on if you fo ater ictim to fre r several i	on/face prote eel unwell esh air and k	ection seep at rest i	n a position comfortable
POTENTIAL HEALTH EFFECTS:						
Eye Contact:	Vapors may be irritating,	liquid may cause i	ritation to	eye tissue.		
Ingestion:	May cause persistent nat	usea, vomiting and	abdomina	al pain. Irrita	ting to diges	tive tract.
Inhalation:	Vapor may cause headad	ches and or dizzine	ess. Avoid	inhalation o	f vapors. Irri	tating to respiratory

Skin Contact: Prolonged contact may cause irritation and dermatitis.

Chronic: Over exposure to vapors may be harmful. Not established.

tract. Rosin may cause occupational asthma.

NOTE: The Indium Corporation does not recommend, manufacture, market or endorse any of its products for human consumption.

Components	% wt	CAS Registry #/EINECS	PEL mg/m³	TLV-TWA mg/m ³	TLV-STEL mg/m ³
ISOPROPANOL	80-86	67-63-0/200-661-7			
		(US)	980	983	1225
(PROPAN-2-OL)		(EU)	-	999	1250
		(Canada)	-	983	1228
		(Mexico)	980	-	1225
		(China)	-	350	700
		(Singapore)	983	-	1230
MINERAL SPIRITS	10-15	8052-41-3/232-489-3	2900	572	-
		(Canada)	-	525	1050
ROSIN	5-12	65997-05-9/NLP No. 500-1	63-2		
			N.E.	N.E.	N.E.
		(EU)	0.05	-	0.15
PROPRIETARY ACTIVATORS	1-3	-	N.E.	N.E.	N.E.

DOES NOT CONTAIN ANY EU SUBSTANCES OF VERY HIGH CONCERN (SVHC)

4. FIRST AID MEASURES			
Eye Contact:	Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Seek medical attention if irritation persists.		
Ingestion:	If patient is conscious, ONLY induce vomiting as directed by trained personnel. NEVER give anything by mouth to an unconscious person. Seek medical attention immediately.		
Inhalation:	Remove to fresh air. If not breathing, give artificial respiration or oxygen by trained personnel. Seek immediate medical attention.		

Skin Contact: Remove contaminated clothing. Wash affected area with soap and water. Wash clothing before reuse. If irritation persists, obtain medical attention.

5. FIRE FIGHTING MEASURES					
Flash Point:	12°C (54°F)	Method: Closed Cup			
Auto-ignition Te	emperature:	750 F (isopropanol)			
Flammable Limi	its:	Upper: 12 @77°F; Lower 2 @ 77°F (isopropanol)			
Extinguishing M	ledia:	Water. Use extinguishers appropriate for the surrounding fire conditions.			
Special Fire Fig	-	Wear protective clothing and self-contained breathing apparatus. Use water to cool fire			

Procedures: Wear protective clothing and self-contained breathing apparatus. Use water to cool fire exposed containers. Flammable vapors may travel great distances to ignition source and flash back.

6. ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedures: Do not allow material to enter sewer system or waterway. Wear personal protective equipment. Eliminate sources of ignition. Ventilate area in accordance with regulations. Dispose of following all Federal, State and Local regulations. In the EU refer to the Special Waste Regulations.

7. HANDLING AND STORAGE Handling Precautions: Keep containers tightly closed when not in use. Use care to avoid spills. Wear personal protective equipment. Ground containers. Use in well vented areas. Storage Precautions: Store product in tightly capped original containers in a cool, dry area. Refer to product label for specific storage temperature requirements. Rotate stock to ensure use before expiration date on the label.

 EXPOSURE CONTROLS / PERSONAL PROTECTION Engineering Controls: Face velocity >2.1 cubic feet/minute in confined areas. Overall exhaust ventilation. Recommended in order to keep exposures to as low as possible. 				
Personal protect	ction:			
Eyes:	Chemical safety glasses/goggles. Face shield for splash hazards.			
Respirator:	An approved or compliant marked air-purifying respirator with a fume/organic chemical cartridge is recommended where airborne concentrations are expected to be elevated. Use respiratory protection in confined areas. Air purifying respirators will offer no protection in oxygen deficient areas. Ensure that the protection factors of the respirator are not exceeded.			
Skin:	Compatible chemical resistant gloves. Use gloves such as nitrile, which are compatible with alcohols. Do not use latex gloves for handling of product.			
Other:	Lab coat, eye-wash fountain in work area. Avoid the use of contact lenses in high fume/splash areas.			
Work/Hygienic Practices:	Maintain good housekeeping. Clean up spills immediately. Good personal hygiene is essential. Avoid eating, smoking or drinking in the work area.			

Wash hands thoroughly with soap and water immediately upon leaving the work area.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Amber liquid	Boiling Point:	Not available
Odor:	Alcohol odor.	Evaporation Rate:	Not available
Specific Gravity:	0.802 g/cc	pH:	5.8
Vapor Pressure:	Not available	Solubility in Water:	Soluble
Vapor Density:	Not available		

10. STABILITY AND REACTIVITY			
General:	Stable.		
Conditions to Avoid:	Direct heat, open flames and storage in aluminum.		
Incompatible Materials:	Anhydrides, halogens, phosphorus, trichlorides, monomers, aldehydes		
Hazardous Decomposition / Combustion:	Carbon dioxide/carbon monoxide.		
Hazardous Polymerization:	Will not occur.		

11.TOXICOLOGICAL INFORMATION

Carcinogenicity: National Toxicity Program NTP:			No	
Occupational Safety & Health Administration OSHA:			No	
International Agency for Research on Cancer IARC:			No	
LD50:	Not established. LC50:	Not established.		

12. ECOLOGICAL INFORMATION

Product not tested.

An environmental hazard cannot be excluded in the event of unprofessional handling.

13. DISPOSAL CONSIDERATION

Waste Disposal Method: Dispose of in accordance with all Federal, State and Local environmental regulations.

14. TRANSPORT INFORMATION

Transport in accordance with applicable regulations and requirements.

UN1987, Alcohols, N.O.S., 3, PG II (isopropanol, mineral spirits)



North American Emergency Guide Book - Guide # 127

Marine Pollutant: No

15. REGULATORY INFORMATION

The information in this Material Safety Data Sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated hereunder (29 CFR 1910.1200 ET. SEQ.).

This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulation (CPR).

Canadian WHMIS: Class B Division 2 Flammable, D2B Toxic Material Causing Other Toxic Effects (eye irritation in animals).



This product has been classified in accordance with the guidelines set by the Dept of Industrial Health of the Republic of Singapore.

This product has been classified in accordance with Mexican regulations: NOM-018-STPS-2000 and NOM-010-STPS-1999.

This product has been classified using the Chinese Occupational Exposure Limit for Hazardous Agents in the Workplace, GBZ2-2002.

SARA 313 Listing - 40 CFR 372.65: none

All ingredients are listed on the EPA TSCA Inventory.

EC Classification, Packaging and Labeling Requirements:

Symbol and Hazard Classification of Product

XI ,F

Risk Phrases:

- R36/37/38 Irritating to eyes, respiratory system and skin
- R 11 Highly Flammable
- R42/43 May cause sensitization by inhalation and skin contact
- R67 Vapors may cause drowsiness and dizziness

Safety Phrases:

SDS – 4710	WF-9945
S16	Keep away from sources of ignition - "No Smoking"
S20/21	When using do not eat, drink or smoke
S23	Do not breathe fumes
S24/25	Avoid contact with skin and eyes
S28	After contact with skin wash immediately with plenty of soap and water
S36/37/39	Wear suitable protective clothing, gloves and eye/face protection
S62	If swallowed, do not induce vomiting seek medical advice immediately and show container or label
S7	Keep container tightly closed

RoHS 2 (Restriction of Hazardous Substances) Compliance Statement: This product complies with the requirements of the EU Directive 2011/65/EU regarding the restriction of certain hazardous substances in electronic equipment. This product does not contain any metals and does not contain any flame-retardants.

16. OTHER INFORMATION

HMIS Hazard Rating:	Health: 2		
	Fire:	3	
	Physical Hazard:	0	
Revised Date:	17 DECEMBER 2013		
Prepared by:	Nancy Swarts, Indium Corporation of America		
Approved by:	Nancy Swarts, Indium Corporation of America		

The information and recommendations contained herein are, to the best of The Indium Corporation of America's knowledge and belief, accurate and reliable as of the date issued. The Indium Corporation of America does not warrant or guarantee their accuracy or reliability, and The Indium Corporation of America shall not be liable for any loss or damage arising out of the user thereof. The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container.