

Page 1 of 6 **SDS-E-S5L-A** 

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 7.3

SDS Revision Date: 2/10/2022

1.1	Product Name:	<u> </u>											_	
1.1			SHIELD	S-SERIES	s, 5% s	SOLU <sup>.</sup>	TIOI	N, V	OC	CON	IPL		Γ	
.2	Chemical Name:	NA												
.3	Synonyms:	DeoxIT <sup>®</sup> S5L-2 DeoxIT <sup>®</sup> S5L-3	5C-A, 5% Liqu 2-A, 5% Liquic	uid, 25 ml; Dec d, 944 ml; Deo	oxIT <sup>®</sup> S5L-4 oxIT <sup>®</sup> S5L-5	I-A, 5% I G-A, 5%	Liquid, 6 Liquio	l, 118 r id, 30 l	ml; De L; Deo	oxIT® : xIT® S	S5L-12	2-A, 5% G-A, 5	% Liqui % Liqu	d, 354 ml; id, 55 gallon
.4	Trade Names:	DeoxIT® SHIE	LD S-Series; S	S5L-A 5% Liqu	uid									
.5	Product Use:	Lubricant and F	Protectant for e	electronic cont	tacts & con	nectors								
.6	Distributor's Name:	CAIG Laborato	ries, Inc.											
.7	Distributor's Address:	12200 Thatche	r Court, Powa	y, CA 92064-6	6876 USA									
.8	Emergency Phone:	CHEMTREC	C: +1 (703)	<b>527-3887</b> /	+1 (800)	424-9	300 (	(CCN	12052	206)				
.9	Business Phone / Fax:	+1 (800) 224-4	123											
			2. HA	ZARDS	IDENTI	FICA		N						
2.1	Hazard Identification:	Prepared in ac							ded to	comp	ly with	OSH	A 29 C	FR 1910.120
		Canadian WHM WARNING! FL REACTION.	IS and Austra	alian Work Hea	alth and Sa	ifety.								
		Classification:	Flam. Liq. 3, E	ye Irrit. 2, Skir	n Sens. 1B									
2.2	Label Elements:	Hazard Statem	<u>nents</u> (H): H22	6 – Flammab	le liquid ar	nd vapor	: H31	17 – N	/lay ca	iuse a	n aller	gic ski	n	
		reaction. H320 Precautionary	- ,		n away fra	m heat	hot eu	Irfacoo	enar	ke on	on flor	100 00	а	
		other ignition s												يلد ا
		prevent static of	discharges. P2	61 – Āvoid bre	eathing fun	ne/mist/v	/apors/	s/spray	. P264	1 – Wa	ish har	nds an	d 📢	
		exposed skin a												
		clothing shoul protection/face												
		– If skin irritatio												$\mathbf{\wedge}$
		this Safety Dat												
		minutes. Remo												
		contaminated of	clothing and w											\ •́ /
		advice/attention	n. P370+P378	as it before re – In case of fir	euse. P337 re: Use CO	7+P313 - 2, dry che	– If ey emical,	/e irrita I, foam	ation p to ext	ersists inguis	s: Get i h. P403	medica 3+P23	al 5	\•́/
		advice/attention – Store in a v	n. P370+P378 vell-ventilated	as it before re – In case of fir place. Keep	euse. P337 re: Use CO <sub>2</sub> cool. P501	7+P313 - 2, dry che	– If ey emical,	/e irrita I, foam	ation p to ext	ersists inguis	s: Get i h. P403	medica 3+P23	al 5	V
	Other Warnings:	advice/attention – Store in a v treatment, store	n. P370+P378 vell-ventilated age and dispos	as it before re – In case of fir place. Keep sal facility (TS	euse. P337 re: Use CO <sub>2</sub> cool. P501	7+P313 - 2, dry che	– If ey emical,	/e irrita I, foam	ation p to ext	ersists inguis	s: Get i h. P403	medica 3+P23	al 5	
2.3	Other Warnings:	advice/attention – Store in a v	n. P370+P378 vell-ventilated age and dispos	as it before re – In case of fir place. Keep sal facility (TS	euse. P337 re: Use CO <sub>2</sub> cool. P501	7+P313 - 2, dry che	– If ey emical,	/e irrita I, foam	ation p to ext	ersists inguis	s: Get i h. P403	medica 3+P23	al 5	
2.3	Other Warnings:	advice/attention – Store in a v treatment, store <b>KEEP OUT OF</b>	n. P370+P378 vell-ventilated age and dispos	as it before re – In case of fir place. Keep sal facility (TS CHILDREN.	euse. P337 re: Use CO cool. P501 DF).	7+P313 - 2, dry che   - Dispo	<ul> <li>If eyemical, ose of</li> </ul>	/e irrita I, foam f cont	ation p to ext ents/co	ersists inguisl ontain	s: Get i h. P403	medica 3+P23	al 5	
2.3	Other Warnings:	advice/attention – Store in a v treatment, store <b>KEEP OUT OF</b>	n. P370+P378 well-ventilated age and dispos REACH OF (	as it before re – In case of fir place. Keep sal facility (TS CHILDREN.	euse. P337 re: Use CO cool. P501 DF).	7+P313 - 2, dry che 1 - Dispo ENT II	– If ey emical, ose of <b>NFO</b>	/e irrita l, foam of cont <b>DRM</b>	ation p to ext ents/co ATIC EXPOS	ontain ontain ON	s: Get i h. P403	medica 3+P23 icense AIR (mg	al 5 /s //m <sup>3</sup> )	
2.3	Other Warnings:	advice/attention – Store in a v treatment, store <b>KEEP OUT OF</b>	n. P370+P378 well-ventilated age and dispos REACH OF (	as it before re – In case of fir place. Keep sal facility (TS CHILDREN.	euse. P337 re: Use CO cool. P501 DF).	7+P313 - 2, dry che - Dispo ENT II ACGI	– If ey emical ose of NFO	/e irrita l, foam of cont <b>DRM</b>	ation p to ext ents/co ATIC EXPOS NOHSC	ontain ontain ON	s: Get   h. P403 er to	medica 3+P23 icense AIR (mg OSHA	al 5 /s //m <sup>3</sup> )	
2.3	Other Warnings:	advice/attention – Store in a v treatment, store <b>KEEP OUT OF</b>	n. P370+P378 well-ventilated age and dispos REACH OF (	as it before re – In case of fir place. Keep sal facility (TS CHILDREN.	euse. P337 re: Use CO cool. P501 DF).	7+P313 - 2, dry che 1 - Dispo ENT II	– If ey emical ose of NFO	ve irrita I, foam f conto <b>DRM</b>	Ation p to ext ents/co ATIC EXPOS NOHSC ppm	orsists inguisi ontain ON SURE LI	s: Get   h. P403 er to	medica 3+P23 icense AIR (mg	al 5 /s //m <sup>3</sup> )	
	Other Warnings:	advice/attention – Store in a v treatment, store <b>KEEP OUT OF</b>	n. P370+P378 well-ventilated age and dispose REACH OF ( MPOSITI MPOSITI	as it before re – In case of fir place. Keep sal facility (TS) CHILDREN. ON & INC EINECS No.	euse. P337 re: Use CO; cool. P501 DF). GREDIE	TLV	– If ey, emical, ose of NFO	/e irrita l, foam of cont <b>DRM</b>	Ation p to ext ents/co ATIC EXPOS NOHSC ppm ES- STEL	ontain ontain ON	s: Get   h. P403 er to	medica 3+P23 icense AIR (mg OSHA	al 5 /s //m <sup>3</sup> )	OTHER
HEMI	CAL NAME(S)	advice/attention – Store in a v treatment, stora KEEP OUT OF 3. CO CAS No. 64742-88-7	n. P370+P378 well-ventilated age and dispose REACH OF ( MPOSITI MPOSITI RTECS No. XS5250000	as it before re – In case of fir place. Keep sal facility (TS CHILDREN. ON & INC EINECS No. 265-191-7	euse. P337 re: Use CO; cool. P501 DF). GREDIE	7+P313 - 2, dry che - Dispo ENT II ACGI ppn TLV 100	- If eyemical, ose of NFO	ve irrita I, foam f cont DRM ES- TWA 100	Ation p to ext ents/co ATIC EXPOS NOHSC ppm ES- STEL NF	ON BURE LII ES- PEAK NF	S: Get h. P403 er to l MITS IN PEL NA	Medica 3+P23 icense AIR (mg OSHA ppm	al 5 s	OTHER
HEMI	CAL NAME(S) OLEUM NAPHTHA	advice/attention – Store in a v treatment, stora KEEP OUT OF 3. CO CAS No. 64742-88-7 REACH Reg.	n. P370+P378 vell-ventilated age and dispos REACH OF ( MPOSITI RTECS No. XS5250000 No. 0267859000	as it before re – In case of fir place. Keep sal facility (TS CHILDREN. ON & INC EINECS No. 265-191-7 D1; Flam. Liq. 3,	euse. P337 re: Use CO; cool. P501 DF). GREDIE % 60-100 Asp. Tox. 1,	7+P313 - 2, dry che - Dispo ENT II ACG ppr TLV 100 STOT RE	- If eyemical, ose of NFO IIH n STEL NA E1, Eye	ve irrita I, foam If contr DRM ES- TWA 100 e Irrit. 2	Ation p to ext ents/co ATIC EXPOS NOHSC ppm ES- STEL NF 2, Skin S	ersists inguisi ontain ON SURE LII ES- PEAK NF Sens. 1	: Get i h. P403 er to l MITS IN PEL NA B	medica 3+P23 icense AIR (mg OSHA ppm STEL NA	al 5 s //m <sup>3</sup> ) IDLH NA	
HEMI ETR ETH	CAL NAME(S) OLEUM NAPHTHA YL NONAFLUORO-	advice/attention – Store in a v treatment, stora KEEP OUT OF 3. CO CAS No. 64742-88-7	n. P370+P378 vell-ventilated age and dispos REACH OF ( MPOSITI RTECS No. XS5250000 No. 0267859000	as it before re – In case of fir place. Keep sal facility (TS CHILDREN. ON & INC EINECS No. 265-191-7	euse. P337 re: Use CO; cool. P501 DF). GREDIE	7+P313 - 2, dry che - Dispo ENT II ACGI ppn TLV 100	- If eyemical, ose of NFO IIH n STEL NA E1, Eye	ve irrita I, foam If contr DRM ES- TWA 100 e Irrit. 2	Ation p to ext ents/co ATIC EXPOS NOHSC ppm ES- STEL NF	ON BURE LII ES- PEAK NF	S: Get h. P403 er to l MITS IN PEL NA	Medica 3+P23 icense AIR (mg OSHA ppm STEL	al 5 s //m <sup>3</sup> ) 	OTHER SKIN
HEMI ETR ETH UTY	CAL NAME(S) OLEUM NAPHTHA YL NONAFLUORO- L ETHER	advice/attention – Store in a v treatment, stora KEEP OUT OF 3. CO CAS No. 64742-88-7 REACH Reg. 163702-07-6	n. P370+P378 vell-ventilated age and dispos REACH OF ( MPOSITI RTECS No. XS5250000 No. 0267859000 NA	as it before re – In case of fir place. Keep sal facility (TS CHILDREN. ON & INC EINECS No. 265-191-7 D1; Flam. Liq. 3, NA	euse. P337 re: Use CO; cool. P501 DF). GREDIE 60-100 Asp. Tox. 1, 10-30	7+P313 - 2, dry che - Dispo ENT II ACG ppn TLV 100 STOT RE 750	- If eyemical, ose of NFO IIH n STEL NA E1, Eyemina	e irrita I, foam f contr DRM ES- TWA 100 e Irrit. 2 NF	Ation p to ext ents/co ATIC EXPOS NOHSC Ppm ES- STEL NF S, Skin S NF	ON BURE LII ES- PEAK NF Sens. 1 NF	S: Get i h. P403 er to l MITS IN PEL NA B NA	Medica 3+P23 icense OSHA ppm STEL NA	al 5 ss /m³) 	SKIN
HEMI ETR ETH JTY ETH	CAL NAME(S) OLEUM NAPHTHA YL NONAFLUORO- L ETHER YL NONAFLUORO-	advice/attention – Store in a v treatment, stora KEEP OUT OF 3. CO CAS No. 64742-88-7 REACH Reg.	n. P370+P378 vell-ventilated age and dispos REACH OF ( MPOSITI RTECS No. XS5250000 No. 0267859000	as it before re – In case of fir place. Keep sal facility (TS CHILDREN. ON & INC EINECS No. 265-191-7 D1; Flam. Liq. 3,	euse. P337 re: Use CO; cool. P501 DF). GREDIE % 60-100 Asp. Tox. 1,	7+P313 - 2, dry che - Dispo ENT II ACG ppr TLV 100 STOT RE	- If eyemical, ose of NFO IIH n STEL NA E1, Eye	ve irrita I, foam If contr DRM ES- TWA 100 e Irrit. 2	Ation p to ext ents/co ATIC EXPOS NOHSC ppm ES- STEL NF 2, Skin S	ersists inguisi ontain ON SURE LII ES- PEAK NF Sens. 1	: Get i h. P403 er to l MITS IN PEL NA B	medica 3+P23 icense AIR (mg OSHA ppm STEL NA	al 5 s //m <sup>3</sup> ) IDLH NA	
HEMI ETR ETH JTY ETH OBI	CAL NAME(S) OLEUM NAPHTHA YL NONAFLUORO- L ETHER YL NONAFLUORO- JTYL ETHER	advice/attention – Store in a v treatment, stora KEEP OUT OF 3. CO CAS No. 64742-88-7 REACH Reg. 163702-07-6 163702-08-7	n. P370+P378 vell-ventilated age and dispos REACH OF ( MPOSITI MPOSITI RTECS No. XS5250000 No. 0267859000 NA	as it before re – In case of fir place. Keep sal facility (TS CHILDREN. ON & INC EINECS No. 265-191-7 D1; Flam. Liq. 3, NA	euse. P337 re: Use CO; cool. P501 DF). GREDIE % 60-100 Asp. Tox. 1, 10-30	7+P313 - 2, dry che - Dispo ENT II ACGI ppn TLV 100 STOT RE 750	- If eyemical, ose of NFO IIH n STEL NA E1, Eyemical NA	ve irrita I, foam of conto DRM DRM ES- TWA 100 e Irrit. 2 NF	Ation p to ext ents/co ATIC EXPOS NOHSC ppm ES- STEL NF STEL NF NF	ersists inguist ontain ON BURE LI ES- PEAK NF Sens. 1 NF NF	E Get i h. P403 er to l MITS IN MITS IN PEL NA B NA	medica 3+P23 icense AIR (mg OSHA ppm STEL NA NA NA	al 5 s s iDLH NA NA NA	SKIN
HEMI ETR ETH JTY ETH OBI	CAL NAME(S) OLEUM NAPHTHA YL NONAFLUORO- L ETHER YL NONAFLUORO-	advice/attention – Store in a v treatment, stora KEEP OUT OF 3. CO CAS No. 64742-88-7 REACH Reg. 163702-07-6 163702-08-7 NA	n. P370+P378 vell-ventilated age and dispos REACH OF ( MPOSITI RTECS No. XS5250000 No. 0267859000 NA	as it before re – In case of fir place. Keep sal facility (TS CHILDREN. ON & INC EINECS No. 265-191-7 D1; Flam. Liq. 3, NA NA	euse. P337 re: Use CO; cool. P501 DF). GREDIE 60-100 Asp. Tox. 1, 10-30	7+P313 - 2, dry che - Dispo ENT II ACG ppn TLV 100 STOT RE 750	- If eyemical, ose of NFO IIH n STEL NA E1, Eyemina	ve irrita I, foam of conto DRM DRM ES- TWA 100 e Irrit. 2 NF	Ation p to ext ents/co ATIC EXPOS NOHSC Ppm ES- STEL NF S, Skin S NF	ON BURE LII ES- PEAK NF Sens. 1 NF	S: Get i h. P403 er to l MITS IN PEL NA B NA	Medica 3+P23 icense OSHA ppm STEL NA	al 5 ss /m³) 	SKIN
HEMI ETR ETH JTY ETH OBI	CAL NAME(S) OLEUM NAPHTHA YL NONAFLUORO- L ETHER YL NONAFLUORO- JTYL ETHER IT ® SHIELD S100L	advice/attention – Store in a v treatment, stora KEEP OUT OF 3. CO CAS No. 64742-88-7 REACH Reg. 163702-07-6 163702-08-7 NA	n. P370+P378 vell-ventilated age and dispos REACH OF ( MPOSITI MPOSITI NA XS5250000 No. 0267859000 NA NA NA NA NA	as it before re – In case of fir place. Keep sal facility (TS CHILDREN. ON & INC EINECS No. 265-191-7 D1; Flam. Liq. 3, NA NA NA	euse. P337 re: Use CO; cool. P501 DF). GREDIE 60-100 Asp. Tox. 1, 10-30 10-30	7+P313 - 2, dry che - Dispo ENT II ACGI ppn TLV 100 STOT RE 750 750 NA	- If eyemical, ose of NFO IIH n STEL NA E1, Eyemical NA NA	ve irrita I, foam of conto DRM DRM ES- TWA 100 e Irrit. 2 NF	Ation p to ext ents/co ATIC EXPOS NOHSC ppm ES- STEL NF STEL NF NF	ersists inguist ontain ON BURE LI ES- PEAK NF Sens. 1 NF NF	E Get i h. P403 er to l MITS IN MITS IN PEL NA B NA	medica 3+P23 icense AIR (mg OSHA ppm STEL NA NA NA	al 5 s s iDLH NA NA NA	SKIN
ETH DITY ETH OBL EOX	CAL NAME(S) OLEUM NAPHTHA YL NONAFLUORO- L ETHER YL NONAFLUORO- JTYL ETHER IT ® SHIELD S100L	advice/attention – Store in a v treatment, stora KEEP OUT OF 3. CO CAS No. 64742-88-7 REACH Reg. 163702-07-6 163702-08-7 NA REACH Reg.	n. P370+P378 vell-ventilated age and dispose <b>REACH OF (</b> <b>MPOSITI</b> <b>RTECS No.</b> XS5250000 No. 0267859000 NA NA NA NA NA NA A <b>A</b>	as it before re – In case of fir place. Keep sal facility (TS CHILDREN. ON & INC EINECS No. 265-191-7 D1; Flam. Liq. 3, NA NA NA FIRST AI	euse. P337 re: Use CO; cool. P501 DF). GREDIE 60-100 Asp. Tox. 1, 10-30 10-30 1-5	7+P313 - 2, dry che - Dispo ENT II ACG Ppr TLV 100 STOT RE 750 750 750 750	- If eyemical, ose of NFO IIH n STEL NA E1, Eyemical NA NA NA	Ve irrita I, foam of contro DRM ES- TWA 100 e Irrit. 2 NF NF	ATIO ents/co ATIC EXPOS NOHSC ppm ES- STEL NF NF NF	ON SURE LI ES- PEAK NF Sens. 1 NF NF	EXAMPLE A CONTRACT OF CONTRACT	Medica 3+P23 icense AIR (mg OSHA ppm STEL NA NA NA	al 5 s s iDLH NA NA NA NA	SKIN SKIN
HEMI ETR ETH UTY ETH SOBL EOX RAL	CAL NAME(S) OLEUM NAPHTHA YL NONAFLUORO- LETHER YL NONAFLUORO- JTYL ETHER IT ® SHIELD S100L DE SECRET)	advice/attention – Store in a v treatment, stora KEEP OUT OF 3. CO CAS No. 64742-88-7 REACH Reg. 163702-07-6 163702-07-6 163702-08-7 NA REACH Reg. Ingestion:	n. P370+P378 vell-ventilated age and dispos REACH OF ( MPOSITI MPOSITI NA XS5250000 No. 0267859000 NA NA NA NA NA	as it before re – In case of fir place. Keep sal facility (TS CHILDREN. ON & INC EINECS No. 265-191-7 D1; Flam. Liq. 3, NA NA NA NA STRST AI JCE VOMITIN	wuse.         P337           re:         Use CO;           cool.         P501           DF).            GREDIE         %           60-100         Asp. Tox. 1,           10-30         10-30           11-5            DMEA            IG.         Contact	7+P313 - 2, dry che - Dispo ENT II ACG ppr TLV 100 STOT RE 750 NA SURE ct Chem	- If eyemical, ose of NFO IIH n stel NA E1, Eyemical NA NA NA	ES- TWA 100 ES- TWA 100 e Irrit. 2 NF NF	Ation p to ext ents/co ATIC EXPOS NOHSC ppm ES- STEL NF NF NF NF	ON BURE LI ES- PEAK NF Sens. 1 NF NF Sens. 2 NF	Set if h. P40: er to l MITS IN PEL NA NA 15 387 or	Medica 3+P23 icense AIR (mg OSHA ppm STEL NA NA NA NA NA	//m <sup>3</sup> ) IDLH NA NA NA NA Earest	SKIN SKIN
ETH DITY ETH OBL EOX	CAL NAME(S) OLEUM NAPHTHA YL NONAFLUORO- LETHER YL NONAFLUORO- JTYL ETHER IT ® SHIELD S100L DE SECRET)	advice/attention – Store in a v treatment, stora KEEP OUT OF 3. CO CAS No. 64742-88-7 REACH Reg. 163702-07-6 163702-08-7 NA REACH Reg. 163702-08-7 NA REACH Reg.	n. P370+P378 vell-ventilated age and dispose <b>REACH OF (</b> <b>MPOSITI</b> <b>RTECS No.</b> XS5250000 No. 0267859000 NA NA NA NA NA NA NA NA NA NA	as it before re – In case of fir place. Keep sal facility (TS CHILDREN. ON & INC EINECS No. 265-191-7 D1; Flam. Liq. 3, NA NA NA NA STRST AI JCE VOMITIN I emergency t	%         60-100           Asp. Tox. 1, 10-30         10-30           11-5         10-50	7+P313 - 2, dry che - Dispo ENT II ACG ppn TLV 100 STOT RE 750 750 NA SURE ct Chemmumber fi	- If eyemical, ose of NFO IIII n STEL NA E1, Eye NA NA NA ES ITrec as	ES- TWA 100 e Irrit. 2 NF NF NF	ATIC ents/co ATIC EXPOS NOHSC ppm ES- STEL NF NF NF (703) 5 ce and	ersists inguist ontain ON SURE LI PEAK NF Sens. 1 NF NF NF Sens. 1 NF	PEL NA B NA 15 387 or uctions	AIR (mg OSHA PPM STEL NA NA NA NA NA NA	//m³) iDLH NA NA NA earest ek imm	SKIN SKIN SKIN Poison Cont
ETH DITY ETH OBL EOX	CAL NAME(S) OLEUM NAPHTHA YL NONAFLUORO- LETHER YL NONAFLUORO- JTYL ETHER IT ® SHIELD S100L DE SECRET)	advice/attention – Store in a v treatment, stora KEEP OUT OF 3. CO CAS No. 64742-88-7 REACH Reg. 163702-07-6 163702-08-7 NA REACH Reg. 163702-08-7 NA REACH Reg.	n. P370+P378 vell-ventilated age and dispos REACH OF ( MPOSITI RTECS No. XS5250000 No. 0267859000 NA NA NA NA NA NA NA CONOT INDL Center or loca attention. If vo aspiration.	as it before re – In case of fir place. Keep sal facility (TS CHILDREN. ON & INC EINECS No. 265-191-7 D1; Flam. Liq. 3, NA NA NA NA SA Proprietary FIRST AI JCE VOMITIN I emergency to omiting occurs	euse. P337 re: Use CO; cool. P501 DF). GREDIE 60-100 Asp. Tox. 1, 10-30 10-30 11-5 D MEA IG. Contac telephone r s spontane	7+P313 - 2, dry che P Dispose ENT II ACGI PPT TLV 100 STOT RE 750 750 750 750 750 750 750 8URE Chem number foundation ously, keep 200 200 200 200 200 200 200 200 200 20	- If eyemical, ose of NFO IIH n STEL NA E1, Eyemical NA NA NA ES ITrec a for assisted vi	Pe irrita I, foam of conta f conta DRM DRM DR NF NF NF NF NF NF at +1 osistano ictim's	ATIC EXPOS NOHSC PPM ES- STEL NF NF NF (703) Sce and head	ersists inguist ontain ON BURE LII ES- PEAK NF Sens. 1 NF NF NF Sens. 1 NF	PEL NA B NA 15 387 or uctions ed (for	AIR (mg OSHA ppm STEL NA NA NA NA NA NA	//m³) IDLH NA NA NA NA NA NA NA	SKIN SKIN SKIN Poison Cont nediate medic luce the risk
ETH DITY ETH OBL EOX	CAL NAME(S) OLEUM NAPHTHA YL NONAFLUORO- LETHER YL NONAFLUORO- JTYL ETHER IT ® SHIELD S100L DE SECRET)	advice/attention – Store in a v treatment, stora KEEP OUT OF 3. CO CAS No. 64742-88-7 REACH Reg. 163702-07-6 163702-08-7 NA REACH Reg. 163702-08-7 NA REACH Reg.	n. P370+P378 vell-ventilated age and dispose <b>REACH OF (</b> <b>MPOSITI</b> <b>RTECS No.</b> XS5250000 No. 0267859000 NA NA NA NA NA NA <b>NA</b> <b>CO NOT INDL</b> Center or loca attention. If vo aspiration. Flush eyes tho	as it before re – In case of fir place. Keep sal facility (TS CHILDREN. ON & INC EINECS No. 265-191-7 D1; Flam. Liq. 3, NA NA NA NA SIRST AI JCE VOMITIN I emergency to portughly with	euse. P337 re: Use CO; cool. P501 DF). GREDIE 60-100 Asp. Tox. 1, 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30	TLV TVP313 - 2, dry che - Dispo ENT II ACGI PPT TLV 100 STOT RE 750 750 NA SURE Ct Chem humber f ously, ko	If eyemical, ose of      NFO     III     NA     III     NA     III     NA     III     NA     III     NA     IIII     NA     IIII     IIIIIIIIII	Pe irrita I, foam of conta f conta DRM DRM DR 100 e Irrit. 2 NF NF NF NF NF at +1 ( isistano ictim's er for	ATIC EXPOS NOHSC PPM ES- STEL NF NF NF (703) f ce and head at leas	ON BURE LII BURE LII BURE LII BURE LII BURE LII BURE LII BURE LII PEAK NF Sens. 1 NF NF Sens. 1 NF Sens. 1 NF Sens. 1 NF Strate Sense Sens. 1 NF Strate Sens	PEL NA B NA 15 387 or uctions ed (for minute	AIR (mg 3+P23 icense AIR (mg OSHA Ppm STEL NA NA NA NA NA NA NA Sthe ne 5. See Ward) s, holo	//m³) IDLH NA NA NA NA NA NA NA	SKIN SKIN SKIN Poison Cont nediate medic luce the risk
HEMI ETR ETH UTY ETH COBL EOX RAL	CAL NAME(S) OLEUM NAPHTHA YL NONAFLUORO- LETHER YL NONAFLUORO- JTYL ETHER IT ® SHIELD S100L DE SECRET)	advice/attention - Store in a v treatment, stora KEEP OUT OF 3. CO CAS No. 64742-88-7 REACH Reg. 163702-07-6 163702-08-7 NA REACH Reg. 163702-08-7 NA REACH Reg.	n. P370+P378 vell-ventilated age and dispos REACH OF ( MPOSITI RTECS No. XS5250000 No. 0267859000 NA NA NA NA NA NA NA CO NOT INDL Center or loca attention. If vo aspiration. Flush eyes thc ensure comple	as it before re – In case of fir place. Keep sal facility (TS CHILDREN. ON & INC EINECS No. 265-191-7 D1; Flam. Liq. 3, NA NA NA NA SIRST AI JCE VOMITIN I emergency to portughly with of te flushing. If	suse. P337 re: Use CO; cool. P501 DF). GREDIE 60-100 Asp. Tox. 1, 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30	TLV TVP313 - 2, dry che 2, dry che 3,	If eyemical, ose of      NFO     III     NA     III     NA     III     NA     III     NA     III     NA     IIII     NA     IIII     IIIIIIIIII	Pe irrita I, foam of conta f conta DRM DRM DR 100 e Irrit. 2 NF NF NF NF at +1 of sistano ictim's er for nmedia	ATIC EXPOS NOHSC PPM ES- STEL NF NF NF (703) f ce and head at leas ate me	ersists inguist ontain ON BURE LII ES- PEAK NF Sens. 1 NF NF Sens. 1 NF S27-38 d instru- lower st 15 r edical a	PEL NA B NA 15 387 or uctions ed (for minute attentic	AIR (mg 3+P23 icense AIR (mg OSHA Ppm STEL NA NA NA NA NA NA NA Sthe ne 5. See Ward) s, holcon.	Al 5 5 s IDLH NA NA NA NA NA earest sk imm to red	SKIN SKIN SKIN Poison Cont lediate medic luce the risk relid(s) open
HEMI ETR ETH UTY ETH SOBU EOX	CAL NAME(S) OLEUM NAPHTHA YL NONAFLUORO- LETHER YL NONAFLUORO- JTYL ETHER IT ® SHIELD S100L DE SECRET)	Advice/attention - Store in a v treatment, stora KEEP OUT OF 3. CO CAS No. 64742-88-7 REACH Reg. 163702-07-6 163702-08-7 NA REACH Reg. 163702-08-7 NA REACH Reg. 6 163702-08-7 NA REACH Reg. 6 163702-08-7 NA 8 163702-08-7 164	n. P370+P378 vell-ventilated age and dispose <b>REACH OF (</b> <b>MPOSITI</b> <b>MPOSITI</b> <b>NA</b> No. 0267859000 NA NA NA NA NA NA NA NA NA NA	as it before re – In case of fir place. Keep sal facility (TS CHILDREN. ON & INC EINECS No. 265-191-7 )1; Flam. Liq. 3, NA NA NA NA INA INA INA INA IN	sponse. P337 re: Use CO; cool. P501 DF). GREDIE 60-100 Asp. Tox. 1, 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30	7+P313 -         2, dry che         1 - Dispo         ENT II         ACGI         ppn         TLV         100         STOT RE         750         NA         SURE         ct Chem         number f         ously, ko         nounts o         ersists, sish affec	If eyemical, ose of     NFO     Information     NFO     Information     NA     Information     NA     Information     Inf	Pe irrita I, foam of contended f contended	ATIC EXPOS NOHSC PPM ES- STEL NF NF NF (703) f ce and head at leas ate me <i>i</i> th so	ersists inguisiontain ON BURE LII ES- PEAK NF Sens. 1 NF NF Sens. 1 NF S27-38 d instru- lower st 15 r edical a ap and	Get is h. P403 er to l     mitts in     PEL     NA     B     NA     15     387 or     uctionsed (for minute attentic d wate	AIR (mg 3+P23 icense AIR (mg OSHA Ppm STEL NA NA NA NA NA NA NA NA NA NA NA NA NA	Al 5 5 s IDLH NA NA NA NA NA earest to red ding ey ritation	SKIN SKIN SKIN Poison Cont lediate medic luce the risk relid(s) open a persists, se
HEMI ETR ETH UTY ETH SOBL EOX RAL	CAL NAME(S) OLEUM NAPHTHA YL NONAFLUORO- LETHER YL NONAFLUORO- JTYL ETHER IT ® SHIELD S100L DE SECRET)	Advice/attention - Store in a v treatment, stora KEEP OUT OF 3. CO CAS No. 64742-88-7 REACH Reg. 163702-08-7 163702-08-7 NA REACH Reg. 163702-08-7 NA REACH Reg. 6 163702-08-7 NA REACH Reg. 163702-08-7 NA REACH REG. 163702-08-7 16370	n. P370+P378 vell-ventilated age and dispose <b>REACH OF (</b> <b>MPOSITI</b> <b>MPOSITI</b> <b>NA</b> No. 0267859000 NA NA NA NA NA NA NA NA NA NA	as it before re – In case of fir place. Keep sal facility (TS CHILDREN. ON & INC EINECS No. 265-191-7 )1; Flam. Liq. 3, NA NA NA NA INA INA INA INA IN	SREDIE % 60-100 Asp. Tox. 1, 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30	7+P313 -         2, dry che         1 - Dispo         ENT II         ACGI         ppn         TLV         100         STOT RE         750         NA         SURE         ct Chem         number f         ously, ko         nounts o         ersists, si         affec         contamir	If eyemical, ose of      NFO     Information     NFO     Information     NA     Information     NA     Information     STEL     NA     Information     STEL     NA     Information     STEL     Information     Stell     Ste	Pe irrita I, foam of contended f contended	ATIC EXPOS NOHSC PPM ES- STEL NF NF NF (703) f ce and head at leas ate me <i>i</i> th so ag until	ersists inguisiontain ON BURE LII ES- PEAK NF Sens. 1 NF NF Sens. 1 NF S27-38 d instru- lower st 15 r edical a ap and I after	Get is h. P40: er to l MITS IN PEL NA B NA 15 387 or uctions ed (for minute attentic d wate it has b	AIR (mg 3+P23 icense AIR (mg OSHA Ppm STEL NA NA NA NA NA NA NA NA NA NA NA NA NA	Al 5 5 s IDLH NA NA NA NA NA NA NA ing ey ritation roperly	SKIN SKIN SKIN Poison Cont lediate media luce the risk relid(s) open l persists, se r cleaned.
ETH DITY ETH OBL	CAL NAME(S) OLEUM NAPHTHA YL NONAFLUORO- LETHER YL NONAFLUORO- JTYL ETHER IT ® SHIELD S100L DE SECRET)	Advice/attention - Store in a v treatment, stora KEEP OUT OF 3. CO CAS No. 64742-88-7 REACH Reg. 163702-08-7 NA REACH Reg. 163702-08-7 NA REACH Reg. 6 163702-08-7 NA REACH Reg. 163702-08-7 NA REACH REG. 163702-08-7 163702-08-7 NA REACH REG. 163702-08-7 163702-08	n. P370+P378 vell-ventilated age and dispose <b>REACH OF (</b> <b>MPOSITI</b> <b>NPOSITI</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b>	as it before re – In case of fir place. Keep sal facility (TS CHILDREN. ON & INC EINECS No. 265-191-7 D1; Flam. Liq. 3, NA NA NA NA NA DIC VOMITIN I emergency t omiting occurs proughly with of te flushing. If minated clothil attention. Do to fresh air at	SREDIE % 60-100 Asp. Tox. 1, 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30	Press     P	- If eyemical, ose of NFO III NA E1, Eyemical NA NA NA NA NA ES NA NA NA NA NA NA STEL NA NA NA NA NA NA STEL NA NA NA NA NA STEL NA NA STEL NA NA NA STEL NA STEL NA STEL NA STEL NA STEL NA STEL NA STEL NA STEL NA STEL NA STEL NA STEL NA STEL NA STEL NA STEL STEL STEL STEL STEL STEL STEL STEL	Ve irrita I, foam of contro- DRM ES- TWA 100 e Irrit. 2 NF NF NF NF NF NF NF at +1 of sistant ictim's er for nmedia reas w clothir icult, a	ATIC EXPOS NOHSC PPM ES- STEL NF NF NF NF (703)	ON URE LII ES- PEAK NF Sens. 1 NF NF Sens. 1 NF Sens. 1 NF Sens. 1 NF Sens. 1 Sens. 1	Get is h. P40: h. P40: er to I MITS IN PEL NA B NA 15 387 or uctionso attentic d wate it has I ppleme	AIR (mg 3+P23 icense AIR (mg OSHA Ppm STEL NA NA NA NA NA NA NA NA NA NA NA NA NA	Al 5 5 s IDLH NA NA NA NA NA NA NA ing ey ritation roperly	SKIN SKIN SKIN Poison Cont lediate media luce the risk relid(s) open l persists, se r cleaned.
ETR ETH JTY ETH OBL EOX RAL	CAL NAME(S) OLEUM NAPHTHA YL NONAFLUORO- LETHER YL NONAFLUORO- JTYL ETHER IT ® SHIELD S100L DE SECRET)	advice/attention - Store in a v treatment, stora KEEP OUT OF 3. CO CAS No. 64742-88-7 REACH Reg. 163702-08-7 NA REACH Reg. 163702-08-7 NA REACH Reg. 6 163702-08-7 NA REACH Reg. 163702-08-7 NA REACH REG. 163702-08-7 163702-08	n. P370+P378 vell-ventilated age and dispose <b>REACH OF (</b> <b>MPOSITI</b> <b>NPOSITI</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b>	as it before re – In case of fir place. Keep sal facility (TS CHILDREN. ON & INC EINECS No. 265-191-7 D1; Flam. Liq. 3, NA NA NA NA NA DIC VOMITIN I emergency t omiting occurs proughly with of te flushing. If minated clothin il attention. Do to fresh air at dical attention.	SREDIE % 60-100 Asp. Tox. 1, 10-30 10-3	7+P313 -         2, dry chec         - Dispo         ENT II         ACGI         ppm         TLV         100         STOT RE         750         NA         750         NA         SURE         thema         nounts or         prists, sish affec         contamir         reathing         g stops,	- If eyemical, ose of NFO III NA E1, Eyemical NA NA NA NA NA ESS NA NA NA NA NA STEL NA NA NA NA NA NA	Ve irrita I, foam of control DRM ES- TWA 100 e Irrit. 2 NF NF NF NF NF NF NF at +1 of sistant ictim's er for nmedia reas w clothir icult, a orm art	ATIC EXPOS NOHSC PPM ES- STEL NF NF NF NF (703)	ON URE LII ES- PEAK NF Sens. 1 NF NF Sens. 1 NF Sens. 1 NF Sens. 1 NF Sens. 1 NF Sens. 1 Sens.	Get is h. P40: h. P40: er to I MITS IN PEL NA B NA 15 387 or uctionso attentic d wate it has I ppleme	AIR (mg 3+P23 icense AIR (mg OSHA Ppm STEL NA NA NA NA NA NA NA NA NA NA NA NA NA	Al 5 5 s IDLH NA NA NA NA NA NA NA ing ey ritation roperly	SKIN SKIN SKIN Poison Cont lediate media luce the risk relid(s) open l persists, se r cleaned.
ETH DITY ETH OBL EOX	CAL NAME(S) OLEUM NAPHTHA YL NONAFLUORO- L ETHER YL NONAFLUORO- JTYL ETHER IT ® SHIELD S100L DE SECRET) First Aid:	advice/attention - Store in a v treatment, stora KEEP OUT OF 3. CO CAS No. 64742-88-7 REACH Reg. 163702-07-6 163702-08-7 NA REACH Reg. 163702-08-7 NA REACH Reg. 6 163702-08-7 NA REACH Reg. 163702-08-7 NA REACH REG. 163702-08-7 163702-08-	n. P370+P378 vell-ventilated age and dispose <b>REACH OF (</b> <b>MPOSITI</b> <b>NPOSITI</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b>	as it before re – In case of fir place. Keep sal facility (TS CHILDREN. ON & INC EINECS No. 265-191-7 D1; Flam. Liq. 3, NA NA NA NA NA DISPROPRICTION I emergency to omiting occurs proughly with te flushing. If minated clothin attention. Do to fresh air at dical attention. vallowed, may	SREDIE % 60-100 Asp. Tox. 1, 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30 10-30	7+P313 -         2, dry chec         - Dispo         ENT II         ACGI         ppm         TLV         100         STOT RE         750         NA         750         NA         SURE         there is a structure of the str	If eyemical, ose of     NFO     III     NA     III     IIII     III      III     III     III     III     III     III	Ve irrita I, foam of control DRM ES- TWA 100 e Irrit. 2 NF NF NF NF NF NF NF at +1 of sistant cictim's er for nmedia reas w clothir iccult, a orm artiand/or	ATIC EXPOS NOHSC PPM ES- STEL NF NF NF NF (703) = (703)	ON URE LII ES- PEAK NF Sens. 1 NF NF Sens. 1 NF Sens. 1 NF Sens. 1 NF Sens. 1 Sens. 1	Get is h. P40: er to l     mirts in     PEL     NA     B     NA     15     387 or     uctionse     d (for     minute     attentic     d wate     it has l     ppleme     tion.	AIR (mg OSHA ppm STEL NA NA NA NA NA NA NA NA NA NA NA NA NA	/m³) IDLH NA NA NA NA NA NA NA NA NA NA	SKIN SKIN SKIN Poison Cont lediate medic luce the risk relid(s) open persists, se r cleaned. and seek
ETR ETH JTY ETH OBL EOX RAL	CAL NAME(S) OLEUM NAPHTHA YL NONAFLUORO- L ETHER YL NONAFLUORO- JTYL ETHER IT ® SHIELD S100L DE SECRET) First Aid:	Advice/attention - Store in a v treatment, stora KEEP OUT OF 3. CO CAS No. 64742-88-7 REACH Reg. 163702-08-7 163702-08-7 NA REACH Reg. 163702-08-7 NA REACH Reg. 6 163702-08-7 NA REACH Reg. 163702-08-7 NA REACH REG. 163702-08-7 1637	n. P370+P378 vell-ventilated age and dispose <b>REACH OF (</b> <b>MPOSITI</b> <b>NPOSITI</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b> <b>N</b>	as it before re – In case of fir place. Keep sal facility (TS CHILDREN. ON & INC EINECS No. 265-191-7 D1; Flam. Liq. 3, NA NA NA NA D3/Proprietary FIRST AI JCE VOMITIN I emergency t omiting occurs proughly with te flushing. If minated clothi il attention. Do to fresh air at dical attention. do to fresh air at dical attention.	SREDIE % 60-100 Asp. Tox. 1, 10-30 1	7+P313 -         2, dry chec         - Dispo         ENT II         ACGI         PPT         100         STOT RE         750         NA         750         NA         SURE         ct Chem         number for         ously, ke         nounts o         ersists, sish affec         contamir         reathing         ng stops,         sea, vom         ye irritati	- If eye emical, ose of NFO III NA E1, Eye NA NA NA NA ES NA NA NA NA NA ES Of wate seek im sted ar nated of is diffic , perfor niting a ion with	Ve irrita I, foam of control DRM ES- TWA 100 e Irrit. 2 NF NF NF NF NF NF NF at +1 of sistano cictim's er for nmedia reas w clothir iccult, a orm arti and/or th shore	ATIC EXPOS NOHSC PPM ESPOS NOHSC PPM ESPOS NF NF NF NF (703) = (703) =	ON URE LII ES- PEAK NF Sens. 1 NF NF Sens. 1 NF Sens. 1 NF Sens. 1 NF Sens. 1 Sens. 1	Get is h. P40: er to l MITS IN PEL NA B NA 15 387 or uctions ed (for minute attentic d wate it has l ppleme tion. ct with	AIR (mg OSHA ppm STEL NA NA NA NA NA NA NA NA NA NA NA NA NA	/m³) IDLH NA NA NA NA NA NA NA NA NA NA	SKIN SKIN SKIN Poison Cont lediate medic luce the risk relid(s) open persists, se r cleaned. and seek



Page 2 of 6 **SDS-E-S5L-A** 

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 7.3 SDS Revision Date: 2/10/2022

Prepa	ared to USHA, ACC, AN	SI, WHSR, WHMIS, GHS & EU Standards SDS Revi	Ision: 7.3	SDS Re	vision Date:	2/10/2022
		4. FIRST AID MEASURES – cont'	d			
4.3	Symptoms of Overexposure:	Ingestion:         Nausea, intestinal discomfort, vomiting and/or diarrhea.           Eyes:         Overexposure in eyes may cause redness, itching and w may cause serious eye irritation including stinging, water           Skin:         Prolonged contact with skin may result in bleaching and skin reactions (e.g., rashes, welts, dermatitis) in some ser may include redness, itching, and irritation of affected are	ring, rednes d irritation on nsitive indiv	ss. of skin. The	product can	cause aller
4.4	Acute Health Effects:	Moderate irritation to eyes. Moderate irritation to skin near affected and common symptoms include irritating properties to eyes, respiratory sys	eas. Acute		rds may be	delayed. M
4.5	Chronic Health Effects:	No harmful or chronic health effects are expected to occur from a sing irritating to skin and mucous membrane of the eye and respiratory symptoms in some sensitive individuals. May also induce skin sensi allergic dermatitis.	system.	Overexposur	e may trigg	er asthma-
4.6	Target Organs:	Eyes, Skin, Respiratory System				
4.7	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes, skin, and respiratory system) or impaired kidney function may be more susceptible to the effects of this substance.	HEALTH FLAMM		DS	1 2 0
				CTIVE EQU		B
			EYES	SKIN		
5.1	Fire & Explosion Hazards:	5. FIREFIGHTING MEASURES This material can burn but will not readily ignite. This material will releas				
	5	the flash point temperature that can ignite when exposed to a source of heated vapor can ignite with explosive force. Mists or sprays may bur flash point. Carbon dioxide, carbon monoxide, smoke, fumes, unbur oxides of sulfur, phosphorus, zinc and nitrogen. Also, depending upo concentrations of hydrogen sulfide can be released.	n at tempe ned hydrod	eratures below carbons and t	v the trace	2
5.2 5.3	Extinguishing Methods: Firefighting Procedures:	Dry Chemical, Foam, Carbon Dioxide, and Water Fog.			<	
		Keep containers cool until well after the fire is out. Use water spray t and to protect personal. Avoid spraying water directly into storage con boil over. Prevent runoff from fire control or dilution from entering se supply, or any natural waterway. Firefighters must use full bunker gea positive pressure self-contained breathing apparatus to protect a combustion or decomposition products and oxygen deficiencies.	tainers bec ewers, drain ar including	ause of dang ns, drinking v NIOSH-appr	ler of vater oved	
		6. ACCIDENTAL RELEASE MEASU	RES			
6.1	Spills:	Before cleaning any spill or leak, individuals involved in spill cleat Equipment. For <u>small spills</u> (e.g., < 1 gallon (3.8 L)) wear appropriate personal prote ventilation (open doors and windows. Remove spilled material with ab container(s) for disposal. Dispose of properly in accordance with loca areas and outside of container with plenty of warm water and soap thoroughly before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected in (e.g., sand or earth). Transfer liquid to containers for recovery or dispo for proper disposal. Remove contaminated clothing promptly and was spills and cleaning runoffs out of drains, municipal sewers and open bo	ective equip sorbent ma l, state and o. Remove ndividuals. osal and sol sh affected	oment (e.g., g aterial and pla d federal regu e any contam Dike and con lid diking mate skin areas w	oggles, glov ace into appr lations. Wa inated cloth itain spill wit erial to sepa	es). Maxim ropriate clos ish all affect ning and wa h inert mate rate contain
			TION			
		7. HANDLING & STORAGE INFORMA	NUIN			
						<u> </u>
7.1	Work & Hygiene Practices:	Use normal hygiene practices. Avoid direct skin contact. Wash har eating, drinking, or smoking. Good personal hygiene practices, such contaminated clothing, are recommended.				
7.1	Work & Hygiene Practices: Storage & Handling:	eating, drinking, or smoking. Good personal hygiene practices, such	as washin	g any skin co fans) away fro	ontact areas	and remov



Page 3 of 6 SDS-E-S5L-A

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 7.3 SDS Re

SDS Revision Date: 2/10/2022

0.4	Eveneeure Linetter	8. EXPOSURE CONTR									OTUER
8.1	Exposure Limits: ppm (mg/m <sup>3</sup> )		AC	GIH		NOHSC ES-	ES-		OSHA		OTHER
	ppin (mg/m )	CHEMICAL NAME(S)	TLV	STEL	ES-TWA	STEL	PEAK	PEL	STEL	IDLH	
		PETROLEUM NAPTHA	100	NA	100	NF	NF	NA	NA	NA	
		METHYL NONAFLUORO-BUTYL ETHER	750	NA	NF	NF	NF	NA	NA	NA	SKIN
		METHYL NONAFLUORO-ISOBUTYL ETHER	750	NA	NF	NF	NF	NA	NA	NA	SKIN
		DEOXIT ® SHIELD S100L (TRADE SECRET)	NA	NA	NF	NF	NF	NA	NA	NA	
8.2	Ventilation & Engineering Controls:	General mechanical (e.g., fans) or r ventilation to effectively remove and appropriate decontamination equipr	preven	t buildup	of vapors	or mist g	enerated f	from the h	nandling o		
8.3	Respiratory Protection:	No special respiratory protection is where mist or vapors of this prod protection authorized by 29 CFR § Standard Z94.4-93 and applicable s	requirec uct are 1910.1	under ty generat 34, appli	vpical circu ed, and re cable U.S.	imstance espiratory . State re	s of use o y protectio egulations	r handling on is nee , or the (	g. In insta ded, use Canadian	only CAS	
8.4	Eye Protection:	Wear protective eyewear (e.g., safe Always use protective eyewear when or spraying is anticipated. Contact li irritants. Have suitable eye wash wa under appropriate government stand	ety glas n cleani enses p ater ava	ses with ng spills ose a sp ilable. U	side-shield or leaks. V ecial hazar se equipm	d) at all t Vear goge d; soft le ent for e	imes whe gles and/o nses may ye protecti	n handlin r face shi absorb ai	g this pro eld if spla nd conce	oduct. shing ntrate	6
8.5	Hand Protection:	Use gloves constructed of chemical- or prolonged contact is expected. I standards of Canada, or the EU me	resistar f neces	it materia sary, refe	lls such as	neopren	e or heavy				
8.6	Body Protection:	Avoid prolonged and/or repeated neoprene or Tyvek <sup>®</sup> ) if splashing o long-sleeves, apron, boots and addi Canada, the EU member states, or	skin co r sprayi itional fa	ntact. U ng condi icial prot	tions are p	oresent. I	Protective	clothing	should in	clude	
		9. PHYSICAL &	s CH	EMIC			TIES				
9.1	Appearance:	Light blue liguid									
9.2	Odor:	Ethereal / hydrocarbon odor									
9.3	Odor Threshold:	NA									
9.4	pH:	NA									
9.5	Melting Point/Freezing Point:	NA									
9.6	Initial Boiling Point/Boiling Range:	171.1-204 °C @ 760 mm Hg									
9.7	Flashpoint:	48.8-54.4 °C (120-130 °F)									
9.8	Upper/Lower Flammability Limits:	NA									
9.9	Vapor Pressure:	35 psig @ 20 °C; 50 psig @ 50 °C									
9.10	Vapor Density:	NA									
9.10	Relative Density:	0.75									
	Solubility:	Insoluble									
9.11											
9.11 9.12	Partition Coefficient (log Pow):	NA									
9.11 9.12 9.13	Partition Coefficient (log Pow): Autoignition Temperature:	NA NA									
9.11 9.12 9.13 9.14	, <b>,</b> ,										
9.11 9.12 9.13 9.14 9.15	Autoignition Temperature:	NA NA									
9.11 9.12 9.13 9.14 9.15 9.16	Autoignition Temperature: Decomposition Temperature:	NA									
9.11 9.12 9.13 9.14 9.15 9.16	Autoignition Temperature: Decomposition Temperature: Viscosity:	NA NA 10.0 cPs	BILIT	Ý & R	EACTI	VITY					
9.11 9.12 9.13 9.14 9.15 9.16 9.17	Autoignition Temperature: Decomposition Temperature: Viscosity:	NA NA 10.0 cPs VOC 588 g/L <b>10. STAE</b>		Y & R	EACTI	VITY					
9.11 9.12 9.13 9.14 9.15 9.16 9.17 10.1	Autoignition Temperature: Decomposition Temperature: Viscosity: Other Information:	NA NA 10.0 cPs VOC 588 g/L		Y & R	EACTI	VITY					
9.11 9.12 9.13 9.14 9.15 9.16 9.17 10.1 10.2	Autoignition Temperature: Decomposition Temperature: Viscosity: Other Information: Stability: Hazardous Decomposition	NA NA 10.0 cPs VOC 588 g/L <b>10. STAE</b> Stable under normal conditions of u		Y & R	EACTI	VITY					
9.10 9.11 9.12 9.13 9.14 9.15 9.16 9.17 10.1 10.2 10.3 10.4	Autoignition Temperature: Decomposition Temperature: Viscosity: Other Information: Stability: Hazardous Decomposition Products:	NA NA 10.0 cPs VOC 588 g/L <b>10. STAE</b> Stable under normal conditions of u Oxides of carbon (CO, CO <sub>2</sub> ).	se.				ct sunlight	t, incomp	patible su	bstance	es and heav



Page 4 of 6 SDS-E-S5L-A

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 7.3

SDS Revision Date: 2/10/2022

		11. TOXICOLOGICAL INFORMATION	
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion	120
11.2	Toxicity Data:	This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in available for some of the components of the product and is not presented in this document.	scientific literature, is
11.3	Acute Toxicity:	Moderate irritation to eyes and skin near affected areas.	
11.4	Chronic Toxicity:	This material may aggravate any pre-existing skin condition (e.g., dermatitis).	
11.5	Suspected Carcinogen:	This product does not contain any chemicals known to the State of California to cause cancer or oth For more information go to <u>www.P65Warnings.ca.gov</u>	er reproductive harm
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.	
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.	
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.	
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.	
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.	
11.7	Irritancy of Product:	See Section 4.2	
11.8	Biological Exposure Indices:	NE	
11.9	Physician Recommendations:	Treat symptomatically.	
		12. ECOLOGICAL INFORMATION	
12.1	Environmental Stability:	There is no specific data available for this product.	
12.2	Effects on Plants & Animals:	There are no specific data available for this product.	
12.3	Effects on Aquatic Life:	There are no specific data available for this product.	
		13. DISPOSAL CONSIDERATIONS	
13.1	Waste Disposal:	Disposal should be in accordance with local, state and federal regulations. Dispose of in accordance and local regulations.	nce with federal, state
13.2	Special Considerations:	U.S. EPA RCRA Hazardous Waste: D001 (characteristic – ignitability)	
		14. TRANSPORTATION INFORMATION	
		, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Addition /ICAO, IMDG and the CTDGR.	al descriptive information
14.1	49 CFR (GND):	NOT REGULATED PER 49 CFR 173.150(f)	>
14.2	IATA (AIR):	ID8000 CONSUMER COMMODITY, 9 (IP VOL $\leq$ 0.5 L); or UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III (LTD QTY, IP VOL $\leq$ 0.5 L)	<u>کې 🔶 کې 🔄 کې </u>
14.3	IMDG (OCN):	UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III (LTD QTY, IP VOL ≤ 5.0 L)	$\diamond$
14.4	TDGR (Canadian GND):	MARK PACKAGE "LIMITED QUANTITY" or "QUANTITÉ LIMITÉE" or "LTD QTY" or "QUANT LTÉE" or UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III (LTD QTY, IP VOL ≤ 5.0 L)	$\diamond$
14.5	ADR/RID (EU):	UN1268 PETROLEUM DISTILLATES, N.O.S., 3, III (LTD QTY, IP VOL $\leq$ 5.0 L)	$\mathbf{\hat{\mathbf{x}}}$
14.6	SCT (MEXICO):	UN1268, DESTILADO DEL PETROLEO, N.E.P., 3, III (CANT. LTDA., IP VOL ≤ 5.0 L)	$\mathbf{\hat{\mathbf{x}}}$
14.7	ADGR (AUS):	UN1268 PETROLEUM DISTILLATES, N.O.S., 3, III (LTD QTY, IP VOL ≤ 5.0 L)	$\mathbf{c}$
		15. REGULATORY INFORMATION	
15.1	SARA Reporting	This product does not contain any substances subject to SARA Title III, section 313 reporting requ	irements.
15.2	Requirements: SARA TPQ:	There are no specific Threshold Planning Quantities for the components of this product.	
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.	
15.4	CERCLA Reportable Quantity:	NA	
15.5	Other Federal Requirements:	None of the ingredients are listed as Hazardous Air Pollutants (HAPs). None of the ingredient Pollutants under the Clean Water Act (CWA). None of the ingredients are listed as Priority Pollu Water Act (CWA). This product does not contain any Class 1 or Class 2 ozone depletors.	
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the HPR and the SDS contain all of the information required by the HPR. The components of this product are listed on th DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS B3, D2B (Combustible Liquid, Other Toxic Effects).	



Page 5 of 6 SDS-E-S5L-A

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 7.3 SDS Revision Date: 2/10/2022

		15. REGULATORY INFO	RMATION – cont'd
15.7	State Regulatory Information:	No ingredients in this product, present in a conce lists: California Proposition 65 (CA65), Delawar Massachusetts Hazardous Substances List (I Substances List (MN), New Jersey Right-to-Kno Right-to-Know List (PA), Washington Permissible	ntration of 1.0% or greater, are listed on any of the following state criteria e Air Quality Management List (DE), Florida Toxic Substances List (FL), MA), Michigan Critical Substances List (MI), Minnesota Hazardous ow List (NJ), New York Hazardous Substances List (NY), Pennsylvania e Exposures List (WA), Wisconsin Hazardous Substances List (WI). nown to the State of California to cause cancer, birth defects, or other
15.8	Other Requirements:	This product is found on the following inventory Japan – ENCS; Korea – KECI; New Zealand – N	lists: Australia - AICS, China – IECSC, Europe – ELINCS/EINEC, NZIoC; {Philippines – PICCS; USA – TSCA.
		16. OTHER INFO	RMATION
16.1	Other Information:	WARNING! FLAMMABLE LIQUID AND VAPO REACTION. Keep away from heat, hot surfaces container tightly closed. Take action to prevent s and exposed skin areas with soap and warm wat allowed out of the workplace. Wear protective glow and water. If skin irritation or rash occurs: Get med IF IN EYES: Rinse cautiously with water for severa rinsing. Take off contaminated clothing and was i	<b>R. CAUSES EYE IRRITATION. MAY CAUSE AN ALLERGIC SKIN</b> s, sparks, open flames and other ignition sources. No smoking. Keep tatic discharges. Avoid breathing fume/mist/vapors/spray. Wash hands er thoroughly after handling. Contaminated work clothing should not be res/eye protection/face protection. IF ON SKIN: Wash with plenty of soap lical help. For specific treatment, see Section 4 of this Safety Data Sheet. al minutes. Remove contact lenses, if present and easy to do. Continue t before reuse. If eye irritation persists: Get medical advice/attention. In iguish. Store in a well-ventilated place. Keep cool. <b>KEEP LOCKED UP</b>
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.	
16.3	Disclaimer:	government regulations must be reviewed for app Inc.'s knowledge, the information contained hereir completeness is not guaranteed and no warrantie contained herein relates only to the specific produ-	SHA's Hazard Communication Standard, 29 CFR §1910.1200. Other licability to this product. To the best of ShipMate's & CAIG Laboratories, n is reliable and accurate as of this date; however, accuracy, suitability or s of any type, either expressed or implied, are provided. The information uct(s). If this product(s) is combined with other materials, all component nged from time to time. Be sure to consult the latest edition.
16.4	Prepared for:	CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 Tel: +1 (800) CAIG-123 (244-4123) Fax: +1 (858) 486-8398 fax http://www.caig.com/	CARGE LABORATORIES, INC.
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate Dangerous Goods Training & Consulting



Page 6 of 6 SDS-E-S5L-A

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 7.3 SDS Re

SDS Revision Date: 2/10/2022

### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

#### EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
IDLH	Immediately Dangerous to Life and Health
NOHSC	National Occupational Health and Safety Commission (Australia)
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

#### FIRST AID MEASURES:


CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

### HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

### PERSONAL PROTECTION RATINGS:



#### OTHER STANDARD ABBREVIATIONS:


Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	TY LIMITS IN AIR:
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

#### HAZARD RATINGS:

0	Minimal Hazard	FLA
1	Slight Hazard	FL/
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	•
ALK	Alkaline	
COR	Corrosive	/
W	Use No Water	HE/
OX	Oxidizer	
TREFOIL	Radioactive	



#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals		
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal		
ppm Concentration expressed in parts of material per million parts			
TD <sub>Io</sub>	Lowest dose to cause a symptom		
TCLo	Lowest concentration to cause a symptom		
TD <sub>Io</sub> , LD <sub>Io</sub> , & LD <sub>o</sub> or	Do or Lowest dose (or concentration) to cause lethal or toxic effects		
TC, TC <sub>o</sub> , LC <sub>io</sub> , & LC <sub>o</sub>			
IARC	International Agency for Research on Cancer		
NTP	National Toxicology Program		
RTECS	Registry of Toxic Effects of Chemical Substances		
BCF	Bioconcentration Factor		
TLm	Median threshold limit		
log Kow or log Koc	Coefficient of Oil/Water Distribution		

#### **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System			
DOT	U.S. Department of Transportation			
TC	Transport Canada			
EPA	U.S. Environmental Protection Agency			
DSL	Canadian Domestic Substance List			
NDSL	Canadian Non-Domestic Substance List			
PSL	PSL Canadian Priority Substances List			
TSCA	U.S. Toxic Substance Control Act			
EU	European Union (European Union Directive 67/548/EEC)			
WGK	Wassergefährdungsklassen (German Water Hazard Class)			

### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	۲	٨	Ø	1			
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

#### CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$					
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment