

Page: 1/11

Printing date: March 07, 2019 Revision: March 07, 2019

1 Identification

· Product identifier

· Trade name: Universal All Purpose Degreaser

· Article number: DAC103

· Recommended use and restriction on use

· Recommended use: Degreasing agent

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

DAC Industries, Inc.

1636 Gervais Avenue Suite 9

Maplewood, MN 55109

Phone: (651) 748-1750

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Aerosol 1 H222 Extremely flammable aerosol.

Press. Gas H280 Contains gas under pressure; may explode if heated.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:









GHS02 GHS04 GHS07 GHS08

Signal word: Danger

· Hazard statements:

H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

· Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P211 Do not spray on an open flame or other ignition source.
P251 Pressurized container: Do not pierce or burn, even after use.

P261 Avoid breathing mist, vapors, or spray.

(Cont'd. on page 2)



Page: 2/11

Printing date: March 07, 2019 Revision: March 07, 2019

Trade name: Universal All Purpose Degreaser

(Cont'd. of page 1)

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection. P301+P310 If swallowed: Immediately call a poison center/doctor.

P331 Do NOT induce vomiting.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Componen	ts:	
67-64-1	Acetone Flam. Liq. 2, H225 Eye Irrit. 2A, H319; STOT SE 3, H336	25-50%
68476-86-8	Petroleum gases, liquified, sweetened Flam. Gas 1, H220 Press. Gas, H280	25-50%
64742-49-0	Naphtha (petroleum), hydrotreated light (Nota P, <0.1% benzene) \$\infty\$ Asp. Tox. 1, H304	25-50%
67-63-0	Propan-2-ol Flam. Liq. 2, H225 Eye Irrit. 2A, H319; STOT SE 3, H336	2.5-10%

Additional information:

For the wording of the listed Hazard Statements, refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

4 First-aid measures

Description of first aid measures

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

(Cont'd. on page 3)



Page: 3/11

Printing date: March 07, 2019 Revision: March 07, 2019

Trade name: Universal All Purpose Degreaser

(Cont'd. of page 2)

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Unlikely route of exposure.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Headache

Breathing difficulty

Coughing

Dizziness

Nausea in case of ingestion.

Gastric or intestinal disorders when ingested.

Causes eve irritation.

Disorientation

Unconsciousness

Danger:

May be fatal if swallowed and enters airways.

Danger of impaired breathing.

Danger of convulsion.

Danger of disturbed cardiac rhythm.

Indication of any immediate medical attention and special treatment needed:

If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary edema.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Alcohol resistant foam

Carbon dioxide

Fire-extinguishing powder

Gaseous extinguishing agents

- · For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Danger of receptacles bursting because of high vapor pressure if heated.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information:

Eliminate all ignition sources if safe to do so.

Cool endangered containers with water fog.

Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

(Cont'd. on page 4)



Page: 4/11

Printing date: March 07, 2019 Revision: March 07, 2019

Trade name: Universal All Purpose Degreaser

(Cont'd. of page 3)

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources.

Protect from heat.

- Environmental precautions Avoid release to the environment.
- · Methods and material for containment and cleaning up

Allow to evaporate

Absorb liquid components with non-combustible liquid-binding material.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling
- · Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Keep away from heat and direct sunlight.

Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 120 °F / 49 °C,

i.e. electric lights. Do not pierce or burn, even after use.

Fumes can combine with air to form an explosive mixture.

Emergency cooling must be available in case of nearby fire.

Keep respiratory protective device available.

- Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

Avoid storage near extreme heat, ignition sources or open flame.

Storage area should be dry and well-ventilated.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

Protect from heat and direct sunlight.

Storage Temperatures: <122 °F / <50 °C.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

(Cont'd. on page 5)



Page: 5/11

Printing date: March 07, 2019 Revision: March 07, 2019

Trade name: Universal All Purpose Degreaser

(Cont'd. of page 4)

0	(Contra. or pu
67-64-1 Aceton	vith limit values that require monitoring at the workplace:
PEL (USA)	Long-term value: 2400 mg/m³, 1000 ppm
REL (USA)	Long-term value: 590 mg/m³, 250 ppm
TLV (USA)	Short-term value: 1187 mg/m³, 500 ppm Long-term value: 594 mg/m³, 250 ppm BEI
EL (Canada)	Short-term value: 500 ppm Long-term value: 250 ppm
EV (Canada)	Short-term value: 750 ppm Long-term value: 500 ppm
LMPE (Mexico)	Short-term value: 750 ppm Long-term value: 500 ppm A4, IBE
67-63-0 Propar	
PEL (USA)	Long-term value: 980 mg/m³, 400 ppm
REL (USA)	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
TLV (USA)	Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI
EL (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm
EV (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm
LMPE (Mexico)	Short-term value: 400 ppm Long-term value: 200 ppm A4, IBE
Ingredients wit	h biological limit values:
67-64-1 Aceton	
BEI (USA) 50 n	
	lium: urine
	e: end of shift ameter: Acetone (nonspecific)
	` '
67-63-0 Propar BEI (USA) 40 n	
	ng/L lium: urine
1 1/1/100	auni unite

Exposure controls

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

Wash hands before breaks and at the end of work.

(Cont'd. on page 6)



Page: 6/11

Printing date: March 07, 2019 Revision: March 07, 2019

Trade name: Universal All Purpose Degreaser

(Cont'd. of page 5)

Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

- · Engineering controls: No relevant information available.
- · Breathing equipment:

Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment

Avoid release to the environment.

· Risk management measures No relevant information available.

9 Physical and chemical properties Information on basic physical and chemical properties · Appearance: Form: Aerosol Color: Clear · Odor: Petroleum-like · Odor threshold: Not determined. · pH-value: Not determined. Melting point/Melting range: Not determined. · Boiling point/Boiling range: -42 °C (-43.6 °F) < -104 °C (<-155.2 °F) (PMCC) · Flash point: · Flammability (solid, gaseous): Not applicable. · Auto-ignition temperature: 425 °C (797 °F) Decomposition temperature: Not determined. Product is not explosive. However, formation of explosive air/ Danger of explosion: vapor mixtures are possible. · Explosion limits Lower: 2.6 Vol % Upper: 13.0 Vol % Oxidizing properties: Non-oxidizing. · Vapor pressure at 20 °C (68 °F): 233 hPa (174.8 mm Hg)

(Cont'd. on page 7)



Page: 7/11

Printing date: March 07, 2019 Revision: March 07, 2019

Trade name: Universal All Purpose Degreaser

(Cont'd. of page 6)

· Density:

Relative density:

Vapor density:

Not determined.

Not determined.

Evaporation rate:

Not applicable.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

Dynamic: Not determined. **Kinematic:** Not determined.

Other informationNo relevant information available.

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- Thermal decomposition / conditions to be avoided:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

· Possibility of hazardous reactions

Extremely flammable aerosol.

Can react violently with oxygen rich (oxidizing) material. Danger of Explosion.

Develops readily flammable gases / fumes.

Danger of receptacles bursting because of high vapor pressure if heated.

Reacts with peroxides and other radical forming substances.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

Reacts with strong acids and alkali.

- · Conditions to avoid Excessive heat.
- · Incompatible materials Oxidizers, strong bases, strong acids
- · Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

11 Toxicological information

- Information on toxicological effects
- Acute toxicity: Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Causes eye irritation.
- · Sensitization: No sensitizing effects known.
- Carcinogenic categories
- IARC (International Agency for Research on Cancer):

(Cont'd. on page 8)



Page: 8/11

Printing date: March 07, 2019 Revision: March 07, 2019

Trade name: Universal All Purpose Degreaser

(Cont'd. of page 7)

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable route(s) of exposure:

Inhalation.

Eve contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: May cause drowsiness or dizziness.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: May be fatal if swallowed and enters airways.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes: Avoid transfer into the environment.
- · Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- **Uncleaned packagings**
- · **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- · UN-Number
- · DOT, ADR/RID/ADN, IMDG, IATA UN1950
- · UN proper shipping name

(Cont'd. on page 9)





Printing date: March 07, 2019 Revision: March 07, 2019

Trade name: Universal All Purpose Degreaser

(Cont'd. of page 8) · DOT Aerosols **AEROSOLS** · ADR/RID/ADN, IMDG · IATA Aerosols, flammable · Transport hazard class(es) · DOT · Class 2.1 · Label 2.1 · ADR/RID/ADN · Class 2 5F · Label 2.1 · IMDG, IATA · Class 2.1 · Label 2.1 · Packing group Aerosols are not assigned a packing group. · Environmental hazards · Marine pollutant: No · Special precautions for user Warning: Gases Danger code (Kemler): **EMS Number:** F-D,S-U Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · DOT Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 L. · ADR/RID/ADN (Cont'd. on page 10)



Page: 10/11

Printing date: March 07, 2019 Revision: March 07, 2019

Trade name: Universal All Purpose Degreaser

(Cont'd. of page 9)



Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 L.

· IMDG



Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 L.

·IATA



Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 L.

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

67-63-0 Propan-2-ol

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

67-64-1 Acetone

|||

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.



Page: 11/11

Printing date: March 07, 2019 Revision: March 07, 2019

Trade name: Universal All Purpose Degreaser

(Cont'd. of page 10)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision March 07, 2019 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit

Flam. Gas 1: Flammable gases - Category 1

Flam. Aerosol 1: Aerosols - Category 1

Press. Gas: Gases under pressure - Compressed gas

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

· Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com