



ASG, Division of Jergens, Inc.

Jergens Way, 15700 South Waterloo Road

Cleveland, Ohio 44110-3898 USA

Phone: 216-486-6163 • **Toll-Free USA:** 888-486-6163

Fax: 216-481-4519

Email: asginfo@asg-jergens.com • **Website:** www.asg-jergens.com

Item # 64109, CL-3000 4MM ELECTRIC SCREWDRIVER

BUY IT NOW!

QUOTE -

QUOTE

DC Electric Screwdriver

Designed specifically to deliver accurate, low torque for fastening small screws

Compact and light weight

Brush type motor offers proven performance

External torque adjustment

#1 (2 mm) screws and smaller

4 mm drive model offers flexibility for small fasteners or vacuum pick-up applications

4 mm drive is a HIOS drive (wing style)

Tamper resistant torque cover included

4 ft detachable cord

⚠ WARNING Cancer or Reproductive Harm - www.P65Warnings.ca.gov



[Classification](#) | [Specifications](#) | [Bits Supplied with Drivers](#)

CLASSIFICATION -

Product Group	Assembly
Electric or Pneumatic	Electric
Manual or Powered	Powered

Contact us

**Low Voltage DC w
/Power Source or
Direct Plug-in**

DC

SPECIFICATIONS

Model No.	CL-3000
Brush Type or Brushless	Brush
Torque	0.27 to 1.8 lbf·in 0.03 to 0.2 N·m
Body Style	Inline
Drive Type	4.0 mm
Operation	Lever Start
Speed (HI)	1000
Speed (LO)	670
Length	7.2 in 183 mm
Weight	350 g 0.8 lb
Body Diameter	1.3 in 32.5 mm
Light Spring Type	Yellow
Heavy Spring Type	Blue
ESD Safe	No
RoHS Compliant	Yes
Warranty	2 years

BITS SUPPLIED WITH DRIVERS

[64416](#), 4mm Round Bits for Cross-Recess Head Fasteners (**QUOTE**)

Bits Included

[64421](#), 4mm Round Bits for Cross-Recess Head Fasteners (**QUOTE**)