





AD4113T

\$449

Product Images



Description

The AD4113T Dino-Lite handheld digital microscope has detachable and interchangeable nozzles. This model has a 1.3 megapixel sensor which lets users examine objects with the greatest of details at a resolution of 1280 x 1024. It comes with a standard open front cap for normal use, and an enclosed transparent front cap designed to protect the lens and built-in LED lights from dust, debris, and moisture from the environment. The AD4113T also has the MicroTouch touch sensitive static sensor trigger. The MicroTouch feature on the handheld digital microscope gives users the option of taking a picture right from the microscope itself.

Additional Information

Measurement	Yes
Automatic Magnification Reading	No
Extended Depth of Field	No
Enhanced Dynamic Range	No
Wireless Ready	No
Magnification Lock	Yes
Body Material	ABS Plastic
Microtouch Sensor	Yes
LEDs	White (8)
Axial	No
Polarization	No
Excitation Wavelength (LED)	N/A
Emission Wavelength (Filter)	N/A
Magnification Range	10x - 50x, 220x
Working Distance	Standard
Lens Type	Glass
Megapixels	1.3 MP
Image Save Formats (Windows)	BMP, GIF, PNG, JPG, TIF, RAS, PNM, TGA, PCX, MNG, WBMP, JP2, JPC, PGX
Image Save Formats (Mac OS)	JPEG, PNG
Video Save Formats (Windows)	WMV, FLV, SWF
Operating System	Windows XP, Vista, 7, 8, 10, Mac OS 10.5+
Connection Type	USB 2.0
Included Software	DinoCapture 2.0 (Windows), DinoXcope (Mac OS)
Imaging Standards	DirectShow, UVC
Sensor Type	CMOS
Resolution	1280 × 1024 pixels
Frame Rate (max)	30 FPS

Dimensions	10.5cm (L) x 3.2cm (D) (4.13" x 1.26")
Weight	105g (3.7 oz)
Cable Length	182cm (71.65 in)
Package Includes	Microscope, Carry Pouch, Software CD, Standard Calibration Target, Open Cap, Sealed Cap
Warranty Period	2 years
Manufactured in	Taiwan
Service & Support	U.S. (www.dinolite.us) English & Spanish
Regulatory Approval	CE, FCC

