



# AF4915ZTL

\$929

## Product Images



## Description

The Dino-Lite Edge 1.3MP AF4915ZTL is an all-in-one device designed to meet most professional applications within 10x- 140x magnifications at longer working distance. The AF4915ZTL integrates premium Edge Series features **EDOF**, **AMR** and **FLC**. The new modular **wireless-ready** design allows for USB connection or a quick swap to wireless with a WF-20 adapter (sold separately) making it a completely cordless and portable microscope.

This model is **wireless-ready** but requires the WF-20 adapter for wireless functionality. To purchase this model with the WF-20 adapter see AF4915ZTL + WF-20 Bundle \*EDOF/EDR available on Windows PC only.



## Additional Information

Measurement	Yes
Flexible LED Control	LED Quadrant + Brightness Control
Automatic Magnification Reading	Yes
Extended Depth of Field	Yes (Windows PC required)
Enhanced Dynamic Range	Yes (Windows PC required)
Wireless Ready	Yes
Magnification Lock	Yes
Body Material	ABS Plastic
Microtouch Sensor	Yes
LEDs	White (8)
Axial	No
Polarization	Yes
Excitation Wavelength (LED)	N/A
Emission Wavelength (Filter)	N/A
Magnification Range	10x - 140x
Working Distance	Long
Lens Type	Glass
Megapixels	1.3 MP
Image Save Formats (Windows)	BMP, GIF, PNG, JPG, TIF, RAS, PNM, TGA, PCX, MNG, WBMP, JP2, JPC, PGX
Image Save Formats (Mac OS)	JPEG, PNG
Video Save Formats (Windows)	WMV, FLV, SWF
Operating System	Windows XP, Vista, 7, 8, 10, Mac OS 10.11.6 or newer
Connection Type	USB 2.0
Included Software	DinoCapture 2.0 (Windows), DinoXcope (Mac OS)
Imaging Standards	UVC
Sensor Type	CMOS
Resolution	1280 × 1024 pixels

Frame Rate (max)	30 FPS
Dimensions	11.4cm (H) x 3.3cm (D) (4.4" x 1.29")
Weight	111g (3.9 oz)
Cable Length	182cm (71.65 in)
Package Includes	Microscope, Carry Pouch, Software CD, Edge Calibration Target, Alternate end caps
Warranty Period	2 years
Manufactured in	Taiwan
Service & Support	U.S. (www.dinolite.us) English & Spanish
Regulatory Approval	CE, FCC

