

# SAFETY DATA SHEET

## 1. Identification

1. Identification			
Product identifier	LPS® 1		
Other means of identification			
Part Number	00122, 01128, 00105, 00155		
Recommended use	An industrial lubricant designed to displace moisture from mechanical and electrical equipment, provide light-duty lubrication and short-term rust prevention.		
<b>Recommended restrictions</b>	None known.		
Manufacturer/Importer/Supplier	/Distributor information		
Manufacturer			
Manufacturer			
Company name	ITW Pro Brands		
Address	4647 Hugh Howell Rd.		
	Tucker, GA 30084		
Country	(U.S.A.)		
	Tel: +1 770-243-8800		
In Case of Emergency	1-800-424-9300 (inside U.S.)		
	+001 703-527-3887 (outside U.S.)		
Website	www.lpslabs.com		
E-mail	lpssds@itwprobrands.com		
2. Hazard(s) identification			
Physical hazards	Flammable liquids	Category 4	
Health hazards	Reproductive toxicity	Category 1	
	Aspiration hazard	Category 1	
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement	Combustible liquid. May be fatal if swallowed and enters airways.		
Precautionary statement			
Prevention	Keep away from flames and hot surfaces-No smoking. Wear protective gloves/eye protection/face protection.		
Response	If swallowed: Immediately call a poison cente Use appropriate media to extinguish.	r/doctor. Do NOT induce vomiting. In case of fire:	
Storage	Store in a well-ventilated place. Keep cool. St	ore locked up.	
Disposal	Dispose of contents/container in accordance	with local/regional/national/international regulations.	
Hazard(s) not otherwise	Combustible.		

Contains Calcium sulfonate. May produce an allergic reaction.

## 3. Composition/information on ingredients

#### Mixtures

classified (HNOC)

Supplemental information

Chemical name	Common name and synonyms	CAS number	%
Distillates Petroleum Hydrotreated Light		64742-47-8	70 - 80
Distillates Petroleum Hydrotreated Med		64742-46-7	15 - 25
Sorbitan trioleate		26266-58-0	1 - 5
Distillates Petroleum Hydrotreated		64742-54-7	0.1 - 1

Heavy

## 4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Aspiration may cause pulmonary edema and pneumonitis. Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Alcohol resistant foam. Dry chemical powder. Dry chemicals. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Combustible liquid.
6 Accidental release mass	

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	Use water spray to reduce vapors or divert vapor cloud drift. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling

Keep away from open flames, hot surfaces and sources of ignition. When using do not smoke. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Keep away from heat and sources of ignition. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers.

#### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

U.S OSHA Components	Туре	Value	Form
Distillates Petroleum Hydrotreated Light (CAS 64742-47-8)	PEL	5 mg/m3	Oil mist
ACGIH			_
Components	Туре	Value	Form
Distillates Petroleum Hydrotreated Light (CAS 64742-47-8)	TWA	5 mg/m3	Oil mist
Biological limit values	No biological exposure limits noted for	or the ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ	pplicable, use process enclos tain airborne levels below rec	sures, local exhaust ventilation, ommended exposure limits. If
Individual protection measure	s, such as personal protective equipm	ent	
Eye/face protection	Wear safety glasses with side shield	s (or goggles).	
Skin protection			
Hand protection	Wear appropriate chemical resistant	gloves.	
Other	Wear suitable protective clothing.		
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		
9. Physical and chemica	l properties		

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Amber.
Odor	Characteristic.
Odor threshold	Not available.
рН	Not applicable
Melting point/freezing point	< -58 °F (< -50 °C)
Initial boiling point and boiling	415.4 °F (213 °C)
range	
Flash point	174.2 °F (79.0 °C) Tag Closed Cup (dispensed liquid)
Evaporation rate	< 0.1 (BuAc = 1)
Flammability (solid, gas)	Not applicable.

Upper/lower flommability or eve	
Upper/lower flammability or exp Flammability limit - lower	0.6 %
(%) Flammability limit - upper (%)	7 %
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	< 0.05 mm Hg @ 20°C
Vapor density	> 1 (air = 1)
Relative density	0.79 - 0.81 @ 20°C
Solubility(ies)	
Solubility (water)	Not soluble
Partition coefficient (n-octanol/water)	< 1
Auto-ignition temperature	> 442.4 °F (> 228 °C)
Decomposition temperature	Not established
Viscosity	< 3.8 cSt @ 25°C
Other information	
Explosive properties	Not explosive.
Heat of combustion	Not established
Oxidizing properties	Not oxidizing.
Percent volatile	95 - 96 %
VOC	0.4 % per US State & Federal Consumer Product Regulations
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides.
11. Toxicological informat	lion
Information on likely routes of e	xposure
Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.
Symptoms related to the physical, chemical and toxicological characteristics	Aspiration may cause pulmonary edema and pneumonitis.
Information on toxicological effe	ects
Acute toxicity	May be fatal if swallowed and enters airways.
Components	Species Test Results
Distillates Petroleum Hydrotreated	Heavy (CAS 64742-54-7)
Acute	
Dermal	

> 2000 mg/kg

Rabbit

Components	Species	Test Results	
Inhalation			
LC50	Rat	> 3.9 mg/l, 4 Hours	
Oral			
LD50	Rat	> 2000 mg/kg	
Distillates Petroleum Hydrotreated	d Light (CAS 64742-47-8)		
<u>Acute</u> Dermal			
LD50	Rabbit	> 2000 mg/kg	
Inhalation			
Vapor			
LC50	Rat	> 4.5 mg/l, 4 Hours	
		> 0.1 mg/l, 8 Hours	
Oral			
LD50	Rat	> 5000 mg/kg	
Distillates Petroleum Hydrotreated	d Med (CAS 64742-46-7)		
Acute			
Dermal			
LD50	Rabbit	> 2000 mg/kg, 24 Hours	
Oral			
LD50	Rat	> 5000 mg/kg	
Sorbitan trioleate (CAS 26266-58-	-0)		
Acute			
Oral			
LD50	Rat	> 40000 mg/kg	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritat	ion.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitization	n		
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.		
Skin sensitization	None known.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to be a carcinogen b	y IARC, ACGIH, NTP, or OSHA.	
IARC Monographs. Overall	Evaluation of Carcinogenicity		
Not listed. OSHA Specifically Regulate	ed Substances (29 CFR 1910.1001-1052)		
Not regulated.			
	ogram (NTP) Report on Carcinogens		
Not listed.	<b>-</b>		
Reproductive toxicity	This product is not expected to cause reproductive	or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	May be fatal if swallowed and enters airways.		
Chronic effects	Prolonged inhalation may be harmful.		
Further information	None known.		
12. Ecological information	1		
	•		

Components		Species	Test Results		
Distillates Petroleum Hydrotre	Distillates Petroleum Hydrotreated Light (CAS 64742-47-8)				
Aquatic					
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	2.9 mg/l, 96 hours		
Persistence and degradability					
Bioaccumulative potential					
Partition coefficient n-octanol / water (log Kow) LPS® 1 < 1					
Mobility in soil	No data available.				
Other adverse effects	None known.				
13. Disposal considerations					
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.				
Local disposal regulations	Dispose in accordance with all applicable regulations.				
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.				
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).				
Contaminated packaging		l containers may retain product residue, fo ty containers should be taken to an appro	llow label warnings even after container is ved waste handling site for recycling or		

### 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

## Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

#### 15. Regulatory information

**US** federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### **Toxic Substances Control Act (TSCA)**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

## SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical	Yes
Classified hazard categories	Flammable (gases, aerosols, liquids, or solids) Reproductive toxicity Aspiration hazard

#### SARA 313 (TRI reporting) Not regulated.

#### Other federal regulations

Not regulated.	n 112 Hazardous Air Pollutants (HAPs) List n 112(r) Accidental Release Prevention (40 CFR 68.130)
ι,	in 112(1) Accidental nelease Prevention (40 CPN 00.150)
Not regulated.	
Safe Drinking Water Act (SDWA)	Not regulated.
US state regulations	California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **California Proposition 65**

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Distillates Petroleum Hydrotreated Heavy (CAS 64742-54-7) Distillates Petroleum Hydrotreated Med (CAS 64742-46-7)

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date	11-01-2016
Revision date	02-20-2019
Version #	04
Disclaimer	ITW Pro Brands cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	Product and Company Identification: Alternate Trade Names Hazard(s) identification: Response Composition / Information on Ingredients: Disclosure Overrides