

Kit Revision Date: 7/23/2025

# 832FXT FLEXIBLE EPOXY RESIN KIT

# **MG Chemicals Multipart Product Kit**

This product is a kit made up of multiple parts. Each part is an independently packaged chemical component and has independent hazard assessments.

## **Kit Content**

Part	Product Name	Product Use	
Α	832FXT-A	Epoxy Resin	
В	832FXT-B	Epoxy hardener	

Safety Data Sheets for each part listed above follow this cover sheet.

# **Transportation Instruction**

Before offering this product kit for transport, read Section 14 for <u>all</u> parts listed above.



according to WHMIS 2023 and HCS 2024

Date of issue 06/25/2025 Version number 1.00 Revision: 06/20/2025

## 1 Identification

- · Product identifier
  - · Trade name: 832FXT-A
    - · Other Means of Identification: Flexible Epoxy Resin
    - · Related Part Number:

832FXT-Part A, 832FXT-25ML, 832FXT-50ML, 832FXT-400ML, 832FXT-7.4L, 832FXT-40L

- · Application of the substance / the mixture Epoxy resin
- · Uses advised against Not available
- · Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

MG Chemicals (Head Office) 1210 Corporate Drive Burlington, Ontario L7L 5R6 CANADA +(1) 800-340-0772

+(1) 905-331-1396

info@mgchemicals.com

#### Distributor:

Masline 511 Clinton Ave S Rochester, New York 14620 **United States** +(1) 586-546-5373

· Information department: sds@mgchemicals.com

· Emergency telephone number:

For hazardous material incidents ONLY (leaks, spills, fires, exposures or accidents) USA or CANADA-Call Verisk 3E at +1-866-519-4752 or +1-760-476-3962 (Service access code: 335388)

For emergencies involving the transport of dangerous goods; 24/7 service CANADA-Call CANUTEC collect at +1-613-996-6666 or \*666 on cellular phones

## 2 Hazard identification

#### · Classification of the substance or mixture

Skin Irritation - Category 2

H315 Causes skin irritation.

Eye damage/irritation - Category 2A H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

Sensitization - skin - Category 1

Aquatic Chronic 2

H411 Toxic to aquatic life with long lasting effects.

- · Label elements
  - GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Page 1/12



# Safety Data Sheet according to WHMIS 2023 and HCS 2024

Date of issue 06/25/2025 Version number 1.00 Revision: 06/20/2025

Trade name: 832FXT-A

(Contd. of page 1)

Page 2/12

#### · Hazard pictograms





GHS07 GHS09

#### · Signal word Warning

## · Hazard-determining components of labeling:

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) oxirane, mono[(C12-14-alkyloxy)methyl] derivs Carbon black

## · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eve irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

## Precautionary statements

P102 Keep out of reach of children.
P261 Avoid breathing fumes and vapors.
P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection.
P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice.
P337+P313 If eye irritation persists: Get medical advice.

P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501 Dispose of contents and container in accordance with local, regional, and national

regulations.

## · Other hazards Not available

# 3 Composition/Information on ingredients

#### Chemical characterization: Mixtures

· **Description**: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:	
25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)	78% w/w
68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs	20% w/w

(Contd. on page 3)



according to WHMIS 2023 and HCS 2024

Date of issue 06/25/2025 Version number 1.00 Revision: 06/20/2025

Trade name: 832FXT-A

(Contd. of page 2)

1333-86-4 Carbon black

0.4% w/w

Page 3/12

# 4 First-aid measures

## · Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Remove person to fresh air and keep comfortable for breathing.

If feeling unwell: Call a POISON CENTRE or doctor.

After skin contact:

Wash with plenty water.

If skin irritation or rash occurs: Get medical advice or attention.

Take off contaminated clothing and wash it before reuse.

· After eye contact:

Rinse cautiously with water for 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

• After swallowing:

Rinse mouth.

Do NOT induce vomiting.

If symptoms persist consult doctor.

Information for doctor: Treat symptomatically

· Most important symptoms and effects, both acute and delayed

See section 11 for additional information.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# 5 Fire-fighting measures

- Extinguishing media
  - · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

Not flammable or combustible, but burns if involved in a fire. Produces irritating smoke of unknown toxicity in fires. Prevent fire-fighting wash from entering waterway or sewer system.

· Hazardous combustion products:

Carbon Oxides (COx) other toxic fumes

Advice for firefighters

· Protective equipment: Wear self-contained breathing apparatus and full fire-fighting turn-out gear.

CA —



according to WHMIS 2023 and HCS 2024

Date of issue 06/25/2025 Version number 1.00 Revision: 06/20/2025

Trade name: 832FXT-A

(Contd. of page 3)

Page 4/12

## 6 Accidental release measures

#### · Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Remove or keep away all sources of extreme heat or open flames.

Avoid breathing the fumes, mist, or vapors.

#### · Environmental precautions:

Avoid release to the environment.

Do not allow to enter sewers/ surface or ground water.

## · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Collect liquid in a sealable, chemical-resistant container.

Wash residue with a paper towel and place dirty towels in container.

Use soap and water to remove the last traces of residue.

#### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

#### · Precautions for safe handling

Wear protective gloves and eye protection.

Wash hands and exposed skin thoroughly after handling.

Take off contaminated clothing and wash it before reuse.

Collect spillage.

Contaminated work clothing should not be allowed out of the workplace.

Obtain, read and follow all safety instructions before use.

## Information about protection against explosions and fires:

Keep respiratory protective device available.

#### · Conditions for safe storage, including any incompatibilities

- · Storage:
  - · Requirements to be met by storerooms and receptacles:
  - Keep in a dry and clean area, away from incompatible substances
  - · Information about storage in one common storage facility: Not required.
  - · Further information about storage conditions:

Keep receptacle tightly sealed.

Store locked up.

Specific end use(s) See section 1.2

CA -



according to WHMIS 2023 and HCS 2024

Date of issue 06/25/2025 Version number 1.00 Revision: 06/20/2025

Trade name: 832FXT-A

(Contd. of page 4)

Page 5/12

# 8 Exposure controls/ Personal protection

#### · Control parameters

· Components with limit values that require monitoring at the workplace:		
1333-86-4 Ca	1333-86-4 Carbon black	
EL (Canada)	TWA: 3 mg/m <sup>3</sup> IARC 2B	
EV (Canada)	TWA: 3.5 mg/m <sup>3</sup>	
PEL (USA)	TWA: 3.5 mg/m <sup>3</sup>	
REL (USA)	TWA: 3.5* mg/m³ *0.1 in presence of PAHs;See Pocket Guide Apps.A+C	
TLV (USA)	TWA: 3* mg/m³ *inhalable fraction, A3	

#### · Additional information:

The lists that were valid during the creation were used as basis.

Refer to the national or regional occupational exposure limit regulation for abbreviations and acronyms.

#### Exposure controls

- · Appropriate engineering controls Keep airborne concentrations below exposure limits.
- · Personal protective equipment:

## General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

## · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Advice should be sought from respiratory protection specialists.

If the product is heated or worker has a known allergic reaction, consider using a full mask with organic vapor cartridge or with an independent air supply.

#### · Protection of hands:



Protective gloves: EN374

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)



according to WHMIS 2023 and HCS 2024

Date of issue 06/25/2025 Version number 1.00 Revision: 06/20/2025

Trade name: 832FXT-A

(Contd. of page 5)

Page 6/12

· Eye protection:



Safety glasses or tightly sealed goggles: EN 166

# 9 Physical and chemical properties

· Information on basic physical and chemical properties

· Physical state

· Form:

· Color:

· Odor:

· Odor threshold:

· Flammability:

Explosion limits:

· Lower:

· Upper: · Flash point:

i iasii poiiit.

· Auto igniting:

· Solubility in / Miscibility with

· Water:

· Vapor pressure:

· Relative density at 25 °C (77 °F):

· Vapor density (air=1):

· Particle characteristics

1 41 (1010 01141)

Other information
 Important information on protection of health

and environment, and on safety.

· Ignition temperature:

**ture:** Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

Liquid

Black

Mild

1.10

Highly viscous

Not available Non flammable

Not applicable

Not applicable

Not applicable. Not determined

Insoluble.
Not determined.

Not available

Not applicable.

· Evaporation rate Not available

# 10 Stability and reactivity

- · Reactivity Reacts exothermically with amines.
- · Chemical stability Chemically stable at normal temperatures and pressures.
  - Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 7)



according to WHMIS 2023 and HCS 2024

Date of issue 06/25/2025 Version number 1.00 Revision: 06/20/2025

Trade name: 832FXT-A

(Contd. of page 6)

Page 7/12

- \* Conditions to avoid Avoid open flames, excessive heat, sparks, ignition sources, and incompatible substances.
- · Incompatible materials:

Strong acids Strong bases Strong oxidizing agents

· Hazardous decomposition products: Hazardous combustion products: see section 5.

# 11 Toxicological information

- · Information on toxicological effects
  - · Acute toxicity:

·L	· LD/LC50 values that are relevant for classification:		
25068-3	25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weigh ≤ 700)		
Oral	LD50	11,400 mg/kg (rat)	
68609-9	68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs		
Oral	LD50	19,200 mg/kg (rat)	
Dermal	LD50	4,500 mg/kg (rat)	
1333-86	1333-86-4 Carbon black		
Oral	LD50	>15,400 mg/kg (rat)	
Dermal	LD50	>3,000 mg/kg (rabbit)	

- Primary irritant effect:
  - · on the skin: Irritant to skin and mucous membranes.
  - · on the eye: Irritating effect.
- Sensitization:

Sensitization possible through skin contact.

May cause an allergic skin reaction.

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- Specific target organ toxicity single exposure

Based on available data, the classification criteria are not met.

· Specific target organ toxicity - repeated exposure

Based on available data, the classification criteria are not met.

- · Aspiration hazard Based on available data, the classification criteria are not met.
- Summary of effects and symptoms by route of exposure
  - · Eyes: redness, serious irritation
  - · Skin:

rash, allergic contact dermatitis

redness, irritation

Inhalation:

cough

(Contd. on page 8)



according to WHMIS 2023 and HCS 2024

Date of issue 06/25/2025 Version number 1.00 Revision: 06/20/2025

Trade name: 832FXT-A

(Contd. of page 7)

Page 8/12

sore throat

#### · Swallowed:

Low toxicity: irritation

- Delayed and immediate effects as well as chronic effects from short and long-term exposure Prolonged and repeated exposure to uncured epoxy hardener may lead to skin sensitization.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
1333-86-4 Carbon black	2B	
· NTP (National Toxicology Program)		
None of the ingredients is listed.		

# 12 Ecological information

· Toxicity

#### · Aquatic toxicity:

Toxic to aquatic life with long lasting effects.

Avoid release to the environment.

Collect spillage.

	1333-86-4 Carbon black	
	EC50/ 24 h >5,600 mg/L (aquatic invertebrates)	
	EC50/ 72 h >10,000 mg/L (aquatic algae and cyanobacteria)	
ı	EC0/ 3 h >800 mg/L (microorganisms)	
	LC50 >1,000 mg/L (fish)	

- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
  - PBT: Not applicable.vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

CA -



according to WHMIS 2023 and HCS 2024

Date of issue 06/25/2025 Version number 1.00 Revision: 06/20/2025

Trade name: 832FXT-A

(Contd. of page 8)

Page 9/12

# 13 Disposal considerations

- · Waste treatment methods
  - · Recommendation: This material and its container must be disposed of as hazardous waste.
  - Uncleaned packagings:
    - · Recommendation:

Containers may still present a chemical hazard/ danger when empty.

Dispose of contents in accordance with all local, regional, national, and international regulations.

Where possible retain label warnings and SDS and observe all notices pertaining to the product.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

# 14 Transport information

· UN-Number · DOT/TDG, IMDG, IATA	UN3082
· UN proper shipping name	
DOT/TDG	NOT REGULATED by DOT
	Environmentally hazardous substance, liquid, n.o.s.
· IMDG	NOT REGULATED by Sea IMDG per 2.10.2.7 for sizes 5L
	or less.
	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	LIQUID, N.O.S.
· IATA	NOT REGULATED by Air IATA Special Provision A197 for
	sizes 5L or less.
	Environmentally hazardous substance, liquid, n.o.s.

- · Transport hazard class(es)
  - · DOT/TDG, IMDG



· Class

· Label

9 Miscellaneous dangerous substances and articles

·IATA



· Class · Label 9 Miscellaneous dangerous substances and articles

9

(Contd. on page 10)



according to WHMIS 2023 and HCS 2024

Date of issue 06/25/2025 Version number 1.00 Revision: 06/20/2025

Trade name: 832FXT-A

(Contd. of page 9)

Page 10/12

· Packing group

· DOT/TDG, IMDG, IATA

Ш

· Environmental hazards:

Product contains environmentally hazardous substances: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin

(number average molecular weight ≤ 700)

· Marine pollutant:

MARINE POLLUTANT

Special marking (IATA):

**ENVIRONMENTALLY HAZARDOUS** 

Symbol (fish and tree)

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

Not applicable.

· Transport/Additional information:

· DOT/TDG

· Quantity limitations

On passenger aircraft/rail: No limit

On cargo aircraft only: No limit

·IMDG

· Limited quantities (LQ)

5L

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· Special precautions for user

Not applicable.

Hazard identification number (Kemler code):

90 F-A,S-F

· EMS Number: · Stowage Category

Δ

· UN "Model Regulation":

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. 9, III

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
  - · OSHA Hazard Communication Standard (29 CFR Part 1900)

The safety data sheet and label comply with HCS 2024.

· Hazardous Products Act (R.S.C., 1985, c. H-3)

The safety data sheet and label comply with the Hazardous Product Act and WHMIS 2023.

· Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Contd. on page 11)



according to WHMIS 2023 and HCS 2024

Date of issue 06/25/2025 Version number 1.00 Revision: 06/20/2025

Trade name: 832FXT-A

(Contd. of page 10)

Page 11/12

## TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

#### · Proposition 65

#### · Chemicals known to cause cancer:

1333-86-4 Carbon black

#### · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

#### · Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

#### · Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Note:

This product contains carbon black, but it is bound and exposures during normal conditions of uses are below the Safe Harbor Threshold.

#### · Carcinogenic categories

## · TLV (Threshold Limit Value)

1333-86-4 Carbon black

A4

## · NIOSH-Ca (National Institute for Occupational Safety and Health)

1333-86-4 Carbon black

#### · Canadian substance listings:

## · Canadian Domestic Substances List (DSL)

All ingredients are listed.

## · Canadian Non-Domestic Substances List (NDSL)

None of the ingredients is listed.

## · Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

#### · Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

## · HMIS-ratings (scale 0 - 4)

Health = \*2

Fire = 1

Reactivity = 0

## · Europe

#### · RoHS (Restriction of Hazardous Substances Directive)

This product does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's, PBDE's, DEHP, BBP, DBP, or DIBP and complies with European RoHS regulations.

(Contd. on page 12)



# Safety Data Sheet according to WHMIS 2023 and HCS 2024

Page 12/12

Date of issue 06/25/2025 Version number 1.00 Revision: 06/20/2025

Trade name: 832FXT-A

(Contd. of page 11)

· WEEE (Waste Electrical and Electronic Equipment Directive)

This product is not a piece of electrical or electronics equipment, and is therefore not governed by this regulation.

· Per- and polyfluoroalkyl substances (PFAS)

None of the ingredients is listed.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Regulatory department

· Contact: sds@mgchemicals.com

Date of preparation 06/25/2025

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

CA —



# Safety Data Sheet according to WHMIS 2023 and HCS 2024

Date of issue 07/23/2025 Version number 1.00 Revision: 06/23/2025

## 1 Identification

- · Product identifier
  - · Trade name: 832FXT-B
    - · Other Means of Identification: Flexible Epoxy Resin
    - · Related Part Number:

832FXT-Part B, 832FXT-25ML (B), 832FXT-50ML (B), 832FXT-400ML (B), 832FXT-7.4L (B), 832FXT-40L (B)

- · Application of the substance / the mixture Epoxy Hardener
- · Uses advised against Not for use as a spray coating
- · Details of the supplier of the safety data sheet

## Manufacturer/Supplier:

MG Chemicals (Head Office) 1210 Corporate Drive Burlington, Ontario L7L 5R6 CANADA +(1) 800-340-0772 +(1) 905-331-1396 info@mgchemicals.com

#### Distributor:

Masline 511 Clinton Ave S Rochester, New York 14620 United States +(1) 586-546-5373

- · Information department: sds@mgchemicals.com
- · Emergency telephone number:

For hazardous material incidents ONLY (leaks, spills, fires, exposures or accidents) USA or CANADA-Call Verisk 3E at +1-866-519-4752 or +1-760-476-3962 (Service access code: 335388)

For emergencies involving the transport of dangerous goods; 24/7 service CANADA-Call CANUTEC collect at +1-613-996-6666 or \*666 on cellular phones

# 2 Hazard identification

## · Classification of the substance or mixture

Skin Corrosion - Category 1B Eye damage/irritation - Category 1 Sensitization - skin - Category 1

Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 1
Aquatic Chronic 1

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H373 May cause damage to the liver, the immune system and the gastro-intestinal tract through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 2)

- CA —

Page 1/12



according to WHMIS 2023 and HCS 2024

Date of issue 07/23/2025 Version number 1.00 Revision: 06/23/2025

Trade name: 832FXT-B

(Contd. of page 1)

Page 2/12

#### · Label elements

#### GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

#### Hazard pictograms









GHS09

GHS05 GHS07 GHS08

## · Signal word Danger

#### · Hazard-determining components of labeling:

polyoxypropylene diamine

phenol, styrenated

Amines, coco alkyl

trimethylhexane-1,6-diamine

#### Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H373 May cause damage to the liver, the immune system and the gastro-intestinal tract through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

## Precautionary statements

P102 Keep out of reach of children.

P260 Do not breathe fumes, mist or vapours.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace. P272

P273 Avoid release to the environment.

P280 Wear protective gloves, protective clothing, and eye protection or face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor. P310

P333+P313 If skin irritation or rash occurs: Get medical advice. Wash contaminated clothing before reuse.

P363 P391 Collect spillage.

Store locked up. P501 Dispose of contents and container in accordance with local, regional, and national

regulations.

## · Other hazards Not available

P405

- CA ---



according to WHMIS 2023 and HCS 2024

Date of issue 07/23/2025 Version number 1.00 Revision: 06/23/2025

Trade name: 832FXT-B

(Contd. of page 2)

Page 3/12

# 3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
  - · **Description:** Mixture of the substances listed below with nonhazardous additions.

	· Dangerous components:		
9046-10-0	9046-10-0 polyoxypropylene diamine 55% w		
61788-44-1	phenol, styrenated	22% w/w	
	5620-58-0 trimethylhexane-1,6-diamine 10% v		
61788-46-3	61788-46-3 Amines, coco alkyl 10% w/		
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	2% w/w	

# 4 First-aid measures

#### Description of first aid measures

#### · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

#### · After inhalation:

Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER or doctor.

## After skin contact:

Take off immediately all contaminated clothing. Wash with plenty of water or shower.

Immediately call a POISON CENTRE or doctor.

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice or attention.

## · After eye contact:

Rinse cautiously with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor.

## · After swallowing:

Rinse mouth. Do not induce vomiting.

Immediately call a POISON CENTER or doctor.

· Information for doctor: Treat symptomatically

## · Most important symptoms and effects, both acute and delayed

See section 11 for additional information.

## · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

- CA —

(Contd. on page 4)



according to WHMIS 2023 and HCS 2024

Date of issue 07/23/2025 Version number 1.00 Revision: 06/23/2025

Trade name: 832FXT-B

(Contd. of page 3)

Page 4/12

# 5 Fire-fighting measures

- · Extinguishing media
  - · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Not flammable or combustible, but burns if involved in a fire. Produces irritating smoke of unknown toxicity in fires. Prevent fire-fighting wash from entering waterway or sewer system.

Inhalation of toxic smoke during fire may have delayed effects. Exposed person may need to be put under surveillance for 48 h.

· Hazardous combustion products:

Carbon Oxides (COx) Nitrogen Oxides (NOx)

- Advice for firefighters
  - · Protective equipment: Wear self-contained breathing apparatus and full fire-fighting turn-out gear.

## 6 Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Remove or keep away all sources of extreme heat or open flames.

Do not breathe fumes, mist or vapors.

#### Environmental precautions:

Avoid release to the environment.

Do not allow to enter sewers/ surface or ground water.

## Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Collect liquid in a sealable, chemical-resistant container.

Wash residue with a paper towel and place dirty towels in container.

Use soap and water to remove the last traces of residue.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

## Precautions for safe handling

Prevent formation of aerosols.

Wear protective gloves and eye protection.

Wash hands and exposed skin thoroughly after handling.

Take off contaminated clothing and wash it before reuse.

Collect spillage.

(Contd. on page 5)



according to WHMIS 2023 and HCS 2024

Date of issue 07/23/2025 Version number 1.00 Revision: 06/23/2025

Trade name: 832FXT-B

(Contd. of page 4)

Page 5/12

Contaminated work clothing should not be allowed out of the workplace.

Do not breathe mist, vapours, spray.

Do not eat, drink, or smoke when using this product.

• Information about protection against explosions and fires: Keep respiratory protective device available.

#### · Conditions for safe storage, including any incompatibilities

- · Storage:
  - Requirements to be met by storerooms and receptacles:
     Keep in a dry and clean area, away from incompatible substances
  - · Information about storage in one common storage facility: Not required.
  - · Further information about storage conditions:

Keep receptacle tightly sealed.

Store locked up.

Specific end use(s) See section 1.2

## 8 Exposure controls/ Personal protection

- · Control parameters
  - · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information:

The lists that were valid during the creation were used as basis.

Refer to the national or regional occupational exposure limit regulation for abbreviations and acronyms.

- · Exposure controls
  - Appropriate engineering controls Keep airborne concentrations below exposure limits.
  - · Personal protective equipment:
    - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

## · Breathing equipment:

Advice should be sought from respiratory protection specialists.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

If the product is heated or worker has a known allergic reaction, consider using a full mask with organic vapor cartridge or with an independent air supply.

· Protection of hands:



Protective gloves: EN374

(Contd. on page 6)



according to WHMIS 2023 and HCS 2024

Date of issue 07/23/2025 Version number 1.00 Revision: 06/23/2025

Trade name: 832FXT-B

(Contd. of page 5)

Page 6/12

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses or tightly sealed goggles: EN 166

# 9 Physical and chemical properties

· Information on basic physical and chemical properties

· Physical state

· Form: Highly viscous

· Color: Amber colored

· Odor: Amine-like

· Odor threshold: Not available

· Boiling point/Boiling range: >130 °C (>266 °F)

· Flammability: Non flammable

· Explosion limits: Lower:

Not applicable

· Upper: Not applicable · Flash point: >100 °C (>212 °F)

· Auto igniting: Not determined

· Solubility in / Miscibility with Water:

Partly miscible. Not determined. · Vapor pressure:

· Relative density at 25 °C (77 °F): 0.99 · Vapor density (air=1): Not available

· Particle characteristics Not applicable.

## Other information

· Important information on protection of health

and environment, and on safety.

Ignition temperature: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

· Solvent content:

Organic solvents: Not available

(Contd. on page 7)



according to WHMIS 2023 and HCS 2024

Date of issue 07/23/2025 Version number 1.00 Revision: 06/23/2025

Trade name: 832FXT-B

(Contd. of page 6)

Page 7/12

· Evaporation rate

Not available

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- Chemical stability Chemically stable at normal temperatures and pressures.
  - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials:

Strong acids

Strong oxidizing agents

· Hazardous decomposition products: Hazardous combustion products: see section 5.

# 11 Toxicological information

- · Information on toxicological effects
  - · Acute toxicity:

LD/LC50 values that are relevant for classification:	
ATE (Acute Toxicity Estimate)	
Oral LD50 2,848 mg/kg	
25620-58-0 trimethylbevane-1 6-diamine	

Oral LD50 900 mg/kg (rat)

61788-46-3 Amines, coco alkyl

Oral LD50 500 mg/kg (ATE)

90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

Oral LD50 500 mg/kg (ATE)

- · Primary irritant effect:
  - on the skin: Strong caustic effect on skin and mucous membranes.
  - · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

Sensitization:

Sensitization possible through skin contact.

May cause an allergic skin reaction.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 8)



# Safety Data Sheet according to WHMIS 2023 and HCS 2024

Date of issue 07/23/2025 Version number 1.00 Revision: 06/23/2025

Trade name: 832FXT-B

(Contd. of page 7)

Page 8/12

· Specific target organ toxicity - single exposure

Based on available data, the classification criteria are not met.

· Specific target organ toxicity - repeated exposure

May cause damage to the liver, the immune system and the gastro-intestinal tract through prolonged or repeated exposure.

- · **Aspiration hazard** Based on available data, the classification criteria are not met.
- · Summary of effects and symptoms by route of exposure
  - · Eyes: eye damage, pain
  - · Skin:

rash, allergic contact dermatitis

chemical burns

- · Inhalation: may cause mild respiratory irritation
- · Swallowed:

May cause pain and corrosive burns to the mouth, throat, esophagus, and stomach.

drowsiness or dizziness

- Delayed and immediate effects as well as chronic effects from short and long-term exposure Prolonged or repeated exposure may cause skin allergies.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
  - · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

# 12 Ecological information

- · Toxicity
  - · Aquatic toxicity:

Very toxic to aquatic life with long lasting effect.

Avoid release to the environment.

Collect spillage.

- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 9)



according to WHMIS 2023 and HCS 2024

Date of issue 07/23/2025 Version number 1.00 Revision: 06/23/2025

Trade name: 832FXT-B

(Contd. of page 8)

Page 9/12

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

· Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
  - · Recommendation: This material and its container must be disposed of as hazardous waste.
  - Uncleaned packagings:
    - · Recommendation:

Containers may still present a chemical hazard/ danger when empty.

Dispose of contents in accordance with all local, regional, national, and international regulations.

Where possible retain label warnings and SDS and observe all notices pertaining to the product.

# 14 Transport information

· UN-Number · DOT/TDG, IMDG, IATA	UN1760
· UN proper shipping name	
· DOT/TDG	Corrosive liquids, n.o.s. (Amines, coco alkyl, trimethylhexane-1,6-diamine)
·IMDG	CORROSIVE LIQUID, N.O.S. (Amines, coco alkyl, trimethylhexane-1,6-diamine)
·IATA	Corrosive liquid, n.o.s. (Amines, coco alkyl, trimethylhexane-1,6-diamine)

- Transport hazard class(es)
  - · DOT/TDG (Transport dangerous goods):



· Class 8 Corrosive substances

· Label

(Contd. on page 10)



according to WHMIS 2023 and HCS 2024

Date of issue 07/23/2025 Version number 1.00 Revision: 06/23/2025

Trade name: 832FXT-B

(Contd. of page 9)

Page 10/12

· IMDG, IATA



· Class

· Label

8 Corrosive substances

8

· Packing group

· DOT/TDG, IMDG, IATA

Ш

· Environmental hazards:

Product contains environmentally hazardous substances:

Amines, coco alkyl

· Marine pollutant:

MARINE POLLUTANT

· Special marking (IATA):

**ENVIRONMENTALLY HAZARDOUS** 

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

Not applicable.

· Transport/Additional information:



Limited Quantity

832FXT-25ML, 832FXT-50ML, 832FXT-400ML

· DOT/TDG

· Quantity limitations

On passenger aircraft/rail: 1 L

On cargo aircraft only: 30 L

·IMDG

· Limited quantities (LQ)

1L

· Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· Special precautions for user

Not applicable.

Hazard identification number (Kemler code): 80

00

· EMS Number:

F-A,S-B

Stowage CategoryStowage Code

SW2 Clear of living quarters.

· UN "Model Regulation":

UN 1760 CORROSIVE LIQUIDS, N.O.S. (AMINES, COCO

ALKYL, TRIMETHYLHEXANE-1,6-DIAMINE), 8, II

- CA ---

(Contd. on page 11)



according to WHMIS 2023 and HCS 2024

Date of issue 07/23/2025 Version number 1.00 Revision: 06/23/2025

Trade name: 832FXT-B

(Contd. of page 10)

Page 11/12

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
  - · OSHA Hazard Communication Standard (29 CFR Part 1900)

The safety data sheet and label comply with HCS 2024.

- · Hazardous Products Act (R.S.C., 1985, c. H-3)
- The safety data sheet and label comply with the Hazardous Product Act and WHMIS 2023.
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

- · Hazardous Air Pollutants
- None of the ingredients is listed.
  - · Proposition 65
    - · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
  - · TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · Canadian substance listings:
  - · Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Non-Domestic Substances List (NDSL)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

(Contd. on page 12)



according to WHMIS 2023 and HCS 2024

Date of issue 07/23/2025 Version number 1.00 Revision: 06/23/2025

Trade name: 832FXT-B

(Contd. of page 11)

Page 12/12

Canadian Ingredient Disclosure list (limit 1%)

25620-58-0 trimethylhexane-1,6-diamine

· HMIS-ratings (scale 0 - 4)

Health = \*3Fire Reactivity = 0

- · Europe
  - · RoHS (Restriction of Hazardous Substances Directive)

This product does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's, PBDE's, DEHP, BBP, DBP, or DIBP and complies with European RoHS regulations.

· WEEE (Waste Electrical and Electronic Equipment Directive)

This product is not a piece of electrical or electronics equipment, and is therefore not governed by this

Per- and polyfluoroalkyl substances (PFAS)

None of the ingredients is listed.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Regulatory department
- · Contact: sds@mgchemicals.com
- · Date of preparation 07/23/2025
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

\* Data compared to the previous version altered.

CA -