

Revision date 12/07/2023 Revision Number 1.02

1. Identification

Product identifier

Product Name IPA-BASED FLUX REMOVER-ISOCLEAN, BULK

Other means of identification

Safety data sheet number BULK-BAC

Product Code(s) MCC-BACG, MCC-BACJG, MCC-BACGI, MCC-BACP, MCC-BACL, MCC-BACGL,

MCC-BACGG

UN number or ID number UN1219

Synonyms BACG, BACP, BACD, 4722, 4724, 4725, BAC-ISOPROPYL ALCOHOL, BULK

Recommended use of the chemical and restrictions on use

Recommended use Solvent For industrial use only

Restrictions on use No information available

Details of the supplier of the safety data sheet

Manufacturer Address

MICROCARE LLC 595 John Downey Drive New Britain, CT 06051 United States of America

CAGE: OATV9

Tel: + 1 800 638 0125, +1 860-827-0626

techsupport@microcare.com

E-mail techsupport@microcare.com

Emergency telephone number

Emergency Telephone INFOTRAC 1-800-535-5053 (U.S.A and CANADA)

1-352-323-3500 (from anywhere in the world)

2. Hazard(s) identification

Classification

Flammable liquids	Category 2
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3

Hazards not otherwise classified (HNOC)

Not applicable

Label elements



Danger

Hazard statements

Highly flammable liquid and vapor Causes serious eye irritation May cause drowsiness or dizziness

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground and bond container and receiving equipment

Use explosion-proof electrical/ ventilating / lighting/ Other / equipment

Use only non-sparking tools

Take action to prevent static discharges

Wear protective gloves/eye protection/face protection

Keep cool

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

No information available.

3. Composition/information on ingredients

Substance

Chemical name	CAS No.	Weight-%	Trade secret
PROPAN-2-OL	67-63-0	100%	*

Revision date 12/07/2023

4. First-aid measures

Description of first aid measures

REMOVER-ISOCLEAN, BULK

Show this safety data sheet to the doctor in attendance. **General advice**

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

> eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Call a physician.

Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) Self-protection of the first aider

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid

contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

May cause redness and tearing of the eyes, Burning sensation, Inhalation of high vapor Symptoms

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam. Large Fire

CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition.

In the event of fire, cool tanks with water spray. Fire residues and contaminated fire

extinguishing water must be disposed of in accordance with local regulations.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

Revision date 12/07/2023

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

8. Exposure controls/personal protection

Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

None known

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state
Appearance
Color
Liquid
Clear liquid
Color
Colourless

Odor Characteristic Alcoholic Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pHNo data availableNone knownpH (as aqueous solution)No data availableNone knownMelting point / freezing pointNo data availableNone known

Initial boiling point and boiling range82 - 83 °C / 179.6 - 181.4 °F 82 - 83°C/179 - 182°F @ 101.3 kPa

Flash point

12 °C / 53.6 °F

Evaporation rate

No data available

No data available

Flammability

Flammability

No data available

Flammable

Flammability Limit in Air

Upper flammability or explosive 12.0

limits

Lower flammability or explosive 2.0

limits

Vapor pressure 41 hPa @ 20°C None known Relative vapor density 1.82 None known 0.785 g/cm3 @ 20°C Relative density None known Water solubility Completely soluble in water None known Solubility(ies) No data available None known **Partition coefficient** No data available None known **Autoignition temperature** 399 °C / 750.2 °F 399°C/750.2°F

Decomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosity2.43 mPa s @ 20°CNone known

Other information

Volatile organic compounds This product contains a maximum VOC content of 785 g/litre

MCC-BACG, MCC-BACGI, Revision date 12/07/2023 MCC-BACP, MCC-BACL, MCC-BACGL,

MCC-BACGG - IPA-BASED FLUX REMOVER-ISOCLEAN, BULK

Volatility 100%

Explosive properties

Oxidizing properties

Softening point

Molecular weight
Liquid Density

Bulk density

No information available

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid Heat, flames and sparks.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. May cause drowsiness or dizziness.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause redness and tearing of the eyes. Inhalation of high vapor concentrations may

cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Acute toxicity .

Numerical measures of toxicity

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Revision date 12/07/2023

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure May cause drowsiness or dizziness.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

Other adverse effects
Interactive effects
No information available.
No information available.

12. Ecological information

Ecotoxicity The environmental impact of this product has not been fully investigated.

Persistence and degradability No information available.

Bioaccumulation There is no data for this product.

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

14. Transport information

DOT

UN number or ID number UN1219

Proper shipping name Isopropanol (Isopropyl Alcohol)

Transport hazard class(es) 3
Packing group | |

TDG

UN number or ID number UN1219

UN proper shipping name Isopropanol (Isopropyl Alcohol)

Transport hazard class(es) 3
Packing group ||

MEX

UN number or ID number UN1219

UN proper shipping name Isopropanol (Isopropyl Alcohol)

Transport hazard class(es) 3
Packing group PGII

ICAO (air)

UN number or ID number UN1219

UN proper shipping name Isopropanol (Isopropyl Alcohol)

Transport hazard class(es) 3
Packing group PGII

<u>IATA</u>

UN number or ID number UN1219

UN proper shipping name Isopropanol (Isopropyl Alcohol)

Transport hazard class(es) 3
Packing group PG II

IMDG

UN number or ID number UN1219

UN proper shipping name Isopropanol (Isopropyl Alcohol)

Transport hazard class(es) 3
Packing group ||

15. Regulatory information

International Inventories

TSCATSCA: The ingredients of this product are listed on the active TSCA Inventory.

Chemical name	CAS No.	Inventory Listing Status	Commercial Activity Designation
PROPAN-2-OL	67-63-0	Present	Active

TSCA 12(b)

Chemical n	ame	U.S TSCA (Toxic Substances Control Act) - Section 12(b) - Export Notification
PROPAN-2-OL		Not applicable

DSL/NDSL Listed on NDSL.
EINECS/ELINCS Complies.
ENCS Complies.
IECSC Complies.

KECL Contact supplier for inventory compliance status.

PICCS Complies.

MCC-BACG, MCC-BACGI, Revision date 12/07/2023 MCC-BACP, MCC-BACL, MCC-BACGL,

MCC-BACG - IPA-BASED FLUX

REMOVER-ISOCLEAN, BULK

AIIC Complies.

NZIoC Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals **NZIOC** - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated under applicable state right-to-know regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPAHealth hazards2Flammability3Instability0Special hazards-HMISHealth hazards2Flammability3Physical hazards0Personal protectionX

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Revision date 12/07/2023

MCC-BACG, MCC-BACJG, MCC-BACGI, MCC-BACP, MCC-BACL, MCC-BACGL, MCC-BACGG - IPA-BASED FLUX REMOVER-ISOCLEAN, BULK

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 12/07/2023

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet