

## SAFETY DATA SHEET IPA Based Presaturated Wipes IsoClean™

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

1. Identification	
Product identifier	
Product name	IPA Based Presaturated Wipes IsoClean™
Product number	MCC-BACW, MCC-BACWR
Recommended use of the che	emical and restrictions on use
Application	Cleaning agent.
Uses advised against	No specific uses advised against are identified.
Details of the supplier of the s	afety data sheet
Supplier	MICROCARE LLC
Manufacturer	MICROCARE LLC 595 John Downey Drive New Britain, CT 06051 United States of America CAGE: OATV9 Tel: + 1 800 638 0125, +1 860-827-0626 techsupport@microcare.com
Emergency telephone number	r
Emergency telephone	INFOTRAC 1-800-535-5053 (U.S.A. and CANADA) 1-352-323-3500 (from anywhere in the world)
2. Hazard(s) identification	
Classification of the substance	e or mixture
OSHA Regulatory Status	This Product is Hazardous under the OSHA Hazard Communication Standard.
Physical hazards	Flam. Liq. 2 - H225
Health hazards	Eye Irrit. 2A - H319 STOT SE 3 - H336
Environmental hazards	Not Classified
Label elements	
Hazard symbols	
Signal word	Danger
Hazard statements	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

Precautionary statements	P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P312 Call a poison center/ doctor if you feel unwell. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/ container in accordance with national regulations.
Supplemental label information	EUH210 Safety data sheet available on request. RCH001a For use in industrial installations only.
Contains	PROPAN-2-OL

### Other hazards

This product does not contain any substances classified as PBT or vPvB.

3. Composition/information on ingredients	
Mixtures	
PROPAN-2-OL	60-100%
CAS number: 67-63-0	
Classification	
Flam. Liq. 2 - H225	
Eye Irrit. 2A - H319	
STOT SE 3 - H336	

The full text for all hazard statements is displayed in Section 16.

Composition comments	TSCA: The ingredients of this product are on the TSCA Inventory. The exact percentage
	(concentration) of composition has been withheld as a trade secret in accordance with
	paragraph (i) of CFR 1900.1200

Composition

4. First-aid measures
-----------------------

### Description of first aid measures

General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery position and ensure breathing can take place.
Ingestion	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place. Keep affected person under observation. Get medical attention if symptoms are severe or persist.
Skin Contact	Rinse with water.
Eye contact	Rinse with water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Get medical attention if any discomfort continues.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
Most important symptoms a	and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	A single exposure may cause the following adverse effects: Pain or irritation. Intoxication. Narcotic effect. Muscle weakness. Nausea, vomiting.
Ingestion	A single exposure may cause the following adverse effects: Intoxication. Nausea, vomiting. May cause drowsiness or dizziness. Central nervous system depression. May cause severe internal injury.
Skin contact	A single exposure may cause the following adverse effects: Pain.
Eye contact	Irritating to eyes.
Indication of immediate medic	al attention and special treatment needed
Notes for the doctor	Treat symptomatically.
5. Fire-fighting measures	
Extinguishing media	
Suitable extinguishing media	The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Special hazards arising from the	he substance or mixture
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. Flammable liquid and vapour. Vapors may be ignited by a spark, a hot surface or an ember. Vapors may form explosive mixtures with air. Fire-water run-off in sewers may create fire or explosion hazard.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.
Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapors. Evacuate area. Keep upwind to avoid inhalation of gases, vapors, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents.
6. Accidental release measure	S
Personal precautions, protection	ve equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be
	taken without appropriate training or involving any personal risk. Do not touch or walk into
	spilled material. Evacuate area. Provide adequate ventilation. No smoking, sparks, flames or
	other sources of ignition near spillage. Promptly remove any clothing that becomes
	contaminated. Avoid inhalation of vapors and spray/mists. Use suitable respiratory protection
	if ventilation is inadequate.

### Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground.

#### Methods and material for containment and cleaning up

Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Do not allow material to enter confined spaces, due to the risk of explosion. Absorb small quantities with paper towels and evaporate in a safe place. Once evaporation is complete, place paper in a suitable waste disposal container and seal securely. Large Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. The contaminated absorbent may pose the same hazard as the spilled material. Label the containers containing waste and contaminated materials and remove from the area as soon
	as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
7. Handling and storage	
Precautions for safe handling	
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid the formation of mists. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse.
Conditions for safe storage, in	cluding any incompatibilities
Storage precautions	Store away from incompatible materials (see Section 10). Keep away from oxidizing materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.
Storage class	Flammable liquid storage.
Specific end uses(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.
Reference to other sections.	Store away from incompatible materials (see Section 10).
8. Exposure controls/Persona	I protection
Control parameters	

### Occupational exposure limits

### PROPAN-2-OL

Long-term exposure limit (8-hour TWA): OSHA 400 ppm 980 mg/m<sup>3</sup> Long-term exposure limit (8-hour TWA): ACGIH 200 ppm 492 mg/m<sup>3</sup> Short-term exposure limit (15-minute): ACGIH 400 ppm 984 mg/m<sup>3</sup> A4

OSHA = Occupational Safety and Health Administration. ACGIH = American Conference of Governmental Industrial Hygienists. A4 = Not Classifiable as a Human Carcinogen.

#### **Exposure controls**

**Protective equipment** Appropriate engineering Provide adequate general and local exhaust ventilation. Ensure the ventilation system is controls regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients. Eye/face protection Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a fullface respirator may be required instead. Hand protection No specific hand protection recommended. Other skin and body Wear appropriate clothing to prevent repeated or prolonged skin contact. protection Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke Hygiene measures when using this product. Respiratory protection Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH approved. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with OSHA 1910.134. Full face mask respirators with replaceable filter cartridges should comply with OSHA 1910.134. Half mask and quarter mask respirators with replaceable filter cartridges should comply with OSHA 1910.134. Environmental exposure Keep container tightly sealed when not in use. Emissions from ventilation or work process controls equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### 9. Physical and chemical properties

### Information on basic physical and chemical properties

Appearance	Clear liquid.
Color	Colorless.
Odor	Alcoholic.
Odor threshold	No information available.
pН	No information available.
Melting point	No information available.
Initial boiling point and range	82°C/180°F @ 101.3 kPa
Flash point	12°C/53°F Tag closed cup.
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	No information available.

Upper/lower flammability or explosive limits	Lower flammable/explosive limit: 2.0 %(V) Upper flammable/explosive limit: 12.7 %(V)
Other flammability	No information available.
Vapor pressure	5.2 kPa @ 20°C
Vapor density	1.82
Relative density	No information available.
Bulk density	No information available.
Solubility(ies)	Soluble in water.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	No information available.
Oxidizing properties	There are no chemical groups present in the product that are associated with oxidizing properties.
Comments	Information given is applicable to the major ingredient.
Global Warming Potential (GWP)	
Surface tension	
Refractive index	No information available.
Particle size	Not applicable.
Molecular weight	No information available.
Volatility	100%
Saturation concentration	No information available.
Critical temperature	No information available.
Volatile organic compound	This product contains a maximum VOC content of 100 %.
Heat of vaporization (at boiling point), cal/g (Btu/lb)	
10. Stability and reactivity	
Reactivity	See the other subsections of this section for further details.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
Possibility of hazardous reactions	The following materials may react strongly with the product: Oxidizing agents.
Conditions to avoid	Avoid heat, flames and other sources of ignition. Containers can burst violently or explode when heated, due to excessive pressure build-up. Static electricity and formation of sparks must be prevented.

Materials to avoid	Oxidizing materials. Acids - oxidizing.	
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.	
11. Toxicological information		
Information on toxicological ef	fects	
<u>Acute toxicity - oral</u> Notes (oral LD₅o)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation Notes (inhalation LC <sub>50</sub> )	Based on available data the classification criteria are not met.	
Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met.	
Serious eye damage/irritation Serious eye damage/irritation	Causes serious eye irritation.	
Respiratory sensitization Respiratory sensitization	Based on available data the classification criteria are not met.	
Skin sensitization Skin sensitization	Based on available data the classification criteria are not met.	
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	Contains a substance/a group of substances which may cause cancer. IARC Group 1 Carcinogenic to humans.	
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicity -	single exposure	
STOT - single exposure	STOT SE 3 - H336 May cause drowsiness or dizziness. STOT SE 2 - H371 May cause damage to organs .	
Target organs	Central nervous system	
Specific target organ toxicity -	repeated exposure	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	

Inhalation	A single exposure may cause the following adverse effects: Pain or irritation. Intoxication. Narcotic effect. Muscle weakness. Nausea, vomiting.			
Ingestion	A single exposure may cause the following adverse effects: Intoxication. Nausea, vomiting. May cause drowsiness or dizziness. Central nervous system depression. May cause severe internal injury.			
Skin Contact	A single exposure may cause the following adverse effects: Pain.			
Eye contact	Irritating to eyes.			
Acute and chronic health hazards	Keep out of the reach of children.			
Route of exposure	Ingestion Inhalation Skin and/or eye contact			
Target Organs	Central nervous system			
Toxicological information on ingredients.				
	PROPAN-2-OL			
Acute toxicity - inhalation				
Acute toxicity inhalation 16,000.0				

OSHA Carcinogenici	ty

mg/l)

(LC50 vapours mg/l)

Carcinogenicity

IARC carcinogenicity

NTP carcinogenicity

ATE inhalation (vapours

### 12. Ecological information

Ecotoxicity

There are no data on the ecotoxicity of this product.

Toxicity

Not considered toxic to fish.

16,000.0

Not listed.

Not listed.

### Ecological information on ingredients.

Acute aquatic toxicity

### PROPAN-2-OL

IARC Group 3 Not classifiable as to its carcinogenicity to humans.

Acute toxicity - fis	sh	LC₅₀, 96 hours: 9,640 mg/l, Fish
Acute toxicity - ac invertebrates	quatic	EC₅₀, 48 hours: 5102 mg/l, Daphnia magna
Acute toxicity - ac plants	quatic	IC₅₀, 72 hours: >2,000 mg/l, Algae
Persistence and degradability		
Persistence and degradability	The proc	duct contains only inorganic substances which are not biodegradable.
Bioaccumulative potential		
Bio-Accumulative Potential	No data	available on bioaccumulation.
Partition coefficient	No inform	nation available.

### Ecological information on ingredients.

	PROPAN-2-OL	
Partition coefficie	nt : 0.05	
Mobility in soil		
Mobility	No data available.	
Other adverse effects		
Other adverse effects	None known.	
13. Disposal considerations		
Waste treatment methods		
General information	The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.	
Disposal methods	Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labeled with their contents. Incineration or landfill should only be considered when recycling is not feasible.	
14. Transport information		
General	Requirements for marking and labeling of package varies depending on mode of transport. If uncertain of proper markings and labeling, call MicroCare for assistance.	
Air transport notes	Forbidden for passenger and cargo aircraft.	
DOT transport notes	As supplied, this product is consigned under the Limited Quantities provisions.	
UN Number		
UN No. (IMDG)	3175	
UN proper shipping name		
Proper shipping name (TDG)	LIMITED QUANTITY	
Proper shipping name (IMDG)	UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.(Isopropanol), 4.1, PGII, LIMITED QUANTITY	
Proper shipping name (ICAO)	Forbidden for passenger and cargo aircraft.	
Proper shipping name (DOT)	LIMITED QUANTITY	
Transport hazard class(es)		
IMDG Class	4.1 Limited Quantity	
Packing group		
IMDG packing group	II	
Environmental hazards		
Environmentally Hazardous Substance No.		

#### Special precautions for user

EmS F-A, S-I

Transport in bulk according to No information required. Not applicable. Annex II of MARPOL 73/78 and the IBC Code

### 15. Regulatory information

### **US Federal Regulations**

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities Not listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA) Not listed.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities Not listed.

# SARA 313 Emission Reporting Not listed.

CAA Accidental Release Prevention Not listed.

**FDA - Essential Chemical** None of the ingredients are listed or exempt.

### FDA - Precursor Chemical

None of the ingredients are listed or exempt.

SARA (311/312) Hazard Categories Fire

OSHA Highly Hazardous Chemicals Not listed.

### US State Regulations California Proposition 65 Carcinogens and Reproductive Toxins Not listed.

California Air Toxics "Hot Spots" (A-I)

PROPAN-2-OL Present.

California Air Toxics "Hot Spots" (A-II) Not listed.

California Directors List of Hazardous Substances

PROPAN-2-OL Present.

Massachusetts "Right To Know" List

PROPAN-2-OL Present.

### Rhode Island "Right To Know" List

*PROPAN-2-OL* Present.

### Minnesota "Right To Know" List

PROPAN-2-OL Present.

### New Jersey "Right To Know" List

PROPAN-2-OL Present.

### Pennsylvania "Right To Know" List

PROPAN-2-OL Present.

### Inventories

Canada - DSL/NDSL Yes

**US - TSCA** Yes

US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

16. Other information		
Abbreviations and acronyms used in the safety data sheet	TDG: The transport of dangerous goods act	
	<ul> <li>IATA: International air transport association.</li> <li>ICAO: Technical instructions for the safe transport of dangerous goods by air.</li> <li>IMDG: International maritime dangerous goods.</li> <li>CAS: Chemical abstracts service.</li> <li>ATE: Acute toxicity estimate.</li> <li>LC<sub>50</sub>: Lethal concentration to 50 % of a test population.</li> <li>LD<sub>50</sub>: Lethal dose to 50% of a test population (median lethal dose).</li> <li>EC<sub>50</sub>: 50% of maximal effective concentration.</li> <li>PBT: Persistent, bioaccumulative and toxic substance.</li> <li>vPvB: Very persistent and very bioaccumulative.</li> </ul>	
Classification abbreviations and acronyms	Flam. Liq. = Flammable liquid Eye Irrit. = Eye irritation STOT SE = Specific target organ toxicity-single exposure	
Training advice	Only trained personnel should use this material.	
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.	
Revision date	6/1/2021	

Revision	35
Supersedes date	10/9/2020
SDS No.	PRESAT - BACW
SDS status	Approved.
Hazard statements in full	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.