





ITEM NO.	CKT SIZE	PLATING	LETTER INDICATES PIN PLATING AND LENGTH REQUIRED AT EACH CIRCUIT LOCATION, SEE NOTE 2 SHT 1, V = VOIDED CIRCUIT											
			1	2	3	4	5	6	7	8	9	10	11	12
171597-0001	4	15 GOLD	15GS	15GS	15GS	15GM								
171597-0002	12	30 GOLD	30GM	30GS	30GS	30GS	30GS	30GS	30GS	30GS	30GS	30GS	30GS	30GM
171597-0003	4	30 GOLD	30GM	30GS	30GS	30GS								
171597-0004	10	30 GOLD	30GM	30GS	30GS	30GS	30GS	30GS	30GS	30GS	30GS	30GM		
171597-0005	2	30 GOLD	30GM	30GS										
171597-0006	8	30 GOLD	30GM	30GM	30GM	30GM	30GS	30GS	30GS	30GS				
171597-0007	12	30 GOLD	30GS	30GS	30GM	30GM	30GM	30GS	30GS	30GS	30GM	30GM	30GS	30GS
171597-0008	10	15 GOLD	V	15GS	15GS	15GS	V	15GS	V	15GS	V	15GS		

**TERMINAL PLATING AND LENGTH CODE**

- 30GS = 30 GOLD, STANDARD LENGTH
- 15GS = 15 GOLD, STANDARD LENGTH
- TS = TIN, STANDARD LENGTH
- 30GM = 30 GOLD, MAKE FIRST/ BREAK-LAST (LONGER)
- 15GM = 15 GOLD, MAKE FIRST/ BREAK-LAST (LONGER)
- TM = TIN, MAKE FIRST/ BREAK-LAST (LONGER)
- V = VOID CIRCUIT

<b>QUALITY SYMBOLS</b> 	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
	CORRECT ZCKT PCB EC NO. 103819 DRWN: CSLAFTER CHKD: JBELL REV/ APPR: FSMITH	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE		  <b>MEGA-FIT</b> <b>VERTICAL HEADER ASSY 2-12 CKT CUSTOM</b>  <b>PRODUCT CUSTOMER DRAWING</b>					
				MM		4:1							
				MM INCH		DRWN BY DATE							
						MKARADIMAS 2012/05/09							
			4 PLACES ± ±		CHK'D BY DATE		SERIES MATERIAL NUMBER CUSTOMER 171597 SEE CHART GENERAL MARKET DOCUMENT NUMBER SD-171597-0100 DOC TYPE PSD DOC PART 000 SHEET NUMBER 3 OF 4						
			3 PLACES ± ±		APATEL								
			2 PLACES ± 0.25 ±		APATEL								
			1 PLACES ± ±		APATEL 2012/08/17								
			0 PLACES ± ±		DRAWING SIZE THIRD ANGLE PROJECTION								
		ANGULAR TOL ± 1/2		D									
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS											