


NOTES:

- ① MAT'L: COPPER (STOCK TKN. $\frac{040}{102}$)
 - ② PLATING: ELECTRO TIN (.0003 MIN)
 - ③ TIN-PLATED BRASS FUNNEL FERRULE
 - ④ NYLON INSULATION (COLOR CODED YELLOW)
- STUD SIZES: ($\pm .005$)
- 02 = .094
 04 = .119
 06 = .146
 08 = .173
 10 = .198
 14 = .265
 56 = .328
 38 = .390

ALL DIMENSIONS = $\frac{\text{INCHES}}{\text{MM}}$ (MWID) = DENOTES MAXIMUM WIRE INSULATION DIAMETER



FILE NO. C-CD-805 -02

PART NUMBER	"W" ±.010	"C" MIN.	"L" MAX.	"D" ±.005	AVAILABLE STUD SIZES
C-8710 -	$\frac{.250}{6.35}$	$\frac{.230}{5.84}$	$\frac{.970}{24.64}$	$\frac{.105}{2.68}$	05 ($\frac{.127 \pm .005}{.323}$)
C-8710 -	$\frac{.250}{6.35}$	$\frac{.230}{5.84}$	$\frac{.970}{24.64}$	$\frac{.114}{2.90}$	06

DIMENSIONAL TOLERANCES UNLESS OTHERWISE SPECIFIED		REFERENCE	SCALE:	NTS	DATE	TITLE:
FRAC.	DEC.	ANG.	DRWN. BY:	JJ	11-13-84	SNAP SPADE SHORT TONGUE TERMINAL AVIKRIMP 800-SERIES
±	±	±	CHKD. BY:	GZ	11-26-84	
			APPRD. BY:			

DWG. NO.	A	CUSTOMER DWG
----------	---	--------------

