


DETAIL Z
SCALE 14:1

PCB LAYOUT -- USING THE BILINGUAL FOOT PRINT
(SCALE 5:1)
(NOTE: DATUM -A- IS THE TOP SURFACES OF THE COPPER TRACES)
(NOTE: THE SOLDERABLE SURFACES ARE HATCHED)

- NOTES:
1. MATERIAL
MOLDING: GLASS FILLED LCP, COLOR = BLACK.
SOLDER NAILS: COPPER ALLOY
 2. FINISHES
MOLDING: NONE
SOLDER NAILS: TIN OVER NICKEL PLATING
 3. PRODUCT SPECIFICATION: PS-45240-001
 4. PACKAGING: PK-45740-001
 5. UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS AND FEATURES LOCATED ACROSS A CENTERLINE TO BE SYMMETRIC TO WITHIN 0.25 TOTAL.
 6. THE 1394b SOCKETS ARE TO BE SOLDERED TO THE PCB BEFORE ASSEMBLING THE 457400001 TRIPLE PORT SHEATH.
 7. THREE 1394b SOCKETS MUST BE USED WITH EACH 457400001 TRIPLE PORT SHEATH.
 8. SEE AS-45740-001 FOR ADDITIONAL MOUNTING INSTRUCTIONS.
 9. THE PART CONFORMS TO CLASS 'B' REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.



ISOMETRIC PROJECTION OF 45740-0001 MOUNTED TO PCB
(NOTE THE THREE UNDERLYING 1394b BILINGUAL SOCKETS ARE NOT VISABLE)

QAL 2828 TO 2943 IEC NO: UCP2007-0876 DRAWN BY: DRWNS/SCHMIDT CHKD BY: BELL APPROVED BY: SMITH DATE: 2006/12/19 DATE: 2006/12/20	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH		DIMENSION STYLE MM ONLY	SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		4 PLACES ±--- ±---	3 PLACES ±--- ±---	2 PLACES ±0.13 ±---	1 PLACE ±0.25 ±---	DRAWN BY: PELOZA DATE: 04/01/13	CHECKED BY: PELOZA DATE: 04/01/14	APPROVED BY: COMERCI DATE: 04/01/13	TITLE SHEATH SOLDER TAIL MOUNT TRIPLE PORT
		ANGULAR ±1/2°		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. 457400001	DOCUMENT NO. SD-45740-001	SHEET NO. 1 OF 1	
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							