






CONFIDENTIAL





RECOMENDED P.W.BOARD PATTERN LAYOUT

TOLERANCE : ± 0.05 

SEE SHEET 1 EC NO: J2015-1522 DRAWN: A. ISHIKAWA CHKD: THIRATA APPR: NUKITA	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
		0.25 UNDER		±0.03	DRAWN BY	DATE	TITLE DUAL M-SIM ANTI CRUSH CONN. BAR-PUSH WITH TRAY ASSY molex		
		0.25 OVER 0.5 UNDER		±0.05	SSHIMONISHI	2014/12/02			
		0.5 OVER 1.0 UNDER		±0.1	CHECKED BY	DATE			
		1.0 OVER 10 UNDER		±0.2	THIRATA	2014/12/02			
		10 OVER 30 UNDER		±0.25	APPROVED BY	DATE			
		30 OVER		±0.3	NUKITA	2014/12/15	DOCUMENT NO.	SHEET NO. 2 OF 5	
		ANGULAR	±1 °	MATERIAL NO.					
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE SHEET 1				
		A	REV				SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	

CONFIDENTIAL

DETAIL 6
SCALE 8:1DETAIL 7
SCALE 20:1

SEE SHEET 1
EC NO: J2015-1522
DRAWN BY: DR. N. A. SHIKAWA
CHKD: THIRATA
APPR: NUKITA

GENERAL TOLERANCES (UNLESS SPECIFIED)		
0.25 UNDER	± 0.03	
0.25 OVER 0.5 UNDER	± 0.05	
0.5 OVER 1.0 UNDER	± 0.1	
1.0 OVER 10 UNDER	± 0.2	
10 OVER 30 UNDER	± 0.25	
30 OVER	± 0.3	
ANGULAR	± 1 °	

A

REV

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM ONLY

DRAWN BY: SSHIMONISHI
CHECKED BY: THIRATA
APPROVED BY: NUKITA
DATE: 2014/12/02
DATE: 2014/12/02
DATE: 2014/12/15

MATERIAL NO.

SEE SHEET 1

SCALE
4:1

DESIGN UNITS
METRIC

THIRD ANGLE
PROJECTION

DUAL M-SIM ANTI CRUSH
CONN. BAR-PUSH WITH TRAY
ASSY

molex


DOCUMENT NO.

SD-505418-001


SHEET NO.

3 OF 5

CONFIDENTIAL




CONFIDENTIAL




DETAIL 2
SCALE 10:1

DETAIL 3
SCALE 10:1


Molex shall not be responsible for any infringement to the extent such infringement is the result of (a) use of the Product(s) in combination with any other products not provided by Molex if the infringement would not have occurred but for such combination, (b) any alteration or modification of the Product(s) not undertaken or authorized by Molex if the infringement would not have occurred but for such alteration or modification, (c) Molex's compliance with Buyer's specifications if the infringement would not have occurred but for such compliance, or (d) Buyer's failure to comply with Molex's instructions regarded as necessary to render the Product(s) non-infringing if the infringement would not have occurred if Buyer would have complied with Molex's instructions.



DETAIL 5
SCALE 30:1




DETAIL 4
SCALE 30:1



DETAIL 4

SECTION C-C



SECTION B-B

SEE SHEET1 EC NO: J2015-1522 DRWNA:SHIKAWA CHKD:THIRATA APPR:NUKITA	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		0.25 UNDER ±0.03			DRAWN BY DATE		TITLE DUAL M-SIM ANTI CRUSH CONN. BAR-PUSH WITH TRAY ASSY molex				
		0.25 OVER 0.5 UNDER ±0.05			SSHIMONISHI 2014/12/02						
		0.5 OVER 1.0 UNDER ±0.1			CHECKED BY DATE						
		1.0 OVER 10 UNDER ±0.2			THIRATA 2014/12/02		SD-505418-001				
		10 OVER 30 UNDER ±0.25			APPROVED BY DATE						
		30 OVER ±0.3			NUKITA 2014/12/15						
		ANGULAR ±1 °			MATERIAL NO.		DOCUMENT NO.			SHEET NO.	
		SEE SHEET 1			SD-505418-001			5 OF 5			
		A	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

10

9

8

7

6

5

4

3

2


1

ELV AND RoHS COMPLIANT

CONFIDENTIAL


NOTES

- 製品詳細寸法については、SD 図面を参照下さい。
RE DETAILED DIMENSION, SEE SALES DRAWING
- 梱包数量：1000 個／リール
NUMBER OF CONNECTORS：1000 PCS/REEL.
- リードテープ長さ トップテープ接着部
LEAD TAPE LENGTH. TOP TAPE BONDED PART.
(空エンボス)
(EMPTY)



引き出し方向
PULL OUT DIRECTION

- トップテープの剥離強度についてはEC60286-3に準拠(剥離方向は下図参照)
尚、本規格値は出荷時に適用。(但し、輸送時に剥離が発生しないこと。)

TOP TAPE PEEL FORCE IS DEFINED BY IEC60286-3
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIG.)
THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT
PEEL OFF SHOULD NOT BE ALLOWED, DURING TRANSPORTATION.

剥離方向
PEEL OFF DIRECTION引き出し方向
PULL OUT DIRECTION

- 材料 MATERIAL
キャリアテープ (CARRIER TAPE)：ポリスチレン (POLYSTYRENE)
トップテープ (TOP TAPE)：PET, PE, PEF
リール (REEL)：ポリスチレン (PS) <リサイクル材含む>
POLYSTYRENE(PS)<RECYCLE MATERIAL CONTAINED>

引き出し方向
PULL OUT
DIRECTION

DETAIL "D"

505418-1291	6+6
EMBOSSED PACKAGE	極数
オーダー番号 ORDER NO.	CIRCUITS
CONNECTOR SERIES No. 505418-1211	

PROPOSED EC NO: J2015-0804 DRWN:SSHIMONISHI 2014/12/02 CHKD:THIRATA 2014/12/02 APPR:NUKITA 2014/12/15	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		0.25 UNDER		±0.03	DRAWN BY	DATE	TITLE DUAL M-SIM ANTI CRUSH CONN. BAR-PUSH WITH TRAY ASSY molex				
		0.25 OVER 0.5 UNDER		±0.05	SSHIMONISHI	2014/12/02					
		0.5 OVER 1.0 UNDER		±0.1	CHECKED BY	DATE					
		1.0 OVER 10 UNDER		±0.2	THIRATA	2014/12/02	DOCUMENT NO. SD-505418-002				
		10 OVER 30 UNDER		±0.25	APPROVED BY	DATE					
		30 OVER		±0.3	NUKITA	2014/12/15	SHEET NO. 1 OF 2				
		ANGULAR ±1 °			MATERIAL NO.						
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					SEE CHART					
	REV						SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

9

8

7

6


5

4

3

2

1



SECTION X-X

PROPOSED
EC NO: J2015-0804
DRWN:SSHIMONISHI 2014/12/02
CHKD:THIRATA 2014/12/02
APPR:NUKITA 2014/12/15

DESCRIPTION

REV

GENERAL TOLERANCES
(UNLESS SPECIFIED)

0.25 UNDER ±0.03
0.25 OVER 0.5 UNDER ±0.05
0.5 OVER 1.0 UNDER ±0.1
1.0 OVER 10 UNDER ±0.2
10 OVER 30 UNDER ±0.25
30 OVER ±0.3
ANGULAR ±1 °
DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM ONLY

DRAWN BY DATE
SSHIMONISHI 2014/12/02
CHECKED BY DATE
THIRATA 2014/12/02
APPROVED BY DATE
NUKITA 2014/12/15
MATERIAL NO.
SEE SHEET 1
SIZE A3

SCALE
3:1

DESIGN UNITS
METRIC

THIRD ANGLE
PROJECTION

TITLE
DUAL M-SIM ANTI CRUSH
CONN. BAR-PUSH WITH TRAY
ASSY
molex

DOCUMENT NO.
SD-505418-002

SHEET NO.
2 OF 2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION