

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0622030140](#)  
**Status:** **Active**  
**Overview:** [Application Tooling](#)  
**Description:** Insertion Tool

**Documents:**

[RoHS Certificate of Compliance \(PDF\)](#)

**General**

Product Family	Application Tooling
Series	<a href="#">207123</a>
Comments	Used with medium connectors
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	<a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>
Overview	<a href="#">Application Tooling</a>
Product Name	N/A
Tool Type	Press-Fit Insertion Tool
UPC	884982354821
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.


**Physical**

Net Weight 159.810/g

**Material Info**

**Reference - Drawing Numbers**

Application Tooling Documents [ATS-622030140](#)



*Series image - Reference only*

**EU ELV**

**Not Relevant**

**EU RoHS**

**Not Reviewed**

**REACH SVHC**

Not Reviewed

**Halogen-Free**

**Status**

**Not Relevant**

For more information, please visit [Contact US](#)

China ROHS

Not Relevant

ELV

Not Relevant

RoHS Phthalates

Not Reviewed

**Search Parts in this Series**

[207123 Series](#)

**Application Tooling** | **FAQ**  
**Description** | **Product #**

zSFP+ Stacked Ganged Assembly with Elastomeric Gasket, 2-by-1 No Light Pipes, 40 Circuits	<a href="#">1700711001</a>
zSFP+ Stacked Ganged Assembly with Elastomeric Gasket, 2-by-1 With 4 Light Pipes, 40 Circuits	<a href="#">1700711011</a>
zSFP+ Stacked Ganged Assembly with Elastomeric Gasket, 2-by-1 with Inner Light Pipes, 40 Circuits	<a href="#">1700711012</a>
zSFP+ Stacked Ganged Assembly with Elastomeric Gasket, 2-by-1 with	<a href="#">1700711013</a>

Outer Down/Up Light  
Pipes, 40 Circuits

Small Form-factor 754625001

Pluggable (SFP)

Stacked 2-by-1 Multi-

Port Connector with

Press-fit PC Tails, 40

Circuits, Lead-Free

Small Form-factor 756405001

Pluggable (SFP)

Stacked 2-by-1 Multi-

Port Connector with

4 Lightpipes, with

Press-fit PC Tails, 40

Circuits, Lead-Free

Small Form-factor 756405002

Pluggable (SFP)

Stacked 2-by-1 Multi-

Port Connector with

2 Inner Lightpipes,

with Press-fit PC

Tails, 40 Circuits,

Lead-Free

Small Form-factor 756405003

Pluggable (SFP)

Stacked 2-by-1 Multi-

Port Connector with

2 Outer Lightpipes,

with Press-fit PC

Tails, 40 Circuits,

Lead-Free

Small Form-factor 760445001

Pluggable Plus (SFP

+) Stacked 2-by-1

Multi-Port Connector

with 4 Lightpipe

Ports, EMI Metal

Gasket, 40 Circuits,

Tin (Sn) Tails

Small Form-factor 760445002

Pluggable Plus (SFP

+) Stacked 2-by-1

Multi-Port Connector

with 2 Inner Lightpipe

Ports, EMI Metal

Gasket, 40 Circuits,

Tin (Sn) Tails

Small Form-factor 760445003

Pluggable Plus

(SFP+) Stacked

2-by-1 Multi-Port

Connector with 2

Outer Lightpipe

Ports, EMI Metal

Gasket, 40 Circuits,

Tin (Sn) Tails

Small Form-factor 760645001

Pluggable Plus (SFP

+) Stacked 2-by-1

Multi-Port Press Fit

Connector without

Lightpipe Ports, EMI

Metal Gasket, 40

Circuits, Tin (Sn)

Tails

Small Form-factor 760905001  
Pluggable Plus (SFP  
+) Stacked 2-by-1  
Multi-Port Connector  
with 4 Lightpipe  
Ports, Elastomeric  
Gasket, 40 Circuits,  
Tin (Sn) Tails

Small Form-factor 760905002  
Pluggable Plus (SFP  
+) Stacked 2-by-1  
Multi-Port Connector  
with 2 Inner Lightpipe  
Ports, Elastomeric  
Gasket, 40 Circuits,  
Tin (Sn) Tails

Small Form-factor 760905003  
Pluggable Plus (SFP  
+) Stacked 2-by-1  
Multi-Port Press Fit  
Connector with Outer  
2 Lightpipe Ports,  
Elastomeric Gasket,  
40 Circuits, Tin (Sn)  
Tails

This document was generated on 02/26/2021

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**