

TECHNICAL DATA**PLS TPOD500****Product overview: PLS TPOD500**

The PLS TPOD 500 Elevating Tripod is a heavy-duty tripod designed for interior or exterior use with PLS rotary laser levels, but also compatible with all 5/8-11" and 1/4-20" thread devices. This accessory comes shipped in a printed cardboard box.

Specifications: PLS TPOD500

- Size: 1370 mm x 220 mm x 220 mm (53.9 in x 8.66 in x 8.66 in)
- Fully Extended Height: 3 m (9.74 ft)
- Weight: 8.1 kg (17.9 lb)

Ordering information



PLS TPOD500

The PLS TPOD 500 Elevating Tripod is a heavy-duty tripod designed for interior or exterior use with PLS rotary laser levels, but also compatible with all 5/8-11" and 1/4-20" thread devices. This accessory comes shipped in a printed cardboard box.

Contents:

- PLS TPOD500 Elevator Tripod
 - 5/8-11 to 1/4-20 thread adapter
-



Fluke. *Keeping your world up and running.*®

Fluke Corporation
PO Box 9090, Everett, WA 98206 U.S.A.

For more information call:
In the U.S.A. (800) 443-5853
In Canada (800) 36-FLUKE
From other countries +1 (425) 446-5500
www.fluke.com

©2024 Fluke Corporation.
Specifications subject to change without notice.
08/2024

**Modification of this document is not permitted
without written permission from Fluke Corporation.**