



RHINO
ANTI-FATIGUE MATS


**YOU STAND.
WE DELIVER.**



**RHINO MATS
CATALOG # 40**



Stand-up Performance




Founded in 1978 by Randy Allen, Rhino Mat Manufacturing was built on a determined vision to challenge the era's trend of outsourced, mass-produced mediocrity. The Rhino symbol was chosen to reflect the company's uncompromising strength, durability, and persistence.

More than four decades later, Randy and his son, Brock Allen, continue to lead the company with the same principles of quality, fairness, and innovation. Dedicated to supporting the nation's standing workforce, Rhino Mat designs and manufactures mats and runners that improve workplace health, minimize fatigue, and enhance productivity.

NON-STOP INNOVATION

Our success has always been driven by innovation. By taking the anti-fatigue properties of traditional single-sponge matting and doubling its effectiveness, we created **double-sponge technology**—a breakthrough that transformed the industry and redefined how anti-fatigue mats are engineered. This innovation remains the foundation of nearly every performance advancement in our product line. Double-sponge engineering helps the standing workforce experience less fatigue, fewer posture-related health issues, and greater productivity.



But the benefits don't stop there. Rhino's ergonomic matting has been shown to reduce health care costs and insurance claims, making companies more profitable while improving employee morale.

Our unwavering commitment to state-of-the-art ergonomics means continuous innovation.

Ergonomics—the science of reducing strain and injuries associated with posture and body movement—is at the heart of every Rhino product. By applying this science to real-world standing environments, we engineer solutions that keep evolving to meet the needs of today's workforce.

With Rhino, the innovation never stops.

PERFORMANCE-BASED PRODUCTS

Our tradition of innovation continues with products designed to meet the unique needs of



today's diverse workforce. From the Classic Diamond Plate mat, built with single-sponge anti-fatigue technology, to the innovative GrandStand mat, engineered specifically to support the needs of America's aging workforce, every Rhino mat is crafted with purpose. Each product in our line is performance-driven—created to improve comfort, reduce fatigue, and enhance productivity in the workplace.



Standout Quality




single sponge anti-fatigue mats to our innovative GrandStand mat designed to address the unique needs of our country's aging work force, every mat serves a special purpose.

Our Multi-Flex anti-fatigue mats have ergonomic channels inside the foam to encourage subtle leg and foot movements that promote blood flow thereby reducing fatigue. Our Industrial Smooth mat allows for torque-free movement reducing stress on knees, ankles and hips. This performance innovation is something we call "Pivot Point Ease.TM".

Rhino Mats has also developed the only mat to use a true polymeric anti-fatigue foam that is sealed to work in wet areas as well as dry, Diamond Plate/Knobbyback. Our Comfort Step mats and runners come in three ergonomic styles: safety, textured and ribbed. These are mats made solely of closed cell vinyl foam that provide anti-fatigue properties and economy. Two new products are Diamond-Tred and Dura-Step. These two new items are the bridge between our top-of-the-line Diamond Plate anti-fatigue mats and our economic

Comfort Step series. They are higher-end foam products with greater durability than standard foam mats. Our Ultra-Dome line of mats provide outstanding cushioning while being resistant to many caustic liquids.

Our Tritan Ultra-Dome Roll product is ideal for metal-working areas with its almost indestructible combination of recycled nylon fibers and rubber.



And that's just the beginning. Rhino has engineered mats for the unique needs of the Beauty and Barber industries. We have designed switchboard mats that protect electrical workers and save lives. There is no industrial area, no standing work situation, that we have not developed a mat ideally suited to ensure your standing workers better health, less fatigue and greater output.



AMERICAN MADE

For 30+ years, Rhino Mats have resisted the growing trend of overseas out-sourcing. Our commitment to U.S.A. sourced and manufactured mats continues to ensure the highest quality, performance, and ready availability for our ever-growing line.

CUSTOMIZED ATTENTION

Rhino Mats is more than a manufacturer



of high-quality, high-performance mats. We are anti-fatigue mat experts. And that expertise is available to every one of our customers. Our sales force can advise you on which mat will be the most effective for each area of your facility and for your budget. In addition, our team includes custom mat specialists who can help you plan and configure custom-shaped matting to fit your specific needs. Little wonder that more and more companies are looking to us with large mat big volume orders for major installations. Our team works hard to make sure every installation goes smoothly. We sweat the details so you never have to.



RHINO
ANTI-FATIGUE MATS

**YOU STAND,
WE DELIVER.**

CONTENT



PRODUCTS

Anti-Fatigue Mats

American Classic® Diamond	3
Diamond Plate Chevron™	4
Nitrile Diamond Plate (Welder's Choice)	5
Diamond Plate Knob Back®	6
Reflex® The Interactive	7
Heavy Duty Top (HDT®)	8
Industrial Smooth™	9
Easy Clean	10
Corrugated®	11
Nickels Worth®	12
Pyramid Top®	13
Tuff Plush	14
Marbleized Tile Top	15
Rhino Hide®	16
Softwoods	17
Comfort Craft® Guardian	18
RX®	19
RX® Bed Side Fall	20
Doctor Stand	21
Grandstand™	22
Comfort Craft® Check Stand	23
Comfort Craft® Express	24
Comfort Craft® Premium	25
Diamond Tred®	26
Dura Step	27
Comfort Step™ Textured	28
Comfort Step™ Safety	29
Ama Cloud™	30
Ultra Dome	31

Floor Protection

Tritan® MPAK	32
K-Series® Solid Diamond - Interlocking	33

Conductive

Comfort Step® ESD	34
Conductive Diamond	35
Conductive Smooth	36
Conductive Diamond Runner	37
Conductive Smooth Runner	38

Switchboard

Bucket Truck Mat™	39
Fusebox Safety Mat™	40
ASTM Corrugated Switchboard	41
ASTM Diamond Switchboard	42
ASTM Gray Diamond Switchboard	43
Dual Purpose™ Switchboard	44
EV Safety Mat™	45
Boat Dock Safety Mat™	46

Runners

Pyramid Runner™	47
Easy Kleen™ Rib Runner	48
Diamond Plate™ Runner	49
Corrugated Runner	50
Tritan™ Perma Walk - Rubber Runner	51
Tritan™ Perma Walk - Grit Surface Runner	52

Drain Thru Mats

B-Series	53
M-Series	54
K-Series® - Interlocking	55
G-Series	56
Tuff Flex®	57
E-Series Textured	58
Drain-X™	59
K-Series® Comfort Tract	60
S-Series® Safety Tract	61
Hex-O-Lite	62
Multi-Mat	63
Sudden Comfort	64
Ama Cloud™ - Perforated	65
Pro-Tex	66
Traktor Mat	67
Rhino Work Bench Pad	68
Rhino Diamond & Rhino Bar Stair Treads	69
Rhino Knobbed Back Knee Pad	70

Entrance Mats

Finger Tip	71
Tritan® Ultra Scape	72
Town & Country	73
Opus	74
Poly-Olefin	75
Crosshatch	75
Brush Rib	76

American Classic® DIAMOND Anti-Fatigue Mat



The American Classic® Diamond Plate Anti-Fatigue Mat by Rhino sets the standard for industrial anti-fatigue solutions. Designed for demanding work environments, it combines long-lasting durability with exceptional comfort and safety.

Built to Last

- Weather & Ozone Resistant: No deterioration from exposure.
- Self-Extinguishing: Meets FMVSS-302 fire safety standards.
- Chemical Resistant: Withstands many organic and inorganic industrial chemicals.

Superior Comfort

- Closed-Cell Polymeric Sponge Base: Provides unmatched softness and resilient rebound properties, reducing strain in rigorous manufacturing environments.
- Beveled Edges: Molded 1.5" taper reduces tripping hazards and ensures a smooth transition to the floor.

Sizes & Options

- Color: Black, Gray, Black/Yellow
- Thickness: Available in 9/16" and 1".
- Standard Sizes: 2'x3' and 3'x5'.
- Custom Sizes: Available in roll widths of 24", 36", 48", 60", 72", and 96"

Warranty

Backed by a 3-year warranty for peace of mind.




American Classic® DIAMOND Anti-Fatigue Mat

Stock No.	Size	Weight Ea. 9/16"	Weight Ea. 1"
DV-2436	2'x3'	9.0 lbs.	10.0 lbs.
DV-3660	3'X5'	19.0 lbs.	22.0 lbs.
Custom Sizes - available in lengths up to 75 lin Ft.			
Stock No.	Width	Weight LF. 9/16"	Weight LF. 1"
DV-24	24"	2.2 lbs.	2.6 lbs.
DV-36	36"	3.3 lbs.	4.0 lbs.
DV-48	48"	4.4 lbs.	5.6 lbs.
DV-60	60"	5.5 lbs.	7.1 lbs.
DV-72	72" Seamed	6.6 lbs.	8.0 lbs.
DV-96	96" Seamed	8.8 lbs.	10.4 lbs.
Stock No.	Size	Weight FR. 9/16"	Weight FR. 1"
DV275	2'X75'	135.0 lbs.	165.0 lbs.
DV375	3'X75'	210.0 lbs.	258.0 lbs.
DV475	4'X75'	285.0 lbs.	345.0 lbs.
DV575	5'X75'	357.0 lbs.	516.0 lbs.
DV675	6'X75' Seamed	570.0 lbs.	690.0 lbs.

Color: Black, Gray, Black/Yellow.

60" Solid Black & Black/Yellow

1" Thick/Double Sponge (DS)



Diamond Plate™ Anti-Fatigue with CHEVRON



The Diamond Plate Chevron® Anti-Fatigue Mat by Rhino is an American Classic—combining rugged durability with superior ergonomic support. Its diamond chevron surface delivers safety and style, setting the standard for industrial anti-fatigue flooring.

Built to Last

- Weather & Ozone Resistant: Maintains integrity under harsh conditions.
- Fire Safe: Self-extinguishing when tested per FMVSS-302.
- Chemical Resistant: Resists damage from many industrial chemicals.

Superior Comfort

- Closed-Cell Polymeric Sponge Base: Provides resilience, rebound, and fatigue reduction.
- Beveled Edges: Tapered within 1.5" of the top surface for safety and smooth transitions.

Sizes & Options

- Thickness: 9/16" or 1".
- Stock Sizes: 2'x3' and 3'x5'.
- Custom Sizes: Roll widths of 24", 36", and 48".
- Color: Black/Yellow Chevron

Warranty

Backed by a 3-year warranty, trusted in facilities across America.




Diamond Plate™ Anti-Fatigue with CHEVRON

Stock No.	Size	Weight Ea. 9/16"	Weight Ea. 1"
DV-2436-C	2'x3'	9.0 lbs.	10.0 lbs.
DV-3660-C	3'X5'	19.0 lbs.	22.0 lbs.
Custom Size - available in lengths up to 75 lin. ft.			
Stock No.	Width	Weight LF.9/16"	Weight LF. 1"
DV-24-C	24"	2.2 lbs	2.6 lbs
DV-36-C	36"	3.3 lbs	3.9 lbs
DV-48-C	48"	4.4 lbs	5.2 lbs

Color: Black/Yellow Chevron 24", 36", and 48" only.

Add "DS" for double sponge. Add "4" for 4-side Chevron.

Add RNS (9/16") for RHI-NO-SLIP



Nitrile Diamond Plate *Anti-Fatigue Mat* THE WELDER'S CHOICE



The Welders Choice Nitrile Diamond Plate Anti-Fatigue Mat is engineered for extreme heat environments. With an ignition point over 500°F, its rugged SBR rubber diamond surface deflects welding spatter and endures high-heat conditions without compromise.

Built to Last

- Heat Resistant: Withstands sparks and molten metal with a 500°F ignition point.
- Weather & Ozone Resistant: Maintains integrity in harsh conditions.
- Fire Safe: Self-extinguishing when tested per FMVSS-302.
- Chemical Resistant: Resists a wide range of organic and inorganic industrial chemicals.

Superior Comfort

- Closed-Cell Polymeric Sponge Base: Provides soft rebound and ergonomic fatigue relief in 24/7 manufacturing environments.
- Beveled Edges: Molded taper ensures smooth transitions and reduces trip hazards.

Sizes & Options

- Thickness: 9/16" or 1".
- Stock Sizes: 2'x3' and 3'x5'.
- Custom Sizes: Roll widths of 36" and 48".
- Color: Black

Warranty

Backed by a 3-year warranty for long-lasting durability.



Nitrile Diamond Plate - THE WELDER'S CHOICE

Stock No.	Size	Weight Ea. 9/16"	Weight Ea. 1"
DR-2436-B916	2'x3'	7.5 lbs.	8.1 lbs.
DR-3660-B916	3'X5'	17 lbs.	19.1 lbs.
Custom Size - available in lengths up to 75 lin. ft.			
Stock No.	Width	Weight LF. 9/16"	Weight LF. 1"
DR-24-B916	24"	2.2 lbs	2.6 lbs
DR-36-B916	36"	3.3 lbs	3.9 lbs
DR-48-B916	48"	4.4 lbs	5.2 lbs

Color: Black 24", 36", and 48" only.
Add "DS" for double sponge.

Diamond Plate Knob-Back® Anti-Fatigue Mat



The Diamond Plate Knob-Back® Anti-Fatigue Mat combines the proven comfort and durability of diamond plate matting with a configuration designed for wet area applications—expanding usage beyond traditional molded rubber products.

Built to Last

- 5/32" thick diamond plate surface permanently bonded to your choice of a 3/8" or 3/4" resilient closed-cell polymeric sponge core.
- Knob-back substrate forms a sealed envelope that encapsulates the sponge core for long-lasting performance.
- Weather and ozone resistant—no deterioration from exposure.
- Self-extinguishing when tested to FMVSS-302 standards.
- Withstands exposure to many organic and inorganic industrial chemicals.

Superior Comfort & Safety

- Closed-cell sponge core delivers soft, resilient rebound properties ideal for demanding manufacturing environments.
- Beveled sponge base tapers within 1.5" of the top surface, creating a molded incline for smooth transitions and edge safety.



Have It Your Way

Available in:

- Two surface colors: Solid Black or Black with Yellow Edge
- Two thicknesses: 0.750" Heavy Duty and 1.125" Super Duty
- Stock sizes: 2'x3', 3'x4', 3'x5', 3'x6', 3'x8', 3'x10', 3'x12', 3'x15', and 3'x20'

Warranty

Every Diamond Plate Knob-Back® Anti-Fatigue Mat is supported by a three-year warranty, ensuring long-term value, safety, and performance in the toughest environments.



Diamond Plate KNOB-BACK Anti-Fatigue

Stock No.	Size	Weight Ea. 3/4"	Weight Ea. 1 1/8"
DTK2436	2'x3'	10.5 lbs.	14.7 lbs.
DTK-3660	3'X5'	30 lbs.	39 lbs.
Custom Size - available in lengths up to 60 lin. ft.			
Stock No.	Size	Weight LF. 9/16"	Weight LF. 1"
DTK-3660	36"	6.5 lbs.	7.9 lbs.

Color: Solid Black or Black with Yellow Edge 24", 36", and 48" only.
For 1 1/8" Thick Add "DS" for double sponge.

Reflex® THE INTERACTIVE Anti-Fatigue Mat



The solid domed Reflex surface is compliant to the shape of the foot, providing equal support of the entire footprint; simultaneously aggressive, providing upward vertical force, and simple manipulation of the feet. The Reflex® Anti-Fatigue Mat combines resilience and stimulation, working together for an effect that rejuvenates as energy is expended. This relieves Tension, stimulates circulation, and breaks up patterns of stress in all areas of the body to an amazing extent.

Patent D543765

Superior Comfort

- Domed Reflex Surface: Provides upward vertical force for balanced support.
- Active Stimulation: Encourages natural foot movement and proper posture.
- Ergonomic Relief: Reduces stress on hips, knees, and ankles during long standing

Built to Last


- Durable Construction: Engineered polymer sponge resists wear in demanding workplaces.
- Beveled Edges: Molded taper within 1.5" of the top surface ensures safety and a smooth floor transition.

Sizes & Options

- Thickness: 5/8" or 1".
- Stock Sizes: 2'x3' and 3'x5'.
- Custom Sizes: Roll widths of 24", 36", and 48".
- Colors: Black or Black/Yellow

Warranty

Backed by a 3-year warranty for long-lasting performance.




Reflex® THE INTERACTIVE Anti Fatigue Mats

Stock No.	Size	Weight Ea. 5/8"	Weight Ea. 1"
RFLX-2436	2'x3'	9.0 lbs.	10.2 lbs.
RFLX-3660	3'X5'	22.0 lbs.	28.0 lbs.
Stock No.	Size	Weight LF. 5/8"	Weight LF. 1"
RFLX24	2'	3.0 lbs.	3.8 lbs.
RFLX36	3'	4.5 lbs.	5.7 lbs.
RFLX48	4'	7.5 lbs.	9.5 lbs.
RFLX60	5'	9.0 lbs.	11.4 lbs.
RFLX72	6'	12.0 lbs.	15.2 lbs.
RFLX96	8'	12.0 lbs.	15.2 lbs.
Stock No.	Size	Weight FR. 5/8"	Weight FR. 1"
RFLX24	2'x75'	225.0 lbs.	285.0 lbs.
RFLX36	3'x75'	338.0 lbs.	428.0 lbs.
RFLX48	4'x75'	450.0 lbs.	570.0 lbs.

Colors: Black, Black/Yellow - Add (DS) for double Sponge

Heavy Duty Top (HDT™) Anti-Fatigue Mat



The HDT™ Anti-Fatigue Mat is built for the toughest workplaces where chairs, stools, carts, and power equipment are used. Its durable smooth top surface withstands high traffic while delivering ergonomic relief.

Built to Last

- Resilient Compound Surface: 3/16" top layer, the same material as Diamond Plate mats.
- Puncture & Abrasion Resistant: Withstands carts, casters, and heavy-duty equipment.
- Easy to Clean: Smooth finish ensures quick maintenance.

Superior Comfort

- Closed-Cell Sponge Base: Provides buoyancy and fatigue reduction.
- Ergonomic Design: Reduces strain during long hours of standing or seated work.

Sizes & Options


- Thickness: 9/16" or 1".
- Stock Sizes: 2'x3' and 3'x5'.
- Custom Sizes: Roll widths of 24", 36", 48", and 60".
- Color: Black

Warranty

Backed by a 3-year warranty for confidence in demanding environments.

Heavy Duty Top (HDT™) Anti Fatigue Mats

Stock No.	Size	Weight Ea. 9/16"	Weight Ea. 1"
HDT-2436	2'x3'	6.8 lbs.	8.0 lbs.
HDT-3660	3'X5'	17.0 lbs.	20.0 lbs.
Custom Sizes - available in lengths up to 75 lin Ft.			
Stock No.	Width	Weight LF. 9/16"	Weight LF. 1"
HDT-24	24"	2.4 lbs.	2.6 lbs.
HDT-36	36"	3.4 lbs.	4.0 lbs.
HDT-48	48"	4.8 lbs	5.6 lbs
HDT-60	60"	6.0 lbs	7.1 lbs
HDT-72	72"	6.8 lbs	8.0 lbs
Color: Black 1" Thick/Double Sponge (DS)			



Industrial SMOOTH™ Anti-Fatigue Mat



The Industrial Smooth™ Anti-Fatigue Mat is built for demanding environments where ease of movement is key. Its smooth surface allows carts, stools, and equipment to move freely while providing long-term ergonomic relief.

Built to Last

- Smooth Vinyl Surface: Resistant to wear and designed for high-traffic areas.
- Puncture & Abrasion Resistant: Handles carts, casters, and equipment without damage.

Superior Comfort

- Closed-Cell Sponge Base: Reduces fatigue and provides ergonomic rebound.
- Easy Cleaning: Smooth finish resists buildup of dirt and provide pivot point ease.

Sizes & Options


- Thickness: 1/2" or 7/8".
- Stock Sizes: 2' x 3' and 3' x 5'.
- Custom Sizes: Roll widths of 24", 36", 48", and 60".
- Color: Black

Warranty


Backed by a 3-year warranty for long-lasting reliability.

Industrial Smooth™ Anti Fatigue Mats

Stock No.	Size	Weight Ea. 1/2"	Weight Ea. 7/8"
IS-2436	2'x3'	9.0 lbs.	10.0 lbs.
IS-3660	3'X5'	19.0 lbs.	22.0 lbs.
Custom Sizes - available in lengths up to 75 lin Ft.			
Stock No.	Width	Weight LF. 1/2"	Weight LF. 7/8"
IS-24	24"	2.2 lbs.	2.6 lbs.
IS-36	36"	3.3 lbs.	4.0 lbs.
IS-48	48"	4.4 lbs.	5.6 lbs.
IS-60	60"	5.5 lbs.	7.1 lbs.
IS-72	72" Seamed	6.6 lbs.	8.0 lbs.
IS-96	96" Seamed	8.8 lbs.	10.4 lbs.
Color: Black 7/8" Thick/Double Sponge (DS)			



Easy KLEEN Anti-Fatigue Mat



The Easy Kleen® Anti-Fatigue Mat combines ergonomic comfort with simple maintenance. Its wide round-ribbed vinyl surface allows quick sweeping and cleaning, making it ideal for busy industrial and commercial spaces.

Built to Last

- Low-Maintenance Design: Ribbed vinyl surface simplifies cleaning.
- Durable Construction: Resists wear while maintaining comfort and safety.

Superior Comfort

- Ergonomic Cushioning: Reduces standing fatigue during long shifts.
- Beveled Edges: Provide a safe, smooth transition to the floor.

Sizes & Options

- Thickness: 1/2" or 7/8".
- Stock Sizes: 2'x3' and 3'x5'.
- Custom Sizes: Roll widths of 24", 36", 48", and 60".
- Colors: Black or Gray.


Warranty

Backed by a 3-year warranty for dependable performance.


Easy Kleen Anti Fatigue Mats

For 7/8" Mats, Add "DS" to stock number

Stock No.	Size	Weight Ea. 1/2"	Weight Ea. 7/8"
EZK2436	2'x3'	8.0 lbs.	9.0 lbs.
EZK-3660	3'x5'	16.0 lbs.	19.0 lbs.
Custom Sizes - available in lengths up to 60 lin Ft.			
Stock No.	Width	Weight LF. 1/2"	Weight LF. 7/8"
EZK-24	24"	2.2 lbs.	2.6 lbs.
EZK-36	36"	3.3 lbs.	4.0 lbs.
EZK-48	48"	4.4 lbs.	5.6 lbs.
Color: Black, Gray			
7/8" Thick/Double Sponge (DS)			



Corrugated® Anti-Fatigue Mat



The Corrugated® Anti-Fatigue Mat combines ergonomic support with classic ribbed styling. Designed for industrial workstations, it enhances comfort while ensuring slip resistance and easy cleaning.

Built to Last

- Ribbed Surface: Improves traction and stability.
- Durable Construction: Withstands long hours of use in busy environments.

Superior Comfort

- Closed-Cell Foam Backing: Provides buoyancy and fatigue relief.
- Easy to Maintain: Ribbed vinyl surface cleans quickly.
- Beveled Edges: Reduce tripping hazards.

Sizes & Options

- Thickness: 1/2" or 7/8".
- Stock Sizes: 2'x3' and 3'x5'.
- Custom Sizes: Roll widths of 24", 36", 48", and 60".
- Colors: Black or Black/Yellow.

Warranty

Backed by a 3-year warranty for lasting performance.

Corrugated® Anti-Fatigue Mat

For 7/8" Mats, Add "DS" to stock number

Stock No.	Size	Weight Ea. 1/2"	Weight Ea. 7/8"
CV-2436	2'x3'	8.0 lbs.	9.0 lbs.
CV-3660	3'X5'	16.0 lbs.	19.0 lbs.
Custom Sizes - available in lengths up to 60 lin Ft.			
Stock No.	Width	Weight LF. 1/2"	Weight LF. 7/8"
CV-24	24"	2.2 lbs.	2.6 lbs.
CV-36	36"	3.3 lbs.	4.0 lbs.
CV-48	48"	4.4 lbs.	5.6 lbs.
Color: Black, (Black/Yellow 2' and 3' Only.)			
7/8" Thick/Double Sponge (DS)			



Nickels WORTH® Anti-Fatigue Mat



The Nickels Worth® Anti-Fatigue Mat offers dependable comfort and durability at an exceptional value. Featuring a raised coin-pattern surface, it is attractive, slip-resistant, and easy to clean—perfect for cost-conscious facilities without compromising safety or performance.

Built to Last

- Weather & Ozone Resistant: No deterioration from environmental exposure.
- Fire Safe: Self-extinguishing when tested per FMVSS-302.
- Chemical Resistant: Withstands a wide range of industrial agents.

Superior Comfort

- Closed-Cell Polymeric Sponge Base: Provides resilience, buoyancy, and fatigue relief.
- Ergonomically Designed: Absorbs shock and supports workers during long shifts.


Sizes & Options

- Thickness: 1/2" or 7/8".
- Color: Black
- Stock Sizes: 2'x3' and 3'x5'.
- Custom Sizes: Available from roll widths of 24" and 36".
- Beveled Edges: Molded within 1.5" of the surface for safety and a finished look.


Warranty

Supported by a 3-year warranty, ensuring value and peace of mind.

Nickels Worth® Anti-Fatigue Mat			
For 7/8" Mats, Add "DS" to stock number			
Stock No.	Size	Weight Ea. 1/2"	Weight Ea. 7/8"
NW-2436	2'x3'	7.3 lbs.	9.2 lbs.
NW-3660	3'x5'	24.0 lbs.	27.0 lbs.
Custom Sizes - available in lengths up to 60 lin Ft.			
Stock No.	Width	Weight LF. 1/2"	Weight LF. 7/8"
NW-24	24"	2.4 lbs.	3.0 lbs.
NW-36	36"	4.8 lbs.	5.4 lbs.
NW-24	75'	180 lbs.	225 lbs.
NW-36	75'	360 lbs.	405 lbs.
7/8" Thick/Double Sponge (DS)			



Pyramid TOP® Anti-Fatigue Mat



The Pyramid Top Anti-Fatigue Mat provides durable ergonomic support with a slip-resistant surface built to withstand demanding environments.

Built to Last

- Pyramid Surface: Slip-resistant, weather- and ozone-resistant, and self-extinguishing (FMVSS-302 tested).
- Chemical Resistant: Withstands exposure to many organic and inorganic industrial chemicals.
- Beveled Edges: Molded incline reduces trip hazards and provides safe transitions.

Sizes & Options

- Thickness: 1/2" or 7/8".
- Color: Black
- Stock Sizes: 2'x3', 3'x5'.
- Custom Lengths: Available from 24", 36", and 48" widths.

Warranty

Backed by a 3-year warranty for style and performance.

Pyramid TOP® Anti-Fatigue Mat

For 7/8" Mats, Add "DS" to stock number

Stock No.	Size	Weight Ea. 1/2"	Weight Ea. 7/8"
PYA-2436	2'x3'	8.0 lbs.	9.2 lbs.
PYA-3660	3'X5'	16.0 lbs.	22.0 lbs.
Custom Sizes - available in lengths up to 60 lin Ft.			
Stock No.	Width	Weight LF. 1/2"	Weight LF. 7/8"
PYA-24	24"	2.4 lbs.	3.0 lbs.
PYA-36	36"	4.8 lbs.	5.4 lbs.
PYA-24	75'	180 lbs.	225 lbs.
PYA-36	75'	360 lbs.	405 lbs
7/8" Thick/Double Sponge (DS)			



Tuff Plush Anti-Fatigue Mat



Tuff Plush™ has remained a favorite for years in commercial environments such as retail stores, banks, pharmacies, mail rooms, and service counters. With four versatile colors to complement any décor, it delivers both comfort and aesthetic appeal.

Come Home to Quality

- Permanently bonded to an industrial-grade closed-cell polymeric sponge base.
- Resistant to punctures from high heels, cart traffic, tears, and cuts.
- Built to perform in demanding commercial settings.

Delivering Comfort With Solid Dependability

- Closed-cell sponge base beveled within 1.5" of the top surface for smooth, safe transitions.
- Molded incline around the perimeter reduces trip hazards while ensuring a polished finish.

Have It Your Way

Available in:

- Two thicknesses: 5/8" and 1"
- Stock sizes: 2'x3' and 3'x5'
- Custom sizes available in 2', 3', 4', and 6' rolls
- Colors: Walnut, Solid Gray, Red/Black, Hunter Green, Charcoal, Blue, Beige

Backed by Trust

Every Tuff Plush™ mat is supported by a three-year non-prorated warranty, ensuring protection against cracking or fracturing for long-term value and reliability.




Tuff Plush Anti Fatigue Mat

For 1" mats, add "DS" to stock number

Stock No.	Size	Weight Ea. 5/8"	Weight Ea. 1"
TP-2434	24"x34"	8.4 lbs.	9.6 lbs.
TP-3460	34"X60"	21.0 lbs.	24.0 lbs.
Custom Size-available in lengths up to 60 lin. Ft.			
Stock No.	Width	Weight LF. 3/4"	Weight LF. 1"
TP-34	34"	4.2 lbs.	4.8 lbs.
TP-44	44"	5.6 lbs.	6.4 lbs.
TP-68	68"	8.4 lbs.	9.6 lbs.

Color: Walnut, Solid Gray, Red/Black, Hunter Green, Charcoal, Blue, Beige, Solid Gray. 1" & 5/8" Thick





Marbleized Anti-Fatigue Mat



The Marbleized Anti-Fatigue Mat provides exceptional ergonomics for personnel standing behind pharmacy counters, teller stations, laboratories, and other high-use environments. Its design helps reduce fatigue and stress during long periods of standing.

Built to Last

- Superior Comfort for High-Traffic Workspaces
- Marbleized top surface: Low-static vinyl for durability and professional appearance
- Sponge base: Encapsulated with a skin surface to block moisture and resist oils and chemicals
- Premium Marbleized Vinyl Surface: Heavy-duty wear layer resists stains and damage.
- Easy to Clean: Smooth finish maintains a polished appearance.

Superior Comfort

- Closed-Cell Foam Backing: Provides fatigue, relief, and comfort for extended standing.
- Attractive Design: Marbleized pattern enhances professional interiors.
- Beveled Edges: Ensure safe transitions and reduce trip hazards.

Sizes & Options

- Thickness: 1/2" or 7/8".
- Stock Sizes: 2'x3', 2'x4', 2'x6', 2'x8', 3'x3', 3'x4', 3'x5', 3'x8', 3'x10', 3'x15', 4'x6'.
- Custom Sizes: from Roll widths of 24", 36", 48", and 60".
- Colors: Gray, Blue, Charcoal, Black/White.

Warranty

Backed by a 3-year warranty for style and performance.

Marbleized Anti Fatigue Mat

For 7/8" Mats, Add "DS" to stock number

Stock No.	Size	Weight Ea. 1/2"	Weight Ea. 7/8"
TT-2436	2'x3'	7.3 lbs.	8.5 lbs.
TT-3660	3'x5'	17.0 lbs.	21.0 lbs.

Custom Sizes - available in lengths up to 60 lin Ft.


Stock No.	Width	Weight LF. 1/2"	Weight LF. 7/8"
TT-24	24"	2.4 lbs.	2.8 lbs.
TT-36	36"	3.6 lbs.	4.2 lbs.
TT-48	48"	4.8 lbs.	5.6 lbs.
TT-60	60"	6.0 lbs.	7.0 lbs.
TT-72	72" Seamed	6.0 lbs.	8.4 lbs.
TT-96	96" Seamed	13.0 lbs.	11.2 lbs.

Color: Gray, Blue, Charcoal, Black/White.

7/8" Thick/Double Sponge (DS)



Rhino Hide® Anti-Fatigue Mat



The Rhino Hide® Anti-Fatigue Mat is engineered for the most demanding commercial environments. Featuring a high-gloss "tuff as nails" pebble surface, it stands up to 24/7 use in check-stands, retail counters, airports, and beyond—offering long-lasting performance and comfort.

Built to Last

- Extreme Durability: Over three times more abrasion resistant than leading competitors.
- Damage Resistant: Withstands punctures, tears, and cuts from heels, carts, and heavy traffic.

Superior Comfort


- Closed-Cell Polymeric Sponge Base: Provides resilient rebound and buoyancy, reducing worker fatigue.
- Ergonomically Balanced: Supports long hours of standing in high-traffic environments.

Sizes & Options

- Thickness: 1/2" or 7/8".
- Stock Sizes: 2'x3', 2'x4', 2'x6', 2'x8', 3'x3', 3'x4', 3'x5', 3'x8', 3'x10', 3'x15', 4'x6'.
- Colors: Black, Blue, Brown, Gray, Green, Red, Taupe.
- Custom sizes from 2', 3', 4', and 6' wide rolls.

Warranty

- Commercial Use: 5-year non-prorated warranty against cracking or fracturing.
- Backed by a 5-year warranty.



Rhino Hide® Anti Fatigue Mats

For 7/8" Mats, Add "DS" to stock number

Stock No.	Size	Weight Ea. 1/2"	Weight Ea. 7/8"
RHA-2436	2'x3'	10.0 lbs.	12.0 lbs.
RHA-3660	3'X5'	25.0 lbs.	30.0 lbs.
Custom Sizes - available in lengths up to 60 lin Ft.			
Stock No.	Width	Weight LF. 1/2"	Weight LF. 7/8"
RHA-24	24"	3.3 lbs.	4.0 lbs.
RHA-36	36"	5.0 lbs.	6.0 lbs.
RHA-48	48"	6.5 lbs.	8.0 lbs.
RHA-60	60"	8.5 lbs.	9.6 lbs.
RHA-72	72" Seamed	10.0 lbs.	12.0 lbs.
RHA-96	96" Seamed	13.0 lbs.	16.0 lbs.

Color: Black, Blue, Brown, Gray, Green, Red, Taupe.
7/8" Thick/Double Sponge (DS)



Softwoods Anti-Fatigue Mat



The Softwood® Anti-Fatigue Mat combines the warmth of hardwood with the ergonomic relief of a premium standing mat. With its wood-grain appearance, it enhances décor while effectively reducing stress and fatigue.

Built to Last

- Durable Surface: Designed to replicate the rich look of oak and driftwood flooring.
- Beveled Edges: Molded within 1.5" of the top surface for a smooth, tapered incline that minimizes tripping hazards.

Superior Comfort

- Available in Two Thicknesses: 1/2" and 7/8".
- Polymeric Sponge Base: Provides buoyancy and resilience for extended standing comfort.

Sizes & Options

- Stock Sizes: 2'x3', 2'x4', 2'x6', 2'x8', 3'x3', 3'x4', 3'x5', 3'x8', 3'x10', 3'x15', 4'x6'.
- Custom sizes from 2', 3', 4', and 6' wide rolls
- Color Variations: Oak, Driftwood and Walnut

Warranty

Backed by a 3-year warranty for peace of mind.


Softwoods Anti Fatigue Mats

For 7/8" Mats, Add "DS" to stock number

Stock No.	Size	Weight Ea. 1/2"	Weight Ea. 7/8"
SW-2436	2'x3'	7.3 lbs.	8.5 lbs.
SW-3660	3'x5'	17.0 lbs.	21.0 lbs.
Custom Sizes - available in lengths up to 60 lin Ft.			
Stock No.	Width	Weight LF. 1/2"	Weight LF. 7/8"
SW-24	24"	2.4 lbs.	2.8 lbs.
SW-36	36"	3.6 lbs.	4.2 lbs.
SW-48	48"	4.8 lbs.	5.6 lbs.
SW-60	60"	6.0 lbs.	7.0 lbs
SW-72	72" Seamed	6.0 lbs.	8.4 lbs.
SW-96	96" Seamed	13.0 lbs.	11.2 lbs.

Color: Oak, Driftwood and Walnut

7/8" Thick/Double Sponge (DS)



Comfort Craft® GUARDIAN Anti-Fatigue Mat



The Comfort Craft® Guardian Anti-Fatigue Mat sets a new benchmark in comfort and style. With seven stunning colors—from vibrant modern tones to calming muted hues—Guardian brings sophistication to any home office, kitchen, or professional environment.

Built to Last

- Premium Polyurethane: No fillers added for superior resilience and durability.
- Commercial-Grade Quality: Engineered to withstand 24/7 use.

Superior Comfort


- Ergonomically Designed: Balances compression and resistance to reduce fatigue.
- Shock Absorption: Disperses energy while providing stability underfoot.
- Stylish Selection: Seven fresh colors designed to complement modern interiors.

Sizes & Options

- Thickness: 3/4".
- Stock Sizes: 2'x3', 2'x4', 2'x6', 3'x5'.
- Colors: Olive(Green), Coal(Black), Tombstone(Gray), Claret(Red), Clove(Dark Brown), Beaver(Brown), Sanddle(Light Brown).

Warranty

Backed by a 3-year warranty for long-lasting performance.




Comfort Craft® GUARDIAN Anti Fatigue Mat

Stock No.	Size	Weight Ea. 3/4"
CCG-2436	2'x3'	7.3 lbs.
CCG-2448	2'X4'	8.0 lbs.
CCG-2472	2'x6'	13.4 lbs.
CCG-3660	3'x5'	18.0 lbs.
CCG-4848	4'x4'	20.0 lbs.

Color: Olive, Coal, Tombstone, Claret, Clove, Beaver, and Sanddle. 3/4" Thick

RX® Anti-Fatigue Mat



Engineered Comfort for Healthcare Professionals

- Specifically designed to reduce fatigue for medical staff in operating rooms, laboratories, and pharmacies.

Performance-Driven Design

- Closed-Cell Polyurethane Foam: Provides optimal compression, deflection, and stability for long hours of standing.
- Antimicrobial Surface: Resistant to hospital-grade disinfectants and quaternary cleaners.
- Slip-Resistant: Exceeds OSHA standards for static and kinetic Coefficient of Friction, even in wet conditions.
- Phthalate-Free: 7P-free construction ensures a safer, eco-conscious choice.

Sizes & Options

- Thickness: $\frac{3}{4}$ "
- Stock Sizes: 2'x3', 2'x4', 2'x6', 3'x5'
- Colors: Crystal (Beige), Nickel (Gray), Tourmaline Blue


Warranty

- Covered by a 3-year unconditional, non-prorated warranty against cracking or fracturing.



RX® Anti-Fatigue Mat

Stock No.	Size	Weight Ea. 3/4"
CCP-RX-2436	2'x3'	15.0 lbs.
CCP-RX-2448	2'x4'	17.0 lbs.
CCP-RX-2472	2'x6'	22.0 lbs.
CCP-RX-3660	3'x5'	35.0 lbs.
Colors:	Crystal (BEG), Tourmaline (BLU), Nickel (GRY)	



Rx® Bed SIDE FALL Anti-Fatigue Mat



Effective Fall Protection for Healthcare Settings


- Offers the same high-quality features as the Rx® Anti-Fatigue Mat, but with a lower-density foam backing.
- Ideal for reducing bedside fall injuries in hospitals, nursing homes, and private residences.

Performance & Safety

- Impact Absorption: Provides approximately 80% impact force reduction while maintaining safe stability for standing.
- Balanced Design: Delivers cushioning for falls without sacrificing standing stability.
- Beveled Edges: Minimize trip hazards and allow smooth passage of wheelchairs and medical equipment.


Sizes & Options

- Thickness: 3/4"
- Stock Sizes: 2'x6', 3'x5'
- Colors: Crystal (Beige), Tourmaline (Blue), Nickel (Gray)



RX® Bed SIDE FALL Anti-Fatigue Mat		
Stock No.	Size	Weight Ea. 3/4"
CCP-2472	2'x6'	30.0 lbs.
CCP-3660	3'x5'	22.0 lbs.
Color: Black. 7/8" Thick		

Doctor Stand-Eze™ Anti-Fatigue Mat



Surface & Hygiene

- Anti-microbial marbleized vinyl surface with a sealed, non-porous backing.
- Easy to clean with hospital-grade disinfectants.

Thickness & Sizes

- Available in $\frac{1}{2}$ " and $\frac{7}{8}$ " thickness.
- Standard stock sizes: 2' x 3' and 3' x 5'.
- Custom sizes available in 2', 3', and 4' widths.

Durability & Warranty


- Backed by a 3-year unconditional, non-prorated warranty against cracking or fracturing.

Doctor Stand-Eze™ Anti-Fatigue Mat



For 7/8" Mats, Add "DS" to stock number

Stock No.	Size	Weight Ea. 1/2"	Weight Ea. 7/8"
DSE-2436	2'x3'	9.0 lbs.	12.0 lbs.
DSE-3648	3'X4'	18.0 lbs.	24.0 lbs.
DSE-3660	3'X5'	22.0 lbs.	30.0 lbs.
Stock No.	Width	Weight LF. 1/2"	Weight LF. 7/8"
DSE-36	3'X20'	4.5 lbs.	4.8lbs.

Color: Gray, Blue, Charcoal, Black/White.
 $\frac{7}{8}$ " Thick/Double Sponge (DS)



GRANDSTAND™ Anti-Fatigue Mat



The Grandstand Anti-Fatigue Mat provides unmatched comfort with its springy, resilient design that mimics the feel of walking on fresh-cut grass.

Superior Comfort

- Domed Polyurethane Top: Offers bounce and buoyancy to reduce discomfort during long periods of standing.
- Integral Skin Polyurethane Sponge: Provides long-lasting elasticity and resilience.
- One-Piece Polyurethane Construction: Ensures beveled edges will never curl or separate.

Sizes & Options

- Sizes: Available in 2'x3, 3'x5'.
- Color: Black

Warranty

Backed by a 3-year warranty for style and performance.

GRANDSTAND™ Anti Fatigue Mats

Stock No.	Size	Weight Ea. 3/4"
GS-2436	2'x3'	7.4 lbs.
GS-2448	3'X5'	17.4 lbs.

Color: Black. 3/4" Thick

Comfort Craft® CHECK-STAND Anti-Fatigue Mat



The Comfort Craft® Check-Stand Mat is America's first choice for cashier, pharmacy, and industrial workstations. Engineered with premium polyurethane and integral-skin encapsulation, it delivers lasting comfort and reliability in 24/7 environments.



Built to Last

- Premium Polyurethane Core: No fillers added for superior resilience.
- Integral Skin Surface: Encapsulates the 3/4" thick core in a rugged, wear-resistant 1/8" skin.
- Chemical & Abrasion Resistant: Built to withstand high-traffic, heavy-use conditions.

Superior Comfort

- Ergonomically Designed: Provides optimal fatigue relief and support during long shifts.
- Stable Surface: Lays flat for safety and consistent performance.

Sizes & Options


- Thickness: 3/4".
- Stock Sizes: 2'x3', 2'x4', 2'x6', 3'x5', 4'x4'.
- Proudly American Made: From raw materials to final product.
- Color: Black

Warranty

Backed by a 3-year warranty for confidence in every shift.

Comfort Craft® CHECK-STAND Anti-Fatigue Mat

Stock No.	Size	Weight Ea. 3/4"
CC-2436	2'x3'	8.0 lbs.
CC-2448	2'x4'	9.0 lbs.
CC-2472	2'x6'	13.0 lbs.
CC-3660	3'x5'	18.0 lbs.
CC-4848	4'x4'	20.0 lbs.
CC-4872	4'x6'	29.5 lbs.
Color: Black. 3/4" Thick		



Comfort Craft® EXPRESS Anti-Fatigue Mat



Patent No.: US D1,017,274


The Comfort Craft Express domed surface is compliant with the shape of the foot, delivering superior ergonomics that can only be achieved with a bi-level surface, yet it provides smooth surface cleanability.

Better Health Through Better Standing

The Comfort Craft Express has a near-perfect underfoot contour, a faster-adapting surface, a slightly springy feel, and delivers all-day comfort.

Built to Last

- Premium Polyurethane: Manufactured with a no-fillers-added formulation.
- Encapsulated Surface: Rugged 1/8" wear-resistant skin provides long-lasting durability.



Superior Comfort

- Ergonomic Bi-Level Surface: Supports natural foot movement and balanced posture.
- Springy Feel: Quickly adapts to the foot for superior rebound and fatigue relief.
- Easy to Clean: Smooth top layer resists dirt and debris.

Sizes & Options

- Thickness: 7/8".
- Stock Sizes: 2'x3' and 3'x5'.
- Color: Black

Warranty


Backed by a 3-year warranty for peace of mind.

Comfort Craft® EXPRESS Anti-Fatigue Mat		
Stock No.	Size	Weight Ea. 7/8"
CCE-2436	2'x3'	9.0 lbs.
CCE-2448	2'x4'	12.0 lbs.
CCE-3660	3'x5'	18.0 lbs.
Color: Black. 7/8" Thick		

Comfort Craft® PREMIUM Anti-Fatigue Mat



The Comfort Craft® Premium Anti-Fatigue Mat brings natural elegance to any environment with its warm, rustic tones. Available in eight beautifully crafted colors, Premium adds a touch of life and personality to spaces where comfort meets purpose—whether it's a hotel, spa, retail store, casino, home office, or kitchen.



Built to Last

- Premium Polyurethane: No fillers added for superior resilience and long-lasting durability.
- Commercial-Grade Quality: Engineered to perform under heavy, daily use.

Superior Comfort

- Ergonomically Designed: Crafted to deliver the perfect balance of softness and support, reducing fatigue from long periods of standing.
- Shock Absorption: Effectively disperses energy, providing stable, cushioned support underfoot.
- Rustic Elegance: Eight inviting colors designed to enhance warm, natural interiors.

Sizes & Options

- Stock Sizes: 2' x 3', 2' x 4', 2' x 6'.
- Colors and Styles: Catmandoo, Crocodile Matt Black, Lion, Willow, Copper, Water, Cardinal, Saddle, Plum, Walnut, Taupe, Lagoon.

Warranty

Backed by a 5-year no-questions-asked warranty for dependable, long-lasting performance.

Comfort Craft® PREMIUM Anti-Fatigue Mat

Stock No.	Size	Weight Ea. 3/4"
CCP-2436	2' x 3'	8.0 lbs.
CCP-2448	2' x 4'	9.0 lbs.
CCP-2472	2' x 6'	13.0 lbs.
CCP-3660	3' x 5'	18.0 lbs.

Colors: Catmandoo, Crocodile Matt Black, Lion, Willow, Copper, Water, Cardinal, Saddle, Plum, Walnut, Taupe, Lagoon. 3/4" Thick

Diamond TRED® Anti-Fatigue Mat



The Diamond Tred Anti-Fatigue Mat delivers surprising comfort at a cost-effective price, making it ideal for commercial, industrial, and high-traffic workspaces.

Built for Durability

- Slip-Resistant Wear Layer: High-density vinyl foam bonded to a soft, moisture-resistant closed-cell vinyl sponge with Rhino's uni-bond process.
- Chemical Resistant: Withstands inorganic and organic acids, detergents, alcohols, hydrocarbons, mineral oils, amines, and aldehydes.
- Heavy-Duty Construction: 1/10" wear surface encapsulating a 1/2" sponge base (~9/16" overall thickness).
- Beveled Edges: Ensure smooth, safe transitions and reduced trip hazards.

Versatile Options


- Sizes: available in 2'x3', 3'x5'
- Available in custom sizes
- Color: Black

Warranty

Backed by a 3-year warranty for style and performance.

DIAMOND TRED™ Anti Fatigue Mats

Stock No.	Size	Weight Ea. 1/2"
DT-2436	2'x3'	6.0 lbs.
DT-2448	3'X5'	12.0 lbs.
CUSTOM SIZES LIN. FT.		
Stock No.	Size	Weight LF. 1/2"
DT-24	2' x LF'	2.0 lbs.
DT-36	3 'x LF'	3.0 lbs.
DT-48	4' x LF'	4.0 lbs.
Full Rolls		
Stock No.	Size	Weight FR. 1/2"
DT-24	2' x 60'	120.0 lbs.
DT-36	3 'x 60'	180.0 lbs.
DT-48	4' x 60'	240.0 lbs.



DURA-STEP Anti-Fatigue Mat



The Dura-Step™ Anti-Fatigue Mat combines safety, comfort, and long-lasting performance. Its embossed vinyl wear surface is permanently integrated with a moisture-resistant, closed-cell vinyl sponge, delivering superior results compared to standard single-layer foam mats.

Built to Last

- Embossed Vinyl Surface – Resists wear and provides reliable traction.
- Moisture-Resistant Sponge – Closed-cell construction extends durability.
- Long Duty Cycle – Engineered to outperform ordinary foam mats.

Superior Comfort & Safety

- 1/2" overall thickness for ergonomic support and fatigue reduction.
- Beveled edges on all four sides ensure smooth transitions and lay-flat stability.


Sizes & Options

- Thickness: 1/2"
- Color: Black
- Stock Sizes: 2'x3', 3'x5'
- Custom Cut Lengths: Available from 2', 3', and 4' rolls

Warranty

Engineered for durability and backed by Rhino's commitment to long-term performance.


3 Years



DURA-STEP Anti Fatigue Mats

Stock No.	Size	Weight Ea. 1/2"
DS-2436	2'x3'	7.0 lbs.
DS-2448	3'X5'	15.0 lbs.
CUSTOM SIZES LIN. FT.		
Stock No.	Size	Weight LF. 1/2"
DS-24	2' x LF'	2.0 lbs.
DS-36	3 'x LF'	3.0 lbs.
DS-48	4' x LF'	4.0 lbs.
Full Rolls		
Stock No.	Size	Weight FR. 1/2"
DS-24	2' x 60'	120.0 lbs.
DS-36	3 'x 60'	180.0 lbs.
DS-48	4' x 60'	240.0 lbs.

Comfort Step™ TEXTURED Anti-Fatigue Mat



The Comfort Step™ Textured Mat delivers practical comfort and dependable support for everyday standing environments. Built with ergonomic cushioning, it relieves fatigue while ensuring slip resistance and workplace safety.

Built to Last

- Closed-Cell Vinyl Foam: Durable and moisture resistant.
- Textured Surface: Pebble pattern enhances slip resistance and stability.

Superior Comfort


- Ergonomic Cushioning: Reduces stress on legs, knees, and back.
- Noise & Temperature Resistant: Dampens sound and insulates against cold floors.
- Beveled Edges: Minimize tripping hazards and provide smooth transitions.

Sizes & Options

- Thickness: 3/8" or 5/8".
- Color: Black, Gray
- Stock Sizes: 2'x3' and 3'x5'.
- Custom Sizes: Roll widths available in 24", 36", and 48". Roll lengths 60ft

Warranty

Backed by a 3-year warranty for dependable performance.



Comfort Step™ TEXTURED Anti Fatigue Mats

Stock No.	Size	Weight Ea. 3/8"	Weight Ea. 5/8"
CST-2436	2'x3'	6.0 lbs.	6.8 lbs.
CST-2448	3'X5'	12.0 lbs.	17.0 lbs.
CUSTOM SIZES LIN. FT.			
Stock No.	Size	Weight LF. 3/8"	Weight LF. 5/8"
CST-24	2' x LF'	2.0 lbs.	2.3 lbs.
CST-36	3 'x LF'	3.0 lbs.	3.4 lbs.
CST-48	4' x LF'	4.0 lbs.	4.5 lbs.
Full Rolls			
Stock No.	Size	Weight FR. 3/8"	Weight FR. 5/8"
CST-24	2' x 60'	120.0 lbs.	138.0 lbs.
CST-36	3 'x 60'	180.0 lbs.	204.0 lbs.
CST-48	4' x 60'	240.0 lbs.	270.0 lbs.
Stock number - Add 38 for 3/8" or Add 58 for 5/8"			

Comfort Step™ SAFETY Anti-Fatigue Mat



The Comfort Step® Safety Mat delivers ergonomic relief while enhancing workplace safety. With its bright yellow border and slip-resistant surface, it improves visibility and reduces hazards—making it a smart choice for active work environments.

Built to Last

- Durable Vinyl Foam – 3/8" thick closed-cell construction for lasting comfort.
- Slip-Resistant Surface – Textured top improves footing and stability.
- Safety Edges – Beveled borders minimize trip hazards and provide smooth transitions.

Superior Protection

- Bright Yellow Border – Enhances visibility for improved safety awareness.
- Cushioning Support – Relieves stress on legs, feet, and back during long shifts.

Sizes & Options

- Thickness: 3/8"
- Color: Black/Yellow
- Stock Sizes: 2'x3', 3'x5'
- Custom Cut Lengths: Available from 2', 3', and 4' rolls

Warranty

Backed by a 3-year warranty, ensuring reliable performance and workplace safety.

Comfort Step™ SAFETY Anti Fatigue Mats		
Stock No.	Size	Weight Ea. 3/8"
CCS-2436	2'x3'	6.0 lbs.
CCS-2448	3'X5'	12.0 lbs.
CUSTOM SIZES LIN. FT.		
Stock No.	Size	Weight LF. 3/8"
CCS-24	2' x LF'	2.0 lbs.
CCS-36	3 'x LF'	3.0 lbs.
CCS-48	4' x LF'	4.0 lbs.
Full Rolls		
Stock No.	Size	Weight FR. 3/8"
CCS-24	2' x 60'	120.0 lbs.
CCS-36	3 'x 60'	180.0 lbs.
CCS-48	4' x 60'	240.0 lbs.

Ama Cloud™ - SOLID Anti-Fatigue Mat



The Ama Cloud™ Solid Anti-Fatigue Mat is one of the most versatile ergonomic solutions available. Trusted in kitchens, assembly lines, casinos, and manufacturing facilities, it provides durable comfort, reliable safety, and hygienic performance.

Built to Last

- Durable Construction: Made from non-absorbent closed-cell PVC/NBR foam.
- Grease & Fuel Resistant: Withstands exposure in harsh environments.
- Hygienic Design: Mildew-proof and antibacterial for long-lasting use.

Superior Comfort & Safety

- Lightweight Design: Easy to move and clean.
- Slip-Resistant Surface: Textured for secure footing.
- Beveled Safety Edges: Reduce tripping hazards and ensure a smooth transition to the floor.

Sizes & Options


- Versions: Solid and Wet Area Perforated.
- Thickness: 5/8".
- Color: Black
- Stock Sizes: 2'x3' and 3'x5'.
- Custom Sizes: Roll widths of 24", 36", and 48".

Warranty


Backed by a 3-year guarantee for peace of mind.

Ama Cloud™ SOLID Anti Fatigue Mats

Stock No.	Size	Weight Ea. 5/8"
AC-2436-S	2' x 3'	4.5 lbs.
AC-3636-S	3' x 3'	5.5 lbs.
AC-3648-S	3' x 4'	7.0 lbs.
AC-3660-S	3' x 5'	9.0 lbs.
AC-3672-S	3' x 6'	9.5 lbs.
AC-3696-S	3' x 8'	12.5 lbs.



Ultra - DOME Anti-Fatigue Mat



The Ultra-Dome® Anti-Fatigue Mat features a unique hollow dome surface that encourages frequent posture changes, reducing fatigue and improving circulation during long shifts. Its durable molded rubber design makes it a dependable solution for active work areas.

Built to Last

- Molded Rubber Construction – Single-piece design ensures long-term durability.
- Safety-Focused Design – Beveled borders on all four sides reduce trip hazards.
- Stable Support – Solid-backed 1/2" thickness for comfort and reliability.

Superior Comfort

- Hollow Dome Surface – Stimulates subtle movement for improved circulation.
- Anti-Fatigue Relief – Helps reduce strain, tension, and discomfort over extended standing periods.

Sizes & Options


- Thickness: 1/2"
- Color: Black
- Stock Sizes: 2' x 3', 3' x 4'

Warranty

Backed by a 3-year warranty for dependable performance and peace of mind.

Comfort Step™ ESD Anti Fatigue Mats

Stock No.	Size	Weight Ea. 1/2"
UD-2436	2' x 3'	8.4 lbs.
UD-3648	3' x 4'	16.8 lbs.




Tritan® MPAK Floor Protection



The Tritan® MPAK Mat is built to take on relentless wear and tear. Crafted from a rugged blend of nylon fibers and premium rubber, it stands up to repeated heavy impacts—making it ideal for gyms, metal shops, manufacturing floors, warehouses, horse stalls, and dairy barns.


Built to Last

- Unmatched Durability – Incorporates recycled trim rubber from Pirelli® and Michelin®, two of the world's most trusted tire brands.
- Versatile Performance – Designed for industrial, fitness, and agricultural environments.
- Guaranteed Toughness – Resilient construction ensures long-lasting reliability.



Superior Protection

- Absorbs the shock of repeated impacts to protect both floors and equipment.
- Maintains stability under heavy use for safer, more dependable performance.




Sizes & Options

- Thickness: 1/2"
- Color: Black
- Stock Size: 4' x 6' (single size option)

Warranty

Backed by a 3-year warranty against wear and tear, delivering confidence and value in the toughest environments.

K-Series® SOLID DIAMOND - Interlocking Cushion Mat



With a rugged diamond surface pattern for superior footing, K-Series® Solid Diamond Mats are ideal for industrial applications, weight rooms, ice skating arenas, or any environment that requires both floor protection and standing comfort.

Built to Last

- Hidden interlock system allows build-out of virtually any size or configuration.
- Male connectors on two sides and female connectors on two sides—no accessory connectors needed.
- Solid top construction incorporates natural rubber with Nitrile polymer for added resistance to machine cutting fluids and acids.

Superior Comfort & Safety

- 3/4" thickness provides ergonomic fatigue relief and durability.
- Diamond tread surface ensures traction and slip resistance.
- Compatible ramp system available in black or yellow bevels for safe, visible edges.

Sizes & Options

- Mat Size: 3' x 3'
- Thickness: 3/4"
- Color: Black
- Ramp System: Interlocking black or yellow beveled edges

Warranty

Engineered for demanding environments and backed by Rhino's commitment to quality and performance.

K-Series Diamond Top
3/4" Thick



K-Series® SOLID DIAMOND - Interlocking Cushion Mat

Stock No.	Size	Weight Ea. 3/4"
KS-3636SD	3' x 3'	20 lbs.
K-36MY	36" bevel strip male yellow	1.5 lbs.
K-36FY	36" bevel strip female yellow	1.5 lbs.
K-36F	36" bevel strip female yellow	1.5 lbs.
K-40MY	40" bevel strip male yellow	1.5 lbs.
K-40FY	40" bevel strip female yellow	1.5 lbs.
K-40M	36" bevel strip male yellow	1.5 lbs.
K-40F	36" bevel strip female yellow	1.5 lbs.

Colors: Black Mat, Black or Yellow bevels (3/4" Thick Diamond)

Comfort Step™ ESD Anti-Fatigue Mat



Description

The Rhino Comfort Step ESD Mat is a rubberized anti-fatigue mat designed for static-sensitive environments. Its vinyl-nitrile construction delivers two to three times the resilience of ordinary vinyl sponge mats, providing added spring in your step and reducing fatigue during long periods of standing.

Features

- Cross-linked vinyl-nitrile resilient sponge for superior comfort
- Textured top surface with beveled edges for safety and accessibility
- Designed for static-sensitive environments
- Helps reduce worker fatigue while providing ESD protection

Materials

- Vinyl-nitrile sponge with durable anti-fatigue properties

Specifications


- Overall Thickness: 3/8"
- Color: Gray
- Resistivity: $< 10^9 \Omega$ (tested per ESD-S7.1 1994)
- Available in 3' rolls

Applications

- Electronics assembly and repair
- Static-sensitive workstations
- Cleanrooms and ESD-protected areas

Benefits

- Enhances comfort for standing personnel
- Protects sensitive electronics by controlling static
- Durable and resilient for high-traffic work environments



Comfort Step™ ESD Anti Fatigue Mats

Stock No.	Size	Weight LF. 3/8"
CSE-36	3'xLF'	2.7 lbs.
Sizes		
Stock No.	Size	Weight Ea. 3/8"
CSE-2436	2' x 3'	5.4 lbs.
CSE-3648	3' x 4'	10.8 lbs.
CSE-3660	3' x 5'	13.5 lbs.
CSE-36120	3' x 10'	27.0 lbs.
CSE-36144	3' x 12'	32.4 lbs.

Conductive DIAMOND Anti-Fatigue Mat



Description

The Rhino Conductive Diamond Anti-Fatigue Mat combines static electricity dissipation with superior comfort for personnel in ESD-sensitive environments. It safely disperses static the moment an operator steps on the mat, while providing anti-fatigue support for long periods of standing.

Features

- Electrically conductive diamond plate surface with resilient closed-cell polymeric sponge base
- Available in two overall thicknesses: 9/16" or 1"
- Beveled edges for safety and accessibility
- Disperses static from personnel to protect sensitive equipment
- Requires grounding via ground cord AA-107; surface should be kept clean

Materials

- Conductive diamond polymer surface
- Closed-cell polymeric sponge base

Specifications


- Surface Thickness: 5/32"
- Overall Thickness: 9/16" or 1"
- Color: Black
- Resistivity: $< 10^6 \Omega$ (tested per ESD-S7.1 1994)
- Stock Sizes: 2'x3', 3'x5'
- Custom Sizes: Available in 2', 3', and 4' widths

Applications

- Electronics assembly and repair
- Cleanrooms and ESD-sensitive workstations
- Areas requiring anti-fatigue support with ESD protection

Benefits

- Protects sensitive equipment by dispersing static instantly
- Provides ergonomic support for standing personnel
- Durable, high-traffic diamond surface with safe beveled edges



Conductive DIAMOND Anti-Fatigue

Stock No.	Size	Weight Ea. 9/16"	Weight Ea. 1"
ECD-2436	2'x3'	9.0 lbs.	12.0 lbs.
ECD-3660	3'X5'	23.0 lbs.	30.0 lbs.
CUSTOM SIZES LIN. FT.			
ECD-24	24"	3.0 lbs.	4.0 lbs.
ECD-36	36"	5.0 lbs.	6.0 lbs.
ECD-48	48"	6.7 lbs.	8.0 lbs.

Conductive SMOOTH Anti-Fatigue Mat



Description

The Rhino Conductive Smooth Anti-Fatigue Mat combines static electricity dissipation with ergonomic comfort for personnel in ESD-sensitive environments. It prevents the accumulation of static electricity, helping eliminate hazards such as data loss or damage to micro-circuitry equipment.

Features

- 1/8" thick electrically conductive smooth surface with a resilient closed-cell polymeric sponge base
- Available in two overall thicknesses: 1/2" or 7/8"
- Beveled edges for safety and accessibility
- Disperses static instantly to protect sensitive equipment
- Requires grounding via ground cord AA-107; surface should be kept clean

Materials

- Conductive smooth polymer surface
- Closed-cell polymeric sponge base

Specifications

- Surface Thickness: 1/8"
- Overall Thickness: 1/2" or 7/8"
- Resistivity: $< 10^6 \Omega$ (tested per ESD-S7.1 1994)
- Stock Sizes: 2'x3', 3'x5'
- Custom Sizes: Available in 2', 3', and 4' widths
- Color: Black

Applications

- Electronics assembly and repair
- Cleanrooms and ESD-sensitive workstations
- Areas requiring anti-fatigue support with ESD protection

Benefits

- Protects sensitive electronics from static discharge
- Provides ergonomic support for personnel on long shifts
- Durable, high-traffic smooth surface with safe beveled edges



Conductive SMOOTH Anti-Fatigue

Stock No.	Size	Weight Ea. 1/2"	Weight Ea. 7/8"
CS-2436	2'x3'	9.0 lbs.	12.0 lbs.
CS-3660	3'X5'	23.0 lbs.	30.0 lbs.
CUSTOM SIZES LIN. FT.			
CS-24	24"	3.0 lbs.	4.0 lbs.
CS-36	36"	5.0 lbs.	6.0 lbs.
CS-48	48"	6.7 lbs.	8.0 lbs.

Conductive DIAMOND Runner



Description

The Rhino Conductive Diamond Runner provides reliable electrostatic discharge (ESD) protection for industrial and electronics environments. Designed for use in sensitive areas, it helps safely dissipate static electricity to prevent damage to electronic components and equipment.

Features

- Electrically conductive diamond plate surface
- Disperses static from operators to prevent damage to sensitive equipment
- Requires grounding via cord for proper performance
- Surface should be kept clean to maintain conductivity

Materials

- Durable, electrically conductive polymer

Specifications


- Thickness: 5/32"
- Color: Black
- Resistivity: $< 10^6 \Omega$ (tested per ESD-S7.1 1994)

Applications

- Electronics assembly and repair
- Cleanrooms and ESD-sensitive areas
- Workstations with sensitive electronic equipment

Benefits

- Provides immediate static discharge for operator safety
- Protects high-value, sensitive electronics
- Durable diamond plate surface withstands high traffic



Conductive DIAMOND Runner

Stock No.	Size	Weight Ea. 5/32"
ECD-36	2'xLF'	2.7 lbs.
ECD-48	3'XLF'	3.4 lbs.
Full Rolls		
ECD-36	24"	203.0lbs.
ECD-48	36"	257.0 lbs.

Conductive SMOOTH Runner



Description

The Rhino Conductive Smooth Runner provides reliable electrostatic discharge (ESD) protection for industrial and electronics environments. Designed for use in sensitive areas, it helps safely dissipate static electricity to prevent damage to electronic components and equipment.

Features

- Smooth, conductive surface for efficient static dissipation
- Designed for industrial, electronics, and ESD-sensitive workstations
- Requires grounding via a cord for proper performance
- Surface should be maintained clean for optimal conductivity

Materials

- Conductive polymer with durable wear-resistant properties

Specifications


- Thickness: 3/32"
- Color: Black
- Resistivity: $< 10^6 \Omega$ (tested per ESD-S7.1 1994)

Applications

- Electronics assembly
- Cleanrooms and ESD-sensitive environments
- Manufacturing areas requiring static control

Benefits



- Protects sensitive electronics from ESD damage
- Durable and reliable surface for high-traffic areas
- Compatible with standard grounding procedures



Conductive SMOOTH Anti-Fatigue

Stock No.	Size	Weight Ea. 3/32"
CS-36	2'x3'	2.7 lbs.
CS-48	3'X5'	3.4 lbs.
Full Rolls		
CS-36	24"	203.0lbs.
CS-48	36"	257.0 lbs.

Bucket TRUCK MATS - Ama Cloud™



Wellness & Safety in the Bucket

Ama Cloud Anti-Fatigue Mat by Rhino sets the standard for industrial anti-fatigue solutions. Designed for demanding work environments, it combines long-lasting durability with exceptional comfort for the professionals who spend long hours in the bucket.

Key Benefits

- Closed-cell rubberized gel foam cushions reduce fatigue.
- Non-slip, antibacterial surface enhances safety and hygiene.
- A lightweight and durable design enhances handling and longevity.

Sizes & Configurations

- Standard roll widths: 3' and 4'
- Cut lengths and custom sizes available
- Color: Black
- Predefined sizes:
 - 1-Man: 19.5" x 19.5"
 - 1.5 Man: 21" x 27"
 - 1.5 Man Material Handler: 28" x 25"
 - 1.5 Man Trouble-man: 28" x 28"
 - 2-Man: 19.5" x 43.5"

Available Options

- Standard sizes and custom configurations from 3' and 4' rolls.
- Thickness: 5/8"
- Backed by a 3-year guarantee for lasting performance.

Empowering the lineman with comfort — one bucket at a time.


Bucket TRUCK Mats

Stock No.	Size	Weight Ea. 5/8"
BTM-1919	1-Man 19.5" X 19.5"	2.0 lbs.
BTM-2127	1.5 Man 21" X 27"	3.0 lbs.
BTM-2825	1.5 Man Material Handler 28" X 25"	4.0 lbs.
BTM-2828	1.5 Man Trouble-man, 28" X 28"	4.5 lbs.
BTM-1943	2 Man 19.5" X 43.5"	5.0 lbs.

Fusebox SAFETY Mat™




FUSEBOX SAFETY DIAMOND SURFACE BLACK 1/4" THICK



Test Voltage 30,000 VAC, Proof Test 20,000 VAC, Recommended 17,000 VAC

FUSEBOX SAFETY CORRUGATED SURFACE MAT BLACK 1/2" THICK



Test Voltage 50,000 VAC Proof Test 40,000 VAC Recommended 36,000 VAC



Fusebox SAFETY Mat™

Stock No.	Size	Weight Ea. 1/4"	Weight Ea. 1/2"
FBS-2436	2'x3'	12.0 lbs.	20.0 lbs.
FBS-3636	3'X3'	15.0 lbs.	32.0 lbs.

✓ Durable. Portable. Certified.

With Rhino, you're covered for the "if" in life.

ASTM CORRUGATED Switchboard Mats



Rhino Switchboard Mats – For the "if" in Life™

Protection Where It Matters Most

Specially compounded, non-conductive rubber matting designed to provide insulation against electrical shock. Available in four gauges to match system fault levels and protection requirements.

Applications

Their function is to protect personnel working in substations, data centers, UPS rooms, generator rooms, switchgear rooms, transformers, switches, electrical panels, engine rooms, and generators, providing a safe insulating barrier between the floor and energized equipment.

Quality You Can Count On


- Tested to ASTM D178 / ANSI J6.7 standards
- Certification is printed on the back
- Available in Corrugated surface patterns
- Trusted by the oil industry, mass transit systems, and safety suppliers worldwide

Class Ratings & Specifications

- Class 1 (3/16") – 20,000 VAC tested | Max use: 7,500 VAC
- Class 2 (1/4") – 30,000 VAC tested | Max use: 17,000 VAC
- Class 3 (3/8") – 40,000 VAC tested | Max use: 26,500 VAC
- Class 4 (1/2") – 50,000 VAC tested | Max use: 36,500 VAC
- Color: Black

Availability




- Class 1, 2 & 3, 75ft rolls or custom-cut lengths
- Class 4: 30ft rolls or custom-cut lengths
- 3' and 4' widths available with Class 2



ASTM CORRUGATED Switchboard Mats

Stock No.	Size	Class / Thick	Weight
SB336C	36"	Class1 - 3/16" LF.	4.2 lbs.
SB336C	3'x75'	Class1 - 3/16" FR.	315.0 lbs.
SB424C	24"	Class2 - 1/4" LF.	3.9 lbs.
SB424C	36"	Class2 - 1/4" LF.	5.8 lbs.
SB424C	48"	Class2 - 1/4" LF.	7.8 lbs.
SB424C	2'x75'	Class2 - 1/4" FR.	292.0 lbs.
SB424C	3'x75'	Class2 - 1/4" FR.	435.0 lbs.
SB424C	4'x75'	Class2 - 1/4" FR.	580.0 lbs.
SB536C	36"	Class1 - 3/8" LF.	8.7 lbs.
SB536C	3'x75'	Class1 - 3/8" FR.	653.0 lbs.
SB636C	36"	Class1 - 1/2" LF.	11.6 lbs.
SB636C	3'x30'	Class1 - 1/2" FR.	348.0 lbs.

ASTM DIAMOND Switchboard Mat - Class 2



Rhino Switchboard Mats - For the "if" in Life™

Protection Where It Matters Most

Specially compounded, non-conductive rubber matting designed to provide insulation against electrical shock. Available in Class 2, Type 1.

Applications

Their function is to protect personnel working in substations, data centers, UPS rooms, generator rooms, switchgear rooms, transformers, switches, electrical panels, engine rooms, and generators, providing a safe insulating barrier between the floor and energized equipment.

Quality You Can Count On

- Tested to ASTM D178 / ANSI J6.7 standards
- Certification printed on the back
- Available in Diamond plate surface pattern
- Trusted by the oil industry, mass transit systems, and safety suppliers worldwide

Class Ratings & Specifications

- Class 2 (1/4") - 30,000 VAC tested | Max use: 17,000 VAC

Availability

- Full rolls 75ft, 3' & 4' wide rolls or custom-cut lengths
- Color: Black or Black/Yellow

ASTM DIAMOND Switchboard Mats

Stock No.	Size	Class / Thick	Weight
DIAMOND SWITCHBOARD Solid Black			
SBD4-36D	36"	Class2 - 1/4" LF.	5.8 lbs.
SBD4-48D	48"	Class2 - 1/4" LF.	7.8 lbs.
SBD4-36D	3'x75'	Class2 - 1/4" FR.	435.0 lbs.
SBD4-48D	4'x75'	Class2 - 1/4" FR.	580.0 lbs.
DIAMOND SWITCHBOARD BLACK/ YELLOW			
SBD4-36Y	36"	Class2 - 1/4" LF.	5.8 lbs.
SBD4-36Y	3'x75'	Class2 - 1/4" FR.	435.0 lbs.

ASTM GRAY DIAMOND Switchboard Mat - Class 1



Rhino Switchboard Mats – For the "if" in Life™

Engineered for High-Risk Environments

Class 1 Gray Diamond Switchboard Matting is a popular OEM choice for IEC switchgear applications, offering reliable insulation against destructive arcing faults.

Applications

- Substations
- Transformers
- Control panels
- Engine rooms
- Generators



Quality You Can Count On

- Tested to ASTM D178 / ANSI J6.7 standards
- Certification printed on the back
- Diamond surface—easy to sweep and maintain
- Preferred in industries requiring uncompromised safety

Class Ratings & Specifications

- Class 1 (3/16") – 20,000 VAC tested | Max use: 7,500 VAC
- Full rolls 3'X75' or custom cut lengths
- Color: Gray



Trusted Worldwide

The brand of choice in oil, mass transit, and global electrical safety markets.

ASTM GRAY DIAMOND Switchboard Mats

Stock No.	Size	Class / Thick	Weight LF.
SB-336DG	36"	Class 1 - 3/16"	4.2 lbs.
Stock No.	Size	Class / Thick	Weight FR.
SB-336DG	3'x75'	Class 1 - 3/16"	315.0 lbs.

Dual PURPOSE™ Switchboard Anti-Fatigue Mat



Rhino Switchboard Mats – For the "if" in Life™

Comfort + Protection in One Solution

Dual-purpose mats combine anti-fatigue comfort with non-conductive switchboard insulation, making them ideal for workers in high-risk electrical environments.

Construction

- ASTM D178 Class 2 Switchboard Matting (1/4")
- Laminated to a 3/8" resilient polymeric sponge base
- Diamond or Corrugated surface pattern for secure footing

Applications

Substations, switchgear, control panels, transformers, or any area where electrical hazards are possible.

Quality You Can Count On

- Tested to ASTM D178 / ANSI J6.7 standards
- Patent Pending design
- Stock sizes: 2' x 3', 3' x 5'
- Custom sizes from 3' and 4' rolls

Class Ratings & Specifications

- Class 2 (1/4") – 30,000 VAC tested | Max use: 17,000 VAC
- Color: Black



Dual PURPOSE™ Switchboard Anti-Fatigue Mat

Stock No.	Size	Weight Ea. 5/8"	Weight Ea. 1"
DP-2436	2'x3'	15.0 lbs.	17.0 lbs.
DP-3660	3'x5'	38.0 lbs.	40.0 lbs.
Stock No.	Size	Weight LF. 5/8"	Weight LF. 1"
DP-24	2'	5.0 lbs.	5.7 lbs.
DP-36	3'	7.6 lbs.	8.0 lbs.
DP-48	4'	10.0 lbs.	11.0 lbs.
DP-72	6'	15.0 lbs.	16.5 lbs.
DP-96	8'	20.0 lbs.	22.0 lbs.

FOR THE DIAMOND SURFACE (ADD 'D' TO THE STOCK NUMBER)

EV Safety Mat™



Rhino Switchboard Mats – For the "if" in Life™

Why EV Charging Safety Matters

With rising EV adoption, charging failures and damaged equipment create risks of shock or fire. An electrically insulating mat provides critical protection when plugging in or disconnecting.

Safety Focused. Results Driven.

Portable and lightweight, the EV Safety Mat™ is ideal for public stations and home garages.

Available Options


- Portable: stock sizes 24" x 36" and 36"X36".
- Custom sizes from 3' wide rolls
- 3/16" Thick Class 1
- Color: Gray, Diamond surface

Performance

- Dielectric tested: 20,000 VAC
- Proof tested: 10,000 VAC
- Max recommended use: 7,500 VAC

Quality You Can Count On

- Tested to ASTM D178 / ANSI J6.7 specifications
- Certification printed on the back



EV Safety Mat™		
Stock No.	Size	Weight Ea. 3/16"
ECV-2436-336-P	24" X 36"	5.0 lbs.
ECV-3636-336P	36" X 36"	9.0 lbs.
ECV-3648-336DG	36" X 48"	17.0 lbs.
ECV-3660-336DG	36" X 60"	21.0 lbs.
ECV-3672-336DG	36" X 72"	25.0 lbs.
ECV-3696-336DG	36" X 96"	34.0 lbs.
ECV-36120-336DG	36" X 120"	42.0 lbs.
ECV-36144-336DG	36" X 144"	51.0 lbs.
ECV-36192-336DG	36" X 192"	67.0 lbs.

Boat DOCK Safety Mat™




BOAT DOCK SAFETY PORTABLE MAT

THICKNESS 3/16 INCH
20,000 VAC
DIELECTRIC TEST VOLTAGE

BOAT DOCK SAFETY STATION MAT

THICKNESS 3/16 INCH
20,000 VAC
DIELECTRIC TEST VOLTAGE



Rhino Switchboard Mats – For the "if" in Life™

Portable Safety for Dockside Power

Provides portable insulation when working around marina pedestals, breaker boxes, or dockside panels—adding safety when handling power connections.

Why It Matters

Electric shocks at marinas do happen. Standing on a switchboard mat reduces the risk of injury when energizing equipment.

Maintenance Tips

- Inspect pedestals for wear, damage, or corrosion
- Check for loose or exposed wires
- Tighten connections periodically
- Clean regularly to remove salt and contaminants

Quality You Can Count On


- Tested to ASTM D178 / ANSI J6.7 specifications
- Certification printed on the back
- Type 1, Class 1, 3/16" thick

Electrical Performance

- Dielectric tested: 20,000 VAC
- Proof tested: 10,000 VAC
- Max recommended use: 7,500 VAC

Sizes Available


- 2' x 3' & 3'X3' Stock sizes
- 3' x 5' Station Mat with 14" x 14" opening
- Custom cut lengths from 3 ft rolls
- Color: Gray, Diamond surface



Boat DOCK Safety Mat™

Stock No.	Size	Weight Ea. 3/16"
BDSM-2436-336-P	24" X 36"	9.0 lbs.
BDSM-3660-336-DG	36" X 60"	24.0 lbs.

Pyramid RUNNER™ Mat



Slip-Resistant Transitional Runner

Safety You Can Stand On

Pyramid Runner™ delivers exceptional slip resistance with its 1/8" thick, non-directional pyramid pattern. Ideal for transitional and high-traffic areas, it protects floors while providing secure footing.

Key Features

- Thickness: 1/8"
- Non-directional pyramid surface for maximum slip resistance
- Embossed backing adds skid resistance
- Resists oils, greases, and fats
- Meets Motor Vehicle Safety Standard No. 302 (49 CFR 571.302)

Applications


- Kitchens, showers, locker rooms, parking garages
- Transitional areas between slippery and dry floors
- Easy maintenance—hose down or sweep clean

Sizes & Options

- Widths: 3' and 4' (cut to length)
- Color: Black

Benefits

- Improves safety and stability in slippery zones
- Protects flooring from wear and damage
- Easy to clean, long-lasting



Pyramid RUNNER™ Mat

Stock No.	Size	Weight LF. 1/8"
VP36B	3' X LF'	2.6 lbs.
VP48B	4' X LF'	3.5 lbs.
VP36B	3' X 105'	273.0 lbs.
VP48B	4' X 105'	368.0 lbs.

Easy KLEEN™ Rib Runner Mat



Durable Non-Slip Vinyl Runner

Clean, Safe, and Quiet

Easy Kleen™ Rib Runner is crafted from 100% post-industrial vinyl with a rounded rib profile for reliable non-slip traction. Designed to remove dirt and debris while reducing noise and protecting floors.

Key Features

- Thickness: 1/8"
- Material: 100% post-industrial vinyl
- Rounded rib design improves traction
- Will not curl or crack; stain and abrasion resistant
- Meets Motor Vehicle Safety Standard No. 302 (49 CFR 571.302)

Applications



- Entrances, hallways, kitchens, locker rooms
- High-traffic areas with foot or cart traffic

Sizes & Options

- Widths: 3', 4', 5'
- Roll length: 105' (cut lengths available)
- Color: Black

Benefits

- Reduces dirt tracked indoors
- Protects flooring from damage
- Durable, low-maintenance design



Easy KLEEN™ Rib Runner Mat

Stock No.	Size	Weight LF. 1/8"
EK24B	2' X LF'	1.5 lbs.
EK36B	3' X LF'	2.2 lbs.
EK48B	4' X LF'	2.6 lbs.
EK60B	5' X LF'	3.75 lbs.
EK24B	2' X 105'	157.0 lbs.
EK36B	3' X 105'	231.0 lbs.
EK48B	4' X 105'	273.0 lbs.
EK60B	5' X 105'	394.0 lbs.

Diamond PLATE™ Runner Mat



Heavy-Duty Anti-Skid Vinyl Matting

Performance & Protection

Diamond Plate™ Runner is engineered with a deeply embossed "steel-deck" pattern for superior durability and traction. Its anti-skid backing secures placement, while the vinyl compound resists chemicals and oils.

Key Features

- Thickness: 5/32"
- Durable vinyl with embossed diamond plate surface
- Anti-skid backing keeps the mat in place
- Resists most oils, chemicals, beverages, and cleaners
- Meets Motor Vehicle Safety Standard No. 302 (49 CFR 571.302)

Applications


- Industrial, commercial, and residential high-traffic areas
- Workshops, loading docks, and garage floors

Sizes & Options

- Widths: 2', 3', 4' (full rolls or cut lengths)
- Colors: Solid Black, Black/Yellow, Gray, Yellow with Chevron Edge

Benefits

- Superior slip resistance and traction
- Long-lasting in heavy-traffic conditions
- Distinct color options for hazard awareness



Diamond PLATE™ Runner Mat

Stock No.	Size	Weight LF. 5/32"
DV24B	2' X LF'	1.8 lbs.
DV36B	3' X LF'	2.7 lbs.
DV48B	4' X LF'	3.43 lbs.
DV24B	2' X 75'	135 lbs.
DV36B	3' X 75'	203 lbs.
DV48B	4' X 75'	257 lbs.
Colors: Black, Gray, Black/Yellow, (Chevron) Black/Yellow		

CORRUGATED Runner Mat



Heavy-Duty Non-Slip Floor Matting

Performance & Protection

Corrugated Runner is designed with a deep V-groove pattern for reliable non-slip performance in high-traffic environments. Its flexible yet durable construction provides noise abatement, floor protection, and easy cart movement. Routine sweeping removes dirt and mud, keeping surfaces clean with minimal effort.

Key Features

- Available Thicknesses: 1/8" (PVC), 3/16" & 1/4" (Rubber)
- Deep V-groove pattern enhances traction
- Manufactured with 100% post-industrial vinyl compound
- Flexible, durable construction resists curling and cracking
- Meets Flammability Test requirements of Motor Vehicle Safety Standard No. 302 (49 CFR 571.302)
- Stain and abrasion resistant

Applications

- Industrial, commercial, and residential high-traffic areas
- Entryways, workshops, loading docks, and cart pathways

Sizes & Options


- Custom lengths and widths available
- Multiple thicknesses to meet specific performance needs
- Standard colors: Black

Benefits


- Superior slip resistance and noise abatement
- Protects floors from wear and debris




Thick - 3/16"



Thick - 1/8"



Thick - 1/4"



CORRUGATED Runner Mat

Stock No.	Size	Weight LF. 1/8" Thick
1CV24	2' X LF'	1.5 lbs.
1CV36	3' X LF'	2.23 lbs.
1CV48	4' X LF'	2.86 lbs.
Stock No.	Size	Weight FR. 1/8" Thick
1CV24	2' X 105'	157.0 lbs.
1CV36	3' X 105'	234.0 lbs.
1CV48	4' X 105'	300.0 lbs.
Stock No.	Size	Weight LF. 1/4" Thick
3CV24	2' X LF'	3.66 lbs.
3CV36	3' X LF'	5.33 lbs.
3CV48	4' X LF'	6.66 lbs.
Stock No.	Size	Weight FR. 1/4" Thick
3CV24	2' X 75'	274.5 lbs.
3CV36	3' X 75'	400.0 lbs.
3CV48	4' X 75'	500.0 lbs.
Stock No.	Size	Weight LF. 3/16" Thick
2CV36B	3' X LF'	4.0 lbs.
Stock No.	Size	Weight FR. 3/16" Thick
2CV36	3' X 75'	300.0 lbs.

Tritan® Perma Walk - RUBBER RUNNER Mat



Durable, Heavy-Duty Safety Matting

Safe, Reliable Footing

Tritan® Perma Walk provides secure footing in warehouse aisles, assembly areas, catwalks, freezers, and coolers. Its $\frac{1}{4}$ " wide corrugations improve traction and make cleaning simple.

Sustainable & Resilient

- Made with natural rubber harvested from Para trees (eco-friendly, renewable)
- Reinforced with recycled trim rubber from tire manufacturing
- High resilience, tensile strength, and tear resistance even at low temps

Specifications & Options


- Thickness: $\frac{3}{8}$ "
- Color: Black
- Sizes: 3'x5', 3'x10', 3'x15', 3'x20' (full rolls and cut lengths)
- Can be trimmed for tight installations
- Backed by a 5-year guarantee

Applications

- Freezers, coolers, kitchens, and assembly lines
- Wet or slippery industrial areas

Benefits

- Heavy-duty slip-resistant surface
- Eco-conscious materials
- Reliable, long-lasting performance



Tritan® Perma Walk - RUBBER RUNNER Mat

Stock No.	Size	Weight LF. $\frac{3}{8}$ "
TPW-36B	3' X LF'	4.7 lbs.
TPW-320B	3' X 20'	94.0 lbs.

Tritan® Perma Walk - GRIT SURFACE Mat



Extreme Slip-Resistance Rubber Runner

Safe, Secure Footing

This Perma Walk option features a naturally odorless mineral carbide grit surface for exceptional slip resistance. Ideal for freezers, dishwashing stations, and slippery industrial environments.

Sustainable & Resilient

- Natural Para rubber supports renewable agriculture
- Recycled tire trim from Pirelli® & Michelin® adds strength
- Excellent flexibility and durability in low temperatures

Specifications & Options

- Thickness: 3/8"
- Color: Black
- Sizes: 3'x5', 3'x10', 3'x15', 3'x20' (full rolls and cut lengths)
- 5-year performance guarantee

Applications

- Food service, dishwashing, and assembly areas
- Industrial freezers, coolers, and warehouse aisles


Benefits

- Extreme slip resistance from the grit surface
- Eco-conscious construction
- Built for demanding environments

Tritan® Perma Walk - GRIT SURFACE Mat

Stock No.	Size	Weight LF. 3/8"
TPW-36G	3' X LF'	6.3 lbs.
TPW-320G	3' X 20'	120.0 lbs.

B-SERIES DRAIN THRU 3/4" THICK



Description

The Rhino B-Series® Drain-Thru Mat delivers top-tier comfort, safety, and durability for commercial kitchens and food service workstations. Engineered with superior anti-fatigue performance, it keeps workers comfortable while maintaining a cleaner, safer environment.


Features

- Molded crossbar surface for secure footing in wet or greasy conditions
- Multi-bar Posa-Track underside enhances drainage, prevents slipping, and adds cushioning
- Beveled edges on all four sides for safety and accessibility
- 3/4" thickness



Materials

- Natural rubber harvested from the Para rubber tree (renewable, eco-friendly)
- Nitrile polymer blend for resistance to hot oil, fuel, and acids
- High resilience, tensile strength, tear resistance, and low-temperature flexibility



Sizes & Configurations

- 2'x3', 3'x3', 3'x5', 3'x10'

Colors

- Black (grease-resistant)
- Terra Cotta (grease-proof)

Applications

- Commercial kitchens, food service stations, industrial work areas

Benefits

- Ergonomic anti-fatigue support for long hours of standing
- Slip-resistant and safe in wet or greasy conditions
- Durable and chemically resistant
- Environmentally sustainable materials

Warranty

- 2-Years

B-Series® Drain-Thru Mat

Stock No.	Size	Weight Ea. 3/4"
BS-2436B	2' X 3'	10.0 lbs.
BS-3636B	3' X 3'	14.0 lbs.
BS-3660B	3' X 5'	22.0 lbs.
BS-36120B	3' X 10'	42.0 lbs.
B2-2436R	2' X 3'	10.0 lbs.
B3-3636R	3' X 3'	14.0 lbs.
B5-3660R	3' X 5'	22.0 lbs.
B1-36120R	3' X 10'	42.0 lbs.

Colors: Black, Terra Cotta / Thick 3/4"

M-SERIES DRAIN THRU 3/4" THICK



Description

Superior anti-fatigue mat designed for commercial and food service workstations. Drain-thru design keeps floors clean while supporting long hours of standing.

Features

- Molded crossbar surface for secure footing
- Multi-bar Posa-Track underside for non-skid stability and comfort
- Built-in connectors for modular configurations
- Thickness: 3/4"

Materials

- Natural rubber from Para rubber tree (sustainable, renewable)
- Combined with nitrile polymer for resistance to hot oil, fuel, and acids

Sizes & Configurations

- 39" x 58" (1 x 1 1/2 meters)

Colors

- Black (grease-resistant) and Terra Cotta (grease-proof)

Applications




- Commercial kitchens, bars, food service workstations

Benefits



- Anti-fatigue support
- Slip-resistant, easy to clean
- Eco-friendly materials

Warranty

- 2-Years

M-Series® Meter Mat Drain-Thru (Black / Terra Cotta)		
Stock No.	Size	Weight Ea. 3/4"
M-3958B	39" x 58"	22.0 lbs.
M-3958R	39" x 58"	22.0 lbs.
Colors: Black, Terra Cotta / Thick 3/4"		



K-SERIES® Drain-Thru Interlocking Mats



Description

The Rhino K-Series® Drain-Thru Interlocking Mat delivers high-performance durability with superior anti-fatigue comfort, making it a trusted choice for commercial and food service workstations. It enhances safety, comfort, and floor cleanliness for demanding environments.

Features

- Molded crossbar surface for secure footing
- Multi-bar Posa-Track underside for non-skid stability and improved drainage
- Interlocking connectors on all sides for virtually unlimited size and configuration
- 3/4" thickness

Materials

- Natural rubber from the Para rubber tree (renewable, eco-friendly)
- Blended with nitrile polymer for resistance to hot oil, fuel, and acids
- Offers elasticity, high resilience, tensile strength, tear resistance, and low-temperature flexibility

Sizes & Configurations

- 2'x3', 3'x3', 3'x4', 3'x5'
- Interlocking modules allow customizable layouts

Colors

- Grease Resistant Black and , Grease Proof Terra Cotta

Applications

- Commercial kitchens, food service workstations, industrial areas requiring anti-fatigue support and slip resistance

Benefits

- Ergonomic anti-fatigue support
- Slip-resistant, safe for wet or greasy areas
- Durable and chemical-resistant
- Modular and adaptable to any workspace

Warranty

- 2-Year



K-Series® Drain-Thru Interlocking Mats

Stock No.	Size	Weight Ea. 3/4"
K2-2436	2' x 3'	10.0 lbs.
K3-3636	3' x 3'	15.0 lbs.
K4-3648	3' x 4'	20.0 lbs.
K5-3660	3' x 5'	26.0 lbs.

Colors: Grease Resistant Black and , Grease Proof Terra Cotta - 3/4" Thick



G-SERIES - GRIT SURFACE DRAIN THRU 1/2" THICK



Description
Extremely slip-resistant mats with naturally occurring carbide grit are ideal for freezers, coolers, fryers, and dishwashing areas.

Features

- Grit surface for maximum traction
- Multi-bar Posa-Track underside
- Interlocking is compatible with the G-Series ramp system
- 1/2" thick

Materials

- Natural Para rubber, eco-friendly
- High resilience, tensile, and tear strength

Sizes & Configurations

- Standard: 3'x5'
- Interlocking: 3'x3' with attachable bevels

Colors

- Black with grit, optional yellow bevels

Applications

- Freezers, coolers, fryers, ice machine areas

Benefits


- Anti-fatigue support
- Slip-resistant
- Modular interlocking configuration

Warranty

- 2-Years

G-Series® Grit Surface Drain-Thru Mat		
Stock No.	Size	Weight Ea. 1/2"
G5-3660G	3 X 5'	18.0 lbs.
G3-3636	3' X 3'	14.0 lbs.
Color: Black / Thick 1/2"		

Tuff-Flex® Drain-Thru Mats



Description

Trusted in food service for ergonomic comfort, traction, and durability in wet or greasy environments.

Features

- Open-drain design for slip resistance
- Grease-resistant or grease-proof finishes
- 3/4" thickness

Materials

- Natural Para rubber
- High resilience, tensile strength, tear resistance

Sizes & Configurations

- 3'x5'

Colors

- Black (grease-resistant), Green (grease-proof)

Applications




- Kitchens, bars, wet food prep areas

Benefits

- Comfortable and safe
- Sustainable material
- Easy to clean

Warranty

- 2-Years



Tuff-Flex® Drain-Thru Mats		
Stock No.	Size	Weight Ea. 3/4"
TF-3660B	3' X 5'	28.7 lbs.
TF-3660G	3' X 5'	29.8 lbs.
Colors: Black, Green / 3/4" Thick		

E-SERIES - TEXTURED DRAIN THRU 1/2" THICK



Description

Economical anti-fatigue mats providing safe, firm footing and drainage for manufacturing and food service environments.

Features

- Textured surface with thick support bars
- Interlocking option for custom layouts
- Beveled edges for safety
- 1/2" thickness



Materials

- High-resilience rubber with grease resistance
- Maintains tensile and tear strength at low temperatures

Sizes & Configurations

- Drain-Thru: 3'x5'
- Interlocking: 3'x3' with optional attachable bevels



Colors

- Black, optional yellow bevels

Applications

- Manufacturing, kitchens, bars, food service stations

Benefits

- Anti-fatigue support
- Slip-resistant and durable
- Modular and customizable


Warranty

- 2-Years

E-Series® Drain-Thru & Interlocking

Stock No.	Size	Weight Ea. 1/2"
E5-3660B	3' X 5'	18.0 lbs.
ES-3636B	3' x 3'	13.2 lbs.
Colors: Black, 1/2" Thick		

DRAIN-X™ - DIAMOND DRAIN THRU MAT



Description

Next-generation rubber drain-thru mats with a rectangular hole design for enhanced drainage and versatile use.

Features

- Non-directional diamond surface
- Connectors on all four sides
- 1/2" thick

Materials

- Natural rubber from Para tree
- Resistant to hot oil and cutting fluids

Sizes & Configurations

- 2'x3' and 3'x3'

Colors

- Black (grease-resistant), Terra Cotta (grease-proof)

Applications



- Industrial and food service environments

Benefits

- Ergonomic comfort
- Slip-resistant
- Sustainable

Warranty


- 2-Years



Drain-X™ Diamond Drain-Thru Mat

Stock No.	Size	Weight Ea. 1/2"
DX-2436B	2' X 3'	8.2 lbs.
DX-3636B	3' X 3'	11.5 lbs.
DX-2436R	2' X 3'	8.8 lbs.
DX-3636R	3' X 3'	12.0 lbs.
Colors: Black, Terra Cotta / Thick 1/2"		

K-SERIES® COMFORT TRACT



Description

The Rhino K-Series® Comfort Tract mat delivers best-in-class performance with superior anti-fatigue properties, making it an ideal solution for commercial and food service environments. It combines comfort, traction, and drainage in a durable, lightweight design suitable for demanding workplaces.

Features

- Molded crossbar surface for safe, secure footing
- Multi-bar Posa-Track underside for non-skid stability and enhanced comfort
- Superior drainage for cleaner, safer work areas
- 1/2" thickness with molded beveled edges on all four sides

Materials

- Natural rubber from Para rubber tree (renewable, eco-friendly)
- Nitrile polymer blend for resistance to hot oil, fuel, and acids
- Offers resilience, tensile strength, tear resistance, and low-temperature flexibility

Sizes & Configurations

- 2'x4', 3'x5', 3'x10', 3'x15', 3'x20'

Colors

- Black (grease-resistant) and Terra Cotta (grease-proof)

Applications

- Commercial kitchens, food service workstations, and industrial environments requiring anti-fatigue support and slip resistance

Benefits

- Ergonomic anti-fatigue support for long hours of standing
- Slip-resistant, safe for wet or greasy areas
- Heavy-duty yet lightweight and easy to handle
- Durable and chemically resistant

Warranty


- 2-Year

K-Series® Comfort Tract Drain-Thru Mats		
Stock No.	Size	Weight Ea. 1/2"
KCT-2448B	2' X 4'	11.6 lbs.
KCT-3660B	3' X 5'	17.2 lbs.
KCT-310B	3' X 10'	34.4 lbs.
KCT-315B	3' X 15'	51.6 lbs.
KCT-320B	3' X 20'	68.8 lbs.
KCT-3660R	3' X 5'	18.3 lbs.
KCT-310R	3' X 10'	36.6 lbs.
KCT-315R	3' X 15'	54.9 lbs.
KCT-320R	3' X 20'	73.2 lbs.


Colors: Grease-Resistant Black or Grease-proof Terra Cotta / Thick 1/2"



1/2" Thick



S-SERIES® SAFETY TRACT MAT



Description

High-performance, eco-friendly anti-fatigue mat designed for commercial, industrial, and food service workstations.

Features

- Molded crossbar surface for safe, slip-resistant footing
- Multi-bar Posa-Track underside for superior drainage, cleanliness, and comfort
- One-piece construction with 4-sided yellow safety bevels
- 3/4" thickness for enhanced ergonomic support

Materials

- Natural tree-derived Para rubber (renewable, sustainable, eco-friendly)
- High resilience, tensile strength, and tear resistance
- Combined with nitrile polymer for resistance to hot oil, fuel, and acids

Sizes & Configurations

- 2' x 3', 3' x 3', 3' x 5', 3' x 10'

Colors

- Black with yellow safety bevels

Applications

- Manufacturing facilities
- Commercial kitchens
- Food service workstations
- Industrial assembly areas

Benefits


- Slip-resistant and safe
- Superior anti-fatigue support
- Enhanced drainage and easy cleaning
- Eco-friendly and durable

Warranty

- 2 Years

S-Series® Safety Tract Drain-Thru Mat

Stock No.	Size	Weight Ea. 3/4"
ST-2436-BY	2' x 3'	9.0 lbs.
ST-3636-BY	3' x 3'	12.3 lbs.
ST-3660-BY	3' x 5'	22.0 lbs.
ST-310-BY	3' x 10'	44.0 lbs.
Colors: Black with Yellow Border/ Thick 3/4"		



HEX-O-LITE - DRAIN THRU MAT



Description

Honeycomb-patterned mat offering excellent weight-to-strength ratio with anti-fatigue support.

Features

- Honeycomb design
- Built-in connectors for modular layouts
- 1/2" thick

Materials

- Natural Para rubber
- Nitrile polymer blend for chemical resistance

Sizes & Configurations

- 3'x3', 3'x4'

Colors

- Black (grease-resistant), Green (grease-proof)

Applications




- Kitchens, bars, industrial workstations

Benefits

- Anti-fatigue and durable
- Modular design
- Easy to clean

Warranty

- 2-Years



Hex-O-Lite® Drain-Thru Mat

Stock No.	Size	Weight Ea. 1/2"
HC3636BLK	3' X 3'	12.0 lbs.
HC3648BLK	3' X 4'	16.0 lbs.
HC3636GRN	3' X 3'	14.2 lbs.
HC3648GRN	3' X 4'	19.2 lbs.
Colors: Black, Green/ Thick 1/2"		

MULTI-MAT® - DRAIN THRU MAT



Description

All-purpose, lightweight anti-fatigue mat with drain-thru design for commercial and food service areas.

Features

- Molded crossbar surface
- Multi-bar underside
- 3/8" thickness with beveled edges

Materials

- Natural Para rubber
- Nitrile polymer blend

Sizes & Configurations

- 3'x5'
- Colors: Black (grease-resistant), Green (grease-proof)

Applications




- Kitchens, bars, industrial workstations

Benefits


- Ergonomic anti-fatigue support
- Slip-resistant
- Lightweight and easy to handle

Warranty

- 2-Years




3/8" Thick



Multi-Mat™ Drain-Thru Mat

Stock No.	Size	Weight Ea. 3/8"
MM-3660B	3' X 5'	21.4 lbs.
MM-3660G	3' X 5'	22.0 lbs.
Colors: Black, Green/ Thick 3/8"		

Sudden COMFORT[®] ANTI-FATIGUE DRAIN-THRU MAT



Description

Polyurethane sponge anti-fatigue mat with drain-thru construction for superior comfort and support.

Features

- 3/4" polyurethane sponge core
- 1/8" solid polyurethane skin for wear resistance
- Sizes: 3'x3', 3'x5'
- Color: Charcoal

Materials

- Polyurethane sponge core
- Encapsulated polyurethane skin

Applications

- Wet or dry work areas requiring comfort and safety

Benefits

- Reduces pressure points and fatigue
- Ergonomic support for long hours of standing
- Durable and slip-resistant


Warranty

- 2-Year

Sudden Comfort[®] Anti-Fatigue Drain-Thru Mat

Stock No.	Size	Weight Ea. 3/4"
SC-2448	2'x4'	9.0 lbs.
SC-3636	3'x3'	10.0 lbs.
SC-3660	3'x5'	18.0 lbs.

Color: Charcoal. 3/4" Thick



AMA CLOUD® - PERFORATED MAT



Description

Next-generation anti-fatigue mat made from closed-cell rubberized foam for comfort, safety, and easy handling.

Features

- Grease-proof, non-slip surface
- Beveled edges
- Lightweight
- 5/8" thickness

Materials

- Closed-cell rubberized foam

Sizes & Configurations

- Standard sizes and custom cut lengths from 3' and 4' rolls
- Color: Black

Applications



- Kitchens, bars, wet or dry workstations

Benefits

- Ergonomic support
- Easy to handle
- Durable and easy to clean

Warranty

- 2-Years



Ama Cloud™ - Perforated Mat

Stock No.	Size	Weight Ea. 5/8"
AC-2436-P	2' X 3'	4.5 lbs.
AC-3636-P	3' X 3'	5.5 lbs.
AC-3648-P	3' X 4'	7.0 lbs.
AC-3660-P	3' X 5'	9.0 lbs.
AC-3672-P	3' X 6"	9.5 lbs.
AC-3696-P	3' X 8'	12.0 lbs.
Stock No.	Size	Weight Lf. 5/8"
AC-36-P	3ft Cut	2.25 lbs.
AC-48-P	4ft Cut	3.0 lbs.
AC-3675-P	3'x75'	170.0 lbs.
AC-4875-P	4'x75'	225.0 lbs.
Color: Black/ Thick 5/8"		

PRO-TEX® - DRAIN THRU RUNNER MAT



Description

Drain-thru runner for ergonomic support and slip-resistance in food service, industrial, and manufacturing areas.

Features

- Raised V-pattern surface with drainage slots
- Knob-backed underside
- 3/8" thickness

Materials

- Natural Para rubber
- Resistant to heavy-duty use

Sizes & Configurations

- Rolls: 60 ft.
- Cut sizes: 3'x5', 3'x10', 3'x15', 3'x20', 3'x60'
- Colors: Black (grease-resistant), Green (grease-proof)

Applications

- Wet industrial, food service, and manufacturing areas

Benefits

- Ergonomic comfort
- Slip-resistant
- Durable and reliable

Warranty

- 2-Years



Pro-Tex™ Drain-Thru Runner Mat

Stock No.	Size	Weight Ea. 3/8"
PT-3660-B	3' X 5'	21.4 lbs.
PT-3660-G	3' X 5'	22.0 lbs.
Stock No.	Size	Weight Lt. 3/8"
PT-360-B	3' X LF'	4.1 lbs.
PT-360-G	3' X LF'	4.3 lbs.
PT-360-BLK	3' X 60'	246.0 lbs.
PT-360-GRN	3' X 60'	258.0 lbs.
Colors: Black, Green/ Thick 3/8"		



TRAKTOR MAT® - RUNNER



1/2" THICK



Description

Heavy-duty, eco-friendly anti-fatigue runner designed for industrial and food service areas.

Features

- Multidirectional V-rib surface
- Open-slot drain-thru design
- Knob-backed construction
- 1/2" thickness

Materials

- Natural Para rubber
- Reinforced with Pirelli® and Michelin® recycled tire trim

Sizes & Configurations

- Width: 36"
- Rolls: 20 ft.
- Cut sizes: 3'x5', 3'x10', 3'x15'
- Colors: Black (grease-resistant), Green (grease-proof)

Applications

- Freezers, welding, assembly lines, catwalks

Benefits

- Slip-resistant
- Ergonomic comfort
- Eco-friendly and durable

Warranty

- 2-Years



Traktor Mat™ Drain-Thru Runner

Stock No.	Size	Weight Ea. 1/2"
TK-35	3' X 5'	21.0 lbs.
TK-310-	3' X 10'	42.0 lbs.
TK-315-	3' X 15"	63.0 lbs.
Stock No.	Size	Weight Lf. 1/2"
TK-36	3' X LF'	5.1 lbs.
TK-320B	3' X 20'	84 lbs.
Colors: Black, Green/ Thick 1/2"		

Rhino Work Bench Pads & Toolbox Liners Industrial Surface Protection



Rhino Work Bench Pads & Toolbox Liners – Industrial Surface Protection That Works as Hard as You Do.

Keep your shop organized, professional, and protected with Rhino Work Bench Pads and Toolbox Liners. Built for demanding industrial environments, these liners shield surfaces from impact, oil, grease, tools, and harsh daily use. Unlike thin foam liners that rip and wear out, Rhino uses heavy-duty vinyl composite material designed to outlast and outperform anything in its class.

Whether you're protecting valuable tools, a workbench, assembly station, or maintenance bay, Rhino surface protection products deliver strength, durability, and reliability.

Built for Real Work

- Protects work surfaces from shocks, scratches & corrosion
- Resists chemicals, oils, lubricants, & solvents
- Won't wear or tear under heavy tools
- Easy to cut, trim, and fit on-site
- Waterproof and fast to clean — just wipe down
- Made from 100% recycled materials
- Made in Houston, Texas, USA
- No Prop 65 regulated contaminants
- DINP-free, phthalate-free
- Stock to cut w/box knife & straight edge
- Lifetime guarantee

Product Options

Product Type	Thickness	Best For
Toolbox Liner	.085"	Drawer organization, tool storage, shelving
Work Bench Pad	.160"	Heavy-duty bench tops, assembly areas, shop tables

The **.085" Toolbox Liner** is flexible and lightweight yet puncture-resistant — prevents tools from sliding and **protects** drawers from damage.

The **.160" Work Bench Pad** absorbs impact and supports **heavy gearboxes, transmissions, pumps, and industrial components** without crushing or tearing.

Rhino Work Bench Pads & Toolbox Liners


Rhino Tool Box Liners – .085" Thick

Stock No.	Size	Weight Ea. .085"
TBL-1810	18" x 120" x .085"	7.0 lbs.
TBL-2410	24" x 120" x .085"	9.0 lbs.
TBL-2420	24" x 240" x .085"	18.0 lbs.


Rhino Work Bench Pads – .160" Thick

Stock No.	Size	Weight Ea. .160"
WBP-2410	24" x 120" x .160"	15.0 lbs.
WBP-2420	24" x 240" x .160"	30.0 lbs.
WBP-3610	36" x 120" x .160"	22.0 lbs.
WBP-3620	36" x 240" x .160"	44.0 lbs.
WBP-4810	48" x 120" x .160"	30.0 lbs.
WBP-4820	48" x 240" x .160"	60.0 lbs.

Color: Black, Thick 0.085" & 0.160"



Rhino Stair Treads



Slip-Resistant Rubber Stair Protection

Safety You Can Step On

Rhino Diamond and Rhino Bar Stair Treads provide durable, slip-resistant protection for industrial, commercial, and residential stairways. Made from natural and recycled rubber, both styles feature high-traction surfaces (diamond or bar pattern) to reduce slips and falls in high-traffic areas.

Key Features

- Strong, long-lasting rubber construction
- Slip-resistant diamond or bar surface patterns
- Simple installation using double-sided carpet tape or optional adhesive
- Easy to trim with a utility knife and remove without surface damage (when taped)
- Low-maintenance—just sweep and clean with mild detergent

Applications



- Ideal for industrial and commercial buildings, residential steps, cellars, decks, and any high-traffic stairway needing added traction.

Sizes & Options

- Size: 10" x 29" with 1" lip
- Color: Black
- Sold in packs of 6
- Weight: Diamond 1.8 lbs each / Bar 2.2 lbs each

Benefits

- Enhances stair safety and stability
- Protects stair surfaces from wear
- Supports both temporary and permanent installation
- Durable, easy-to-maintain rubber design



Rhino Bar Stair Treads

Stock No.	Size	Weight Ea. 1/2"
STB29B	10" X 29 ³ / ₈ " w/ 1" LIP	11.4 lbs.
Color: Black		

Rhino Diamond Stair Treads

Stock No.	Size	Weight Ea. 1/2"
STD29B	10" X 29 ³ / ₈ " w/ 1" LIP	11.4 lbs.
Color: Black		

Rhino Knobbed Back Knee Pad®



Heavy-Duty Industrial Kneeling Pad

Built for tough industrial environments, the Rhino® Knobbed Back Knee Pad combines durability, comfort, and reliable traction. Its 3/4" high-density polyurethane foam laminated to a 1/4" vinyl knobbed backing delivers superior impact protection and long-lasting performance. The closed-cell foam is waterproof, oil-resistant, and chemical-resistant, making it ideal for wet or harsh conditions and easy to clean.

The knobbed non-slip underside provides excellent grip on wet, oily, or uneven surfaces, enhancing safety in demanding settings like factories, garages, construction sites, and shipyards. With its full 1" thickness, the pad reduces knee and joint strain during prolonged kneeling.

Ideal Applications

industrial facilities, marine environments, auto repair, construction, and field service work.

Sizes & Options



- 16" x 18" (Compact)
- 18" x 24" (Large)
- 24" x 36" (Extra-Large for lying down)

Includes an integrated carry handle for portability.


- Portable Design:
Integrated handle makes it easy to carry from job to job.

Rhino Bar Stair Treads

Stock No.	Size	Weight Ea. 1"
RNP-1618-KB	16"X18"	2.0 lbs.
RNP-1824-KB	18"X24"	3.0 lbs.
RNP-2436-KB	24"X36"	6.0 lbs.
Color: Black		



FINGER TIP - ENTRANCE MAT



Rhino Fingertip Mats are the ultimate all-weather entrance solution. Featuring hundreds of flexible, durable rubber bristles, these mats effectively scrub away mud, slush, snow, dirt, and oil from shoes, keeping your entryway cleaner.

The mats are designed with no-trip beveled edges, preventing tripping and creating a dam effect to hold debris between cleanings. Maintenance is simple—just turn the mat over and shake it out or rinse with a hose.

Product Details:

- Thickness: 5/8"
- Color: Black
- Sizes Available:
 - o 24" x 32"
 - o 32" x 39"
 - o 36" x 60"
 - o 36" x 72"




Finger Tip Entrance Mats

Stock No.	Size	Weight Ea. 5/8"
FT-2432	24" X 32"	6.6 lbs.
FT-3239	32" X 39"	13.2 lbs.
FT-3660	36" X 60"	25.3 lbs.
FT-3672	36" X 72"	29.0 lbs.

Color: Black / Thick 5/8"

Rhino Fingertip Mats are durable, easy to clean, and highly effective, making them perfect for both commercial and residential entrances.

TRITAN® ULTRA SCRAPE



1/4" THICK



Tritan® Ultra-Scrape Mats deliver superior protection at entrances, preventing dirt, pebbles, and grit from being tracked into your building. Their hi-lo anti-skid rubber surface provides excellent traction, reducing the risk of slip-and-fall accidents in critical areas such as building entrances, lunch counters, and food service workstations.

Designed as a low-profile mat, Ultra-Scrape ensures safety while remaining easy to clean—simply shake or hose off debris. The durable rubber compound resists most greases and oils, making it ideal for high-traffic commercial and industrial environments.

Key Features:

- Low-profile design for safe, slip-resistant footing
- Hi-lo anti-skid rubber surface resists grease and oil
- Effective at trapping dirt and debris
- Easy to clean: shake or hose off

Product Details:

- Thickness: 1/4"
- Color: Black
- Sizes Available: 3' x 5', 3' x 8', 3' x 10', 4' x 6'



Tritan® Ultra-Scrape Entrance Mats

Stock No.	Size	Weight Ea. 1/4"
US-3660	3' X 5'	18.5 lbs.
US-3696	3' X 8'	29.0 lbs.
US-4872	4' X 6'	29.0 lbs.
US-310	3' X 10'	37.0 lbs.
Color: Black / Thick 1/2"		

TOWN & COUNTRY ENTRANCE MAT



Brown

Charcoal

Red

The Town & Country Entrance Mat combines traditional design with modern durability to keep high-traffic areas clean and safe. Its square nub surface effectively removes and traps dirt and moisture, while the water dam design helps contain debris and reduce trip hazards.

Constructed from strong, solution-dyed polypropylene fabric, the mat resists staining and maintains its appearance over time. The rubber-reinforced surface pattern prevents crushing, extending the mat's performance life.

Recommended for

Hotels, restaurants, hospitals, office buildings, and other high-traffic commercial spaces.


Maintenance

Easily cleaned with a vacuum, hose, or pressure washer (not launderable).

Product Details:

- Sizes: 2' x 3', 3' x 5', 4' x 6'
- Colors: Brown, Charcoal, Red

The Town & Country Mat is durable, practical, and designed for heavy use. It is ideal for any commercial entrance.



Town & Country Entrance Mat

Stock No.	Size	Weight Ea. 3/8"
TNC-2436*	2' X 3'	7.0 lbs.
TNC-3660*	3' X 5'	17.0 lbs.
TNC-4872*	4' X 6'	27.0 lbs.

Colors: Brown, Charcoal, Red/ Thick 3/8"

OPUS ENTRANCE MAT



The Opus Entrance Mat combines style and functionality for high-traffic commercial spaces. Its high-fashion diamond design effectively removes and stores dirt and moisture beneath the shoe level, keeping entrances cleaner and safer.

Made from strong, solution-dyed polypropylene fabric, the mat is highly stain-resistant. The rubber-reinforced surface prevents crushing and extends the mat's performance life. The water dam design helps trap soil and moisture, reducing slip and trip hazards.

Recommended for

Hotels, restaurants, hospitals, office buildings, and other high-traffic commercial areas.


Maintenance

Easily cleaned with a vacuum, hose, or pressure washer (not launderable).

Product Details:

- Sizes: 2' x 3', 3' x 5', 4' x 6'
- Colors: Brown, Charcoal, Red

Durable, stylish, and built for performance, the Opus Entrance Mat keeps busy entrances clean and safe.



Opus Entrance Mat

Stock No.	Size	Weight Ea. 3/8"
OPUS-2436*	2' X 3'	7.0 lbs.
OPUS-3660*	3' X 5'	17.0 lbs.
OPUS-4872*	4' X 6'	27.0 lbs.

Colors: Brown, Charcoal, Red/ Thick 3/8"

POLY-OLEFIN TRANSITION MAT



3/8" THICK



The Poly-Olefin Entrance Mat is a decorative, all-purpose, low-profile mat that delivers performance at a budget-friendly price. Its durable 100% continuous filament olefin carpet surface is bonded to a stain- and slip-resistant base, making it ideal for everyday use.

The dirt-hiding tweed pattern combines style with practicality, maintaining a clean appearance even in high-traffic areas.

Recommended for

Hotels, restaurants, hospitals, office buildings, and other high-traffic commercial spaces.

Maintenance

Easily cleaned with a vacuum, hose, or pressure washer (not launderable).

Product Details:

- Sizes: 2' x 3', 3' x 5', 4' x 6', 3' x 10'
- Colors: Brown, Charcoal, Red

Affordable, durable, and versatile, the Poly-Olefin Mat is perfect for offices, commercial spaces, and residential entrances alike.

Poly-Olefin Entrance Mat

Stock No.	Size	Weight Ea. 3/8"
PPV-2436*	2' X 3'	4.2 lbs.
PPV-3660*	3' X 5'	10.5 lbs.
PPV-4872*	4' X 6'	16.8 lbs.
Colors: Brown, Charcoal, Red/ Thick 3/8"		

CROSSHATCH ENTRANCE MAT



The Crosshatch Entrance Mat combines durability with a stylish parquet design to keep high-traffic areas clean and safe. Its high-fashion surface removes and stores dirt and moisture beneath the shoe level, maintaining a cleaner entrance.

Constructed from strong, solution-dyed polypropylene fabric, the mat is highly stain-resistant. The rubber-reinforced surface prevents crushing and extends the mat's performance life. The water dam design helps trap soil and moisture while reducing trip hazards.

Recommended for

Hotels, restaurants, hospitals, office buildings, and other high-traffic commercial spaces.

Maintenance

Easily cleaned with a vacuum, hose, or pressure washer (not launderable).

Product Details:

- Sizes: 2' x 3', 3' x 5', 4' x 6', 3' x 10'
- Colors: Brown, Charcoal, Red

Stylish, durable, and practical, the Crosshatch Entrance Mat is ideal for maintaining safe, clean entrances in busy environments.



3/8" THICK



Crosshatch Entrance Mat

Stock No.	Size	Weight Ea. 3/8"
CROSS-2436*	2' X 3'	7.0 lbs.
CROSS-3660*	3' X 5'	17.0 lbs.
CROSS-4872*	4' X 6'	27.0 lbs.
Colors: Brown, Charcoal, Red/ Thick 3/8"		

BRUSH RIB ENTRANCE MAT



The Brush Rib Entrance Mat offers the high-fashion look of fine carpeting in a hi-lo rib pattern with outstanding durability for the toughest indoor or outdoor installations. Its surface scrapes dirt and grit off shoes while removing moisture simultaneously.

Constructed with 100% polypropylene face carpeting on a heavy-duty, slip- and stain-resistant vinyl base, Brush Rib mats are built to withstand heavy traffic and harsh conditions.

Recommended for


Hotels, restaurants, hospitals, office buildings, and other high-traffic commercial spaces.

Maintenance

Easily cleaned with a vacuum, hose, or pressure washer (not launderable).

Product Details:

- Sizes: 2' x 3', 3' x 5', 4' x 6'
- Colors: Red, Pepper, Green, Brown, Blue



Brush Rib Entrance Mat

Stock No.	Size	Weight Ea. 3/8"
BRV-2436*	2' X 3'	4.8 lbs.
BRV-3660*	3' X 5'	12.0 lbs.
BRV-4872*	4' X 6'	19.2 lbs.

Colors: Red, Pepper, Green, Brown, Blue/ Thick 3/8"



Our Commitment to Health, Safety and the Environment



Message from the Vice President:

When something is made in America, it represents more than a good-paying job. Each manufacturing role supports up to five additional jobs—spanning logistics, packaging, design, engineering, and the local services that strengthen our communities.

Our mission is clear: to exceed customer expectations at every opportunity by manufacturing the world's finest anti-fatigue mats. Through innovation and quality, we aim to enhance comfort, improve productivity, and support the well-being of standing workers everywhere.

A blue ink signature of the name Brock Allen.

Vice President
Ranco Industries, Inc.



Message from the President:

Made in America is more than a statement; it's a commitment to people, progress, and possibility. Every product we manufacture creates a ripple of opportunity that reaches far beyond our factory walls, supporting families, strengthening communities, and fueling innovation across our nation.

Our vision is bold yet simple: to lead the world in anti-fatigue solutions that empower standing workers to perform at their best. We don't just manufacture mats—we create tools that enhance comfort, improve productivity, and contribute to healthier, more resilient workplaces everywhere.

As we look to the future, we remain guided by excellence, integrity, and the enduring strength of American manufacturing. Together with our customers and our team, we are building more than products—we are building a legacy of innovation, opportunity, and comfort that will stand for generations to come.

A blue ink signature of the name Randy Allen.

President
Ranco Industries, Inc.

RHINO MATS BY RANCO INDUSTRIES, INC.



YOU STAND. WE DELIVER.



Copyright © 2025, by Rhino Commercial Mats & Matting. All rights reserved. Printed in the U.S.A. No part of this publication may be reproduced, sorted in a retrieval system or transmitted in any form by any means, whether electronic, mechanical, photocopying, recording or otherwise, without prior written permission of Rhino Commercial Mats & Matting.