MEGOHMMETERS For all of your Insulation Testing needs...



An array of **Megohmmeters** to choose from

AEMC® offers a full line of megohmmeters with test voltages from 10V to 15kV, (model dependent), capable of measuring insulation resistances from 1000Ω to $29T\Omega$. These rugged, weather resistant meters are accurate, reliable and built to perform. Battery, AC powered and hand-cranked models are available.









Our products are backed by over 100 years of experience in test and measurement equipment, and encompass the latest international standards for quality and safety.



Understanding Insulation Resistance Testing

Why have an insulation testing program?

A regular program of testing insulation resistance is strongly recommended to prevent electrical shocks, assure personal safety and to reduce or eliminate down time. It helps to detect deterioration of insulation in order to schedule repair work such as: vacuum cleaning, steam cleaning, drying and rewinding or testing newly installed conductors. It is also helpful when evaluating the quality of the repairs before the equipment is put back into operation.

What causes insulation failure?

Some of the more common causes of insulation failure include: overloading conductors, excessive heat or cold, moisture, dirt, corrosive vapors, oil, vibration, aging and nicked wiring.

What tests are used to detect insulation deterioration?

There are numerous maintenance tests for assessing insulation quality. The three tests primarily used to test motors, generator and transformer insulation are: polarization index, spot reading and step voltage.



Model 6555 performing an insulation test.

What equipment is necessary for conducting insulation resistance tests?

- ▶ Megohmmeter with a timed test function
- ▶ Temperature indicator
- Humidity meter (not necessary if equipment temperature is above the dew point)

Four questions for selecting the proper megohmmeter

What is the proper voltage range?

Typically 2x equipment operating voltage up to 1000V and equal to the operating voltages above 1000V

What is the desired power source?

Battery, AC powered, hand-cranked

What is the resistance range of interest? $M\Omega$, $G\Omega$, $T\Omega$

What type of display is preferred?

Analog (best for trend analysis), or Digital (eliminate guesswork), or gives exact reading and shows trend

APPLICATIONS

- Motors (AC and DC), transformers, cables, switchgears and electrical wiring installations
- ▶ Test industrial commercial wiring and motor control centers
- ► Acceptance testing and preventive maintenance
- Domestic and industrial contracting
- ▶ Dielectric Absorption Ratio (DAR) and Polarization Index (PI) measurements
- Spot reading tests
- ▶ High resistance or absorption tests
- ▶ Timed resistance measurements
- Low insulation test range for testing old or flooded installations
- Drying out conductors
- ▶ Continuity checks
- Cable testing (including telecom)
- Test transformers
- ► Heaters, relays, circuit breakers



DataView®






Configure All Functions of: Models 1060, 5060, 5070, 6526, 6532, 6534, 6550 & 6555

- · Print reports of all test results
- Select test voltage and run tests from your computer with a simple click and execute process
- · Capture and display data in real-time
- · Retrieve data from the instrument's memory:
 - Over 1500 insulation resistance measurements (model dependent)
 - Over 4000 resistance measurements
- Display DAR and PI ratios
- · Plot graphs of manual and timed tests
- Include your analysis comments section with the report
- Store a library of setups for different applications
- Certification of results through report generation
- Free updates are available on our website www.aemc.com




Clear and easy setup from one dialog box for Model 5060.


Foxborugh , MR 02035



Model 5070 includes Step Function which allows programming of three different test profiles, each containing up to five voltage steps between 40 and 5100V and time per step of up to 10 hours.



Four tabbed dialog boxes allow for clear and easy setup of all functions of the Model 5070, including setup for variable voltage and alarm set points, as well as step voltage tests and temperature compensation.



Run test and display text and graphical results from one dialog box. Model 5070 also displays step voltage.



MEGOHMMETER SELECTION GUIDE



10V & 100V Megohmmeters

AEMC® offers low voltage insulation testers designed for both field and shop use. They are well suited for measuring the qualities of phone cables data cables and ESD Floor Testing. Measurement of AC and DC voltage, resistance, continuity, cable capacitance, cable length and AC current can also be performed.



500V Megohmmeters

AEMC® offers a complete line of insulation testers designed to test the quality of insulation on equipment powered from sources up to 240V using test voltages up to 500V. Both analog and digital meters are available. AC powered, battery powered and hand-cranked models are available. Measurements can be in the $M\Omega$, $G\Omega$ and $T\Omega$ range. Most models offer multi-function capability, measuring AC/DC volts, resistance and continuity, as well as insulation resistance.



1000V Megohmmeters

AEMC® offers a complete line of insulation testers designed to test the quality of insulation using 1000V test voltage (required for testing equipment powered from sources up to 480VAc). Both analog and digital meters are available. AC powered, battery powered and hand-cranked models are available. Many models can measure into the $G\Omega$ and $T\Omega$ range. Most models offer multi-function capability, measuring AC/DC volts, resistance and continuity, as well as insulation resistance. Both hand-held instruments and rugged instruments built into portable cases are available.



5000V Megohmmeters

AEMC® offers a complete line of insulation testers designed to test the quality of insulation using 5000V test voltages required for testing large motors, generators, transformers, cables and large rotating machinery. AC powered and battery powered models are available. All models can measure into the $G\Omega$ and $T\Omega$ ranges. All models offer multifunction capability, measuring AC/DC volts, resistance and continuity, as well as insulation resistance.



10kV & 15kV Megohmmeters

AEMC® offers a complete line of safe and accurate insulation testers that are ideal for use on rotating equipment and machinery operating at 10kV or higher. They are the only fully automated 10,000V and 15,000V graphical insulation testers. They provide insulation measurements up to 29,000G Ω (29T Ω). Test results include DAR, PI, DD, Δ R, Capacitance, Leakage Current, as well as programmable temperature correction of resistance readings.

Expert tools for testing

10kV & 15kV

Digital Megohmmeters

High-end portable instruments for measuring a variety of electrical insulation resistance values.

The Megohmmeter Models 6550 and 6555 are the right tools for testing insulation safely and accurately, and are ideal for use on rotating equipment and machinery operating at 10kV or higher. They are fully automated 10,000V and 15,000V graphical insulation testers. They provide insulation measurements up to 29,000G Ω (29T Ω , model dependent). Test results include DAR, PI, DD, AR, Capacitance, Leakage Current, as well as

The Models 6550 & 6555 also offer the ability to program up to three step voltage profiles (from 40 to 10,000 or 15,000V, model dependent), each containing up to ten steps. They also include three

programmable temperature

correction of resistance

readings.







ramp profiles and three programmable test voltages in addition to the standard fixed voltages of 500, 1000, 2500, 5000, 10,000 and 15,000V. These units have a USB interface and a data storage function, which permits storage of test results in files specific to the device under test. The included DataView® software configures and runs tests directly from a PC and creates data analysis reports.

AEMC

Note: 1000V, 5000V, 10kV & 15kV megohmmeters offer memory storage and PC connection for report generation (model dependent).



Safely & Accurately

Models 6550 & 6555

MODEL	6550		
Test Voltage	500V, 1000V, 2500V, 5000V, 10,000V		
Insulation Range	10kΩ to 25,000GΩ		
Other Measurements	Auto DAR, PI, DD, ΔR (ppm/V) ratios		
Leakage Current	ent 0 to 8mA		
Voltage Test	40 to 10kV		
Other Ramp and Voltage Test, Capacitance Measurement, Programmable Current Tests, Ramp & Step Test and Burn Test			
Power Source	Power Source NiMH rechargeable batteries		
Display	Digital / Analog		
Communication	DataView® software/USB optically-isolated port		
Dimensions	13.39 x 11.81 x 7.87"		
Weight	Approx. 13.7lb (6.2kg)		
Catalog No.	2130.31		

MODEL	6555		
Test Voltage	500V, 1000V, 2500V, 5000V, 10,000V, 15,000V		
Insulation Range	10kΩ to 29,000GΩ (29TΩ)		
Other Measurements	nts Auto DAR, PI, DD, ΔR (ppm/V) ratios		
Leakage Current	ent 0 to 8mA		
Voltage Test	40 to 15kV		
Other Ramp and Voltage Test, Capacitance Measurement, Programmable Current Tests, Ramp & Step Test and Burn Test			
Power Source	wer Source NiMH rechargeable batteries		
Display	Digital / Analog		
Communication	DataView®software / USB optically-isolated port		
Dimensions	13.39 x 11.81 x 7.87"		
Weight	Approx. 13.7lb (6.2kg)		
Catalog No.	2130.32		


► PRODUCT INCLUDES

Small classic tool bag, set of color-coded (red/blue/black) 9 ft (15kV) integral leads and alligator clips (1000V CAT IV), one 15kV jumper lead (blue), set of two color-coded test probes (red/black-1000V CAT IV), optical USB cable, 115V US power cord, 9.6V rechargeable NiMH batteries.




Multiple Voltage Ramp & Step Test Modes


"Burn-In" Test Mode



Voltage Step Test Mode



Voltage Ramp Test Mode



1000V Model 1015

500V & 1000V Hand-Cranked **Models 6501 & 6503**

1000V Digital Model 6527









300V CAT III	9
4111	







EAT IV	IP 51
ATING	/51\



Test Voltage	500, 1000Vpc		
Insulation Range	100k Ω to 1000M Ω		
Resistance Range	1000Ω		
Continuity Range	±10Ω		
Voltage Measurement 600Vac			
Power Source	Eight 1.5V AA batteries		
Display	Analog		
Other	Rubber housing		
Dimensions	6.6 x 4.2 x 2.2"		
Weight	1.45 lbs		
Catalog No.	1403.01		

MODELS	6501	6503	
Test Voltage	500Vpc	250, 500, 1000Vpc	
Insulation Rang	ge 500kΩ to 200MΩ	1 to 5000MΩ	
Resistance Rai	1ge 0 to 500kΩ	_	
Continuity Ran	Continuity Range 100Ω —		
Voltage Measurement 600VAC			
Power Source Hand-cranked			
Display	Analog		
Test Current 1	rrent 1mA constant current —		
Other ABS plastic with overmolded protection			
Dimensions	Dimensions 4.7 x 4.4 x 5.3" with lid		
Weight	3.3 lbs		
Catalog No.	2126.51	2126.52	

Test Voltage	250, 500, 1000Vpc		
Insulation R	ange 1kΩ to 4000MΩ (4GΩ)		
Resistance	Range 400kΩ		
Continuity R	ange 400Ω		
Voltage Measurement 600V (AC);1000V (DC)			
Power Source Six 1.5V AA batteries			
Display Digital dual display with backlight			
Other	Hold, Test Time & Lock functions		
Dimensions	7.9 x 3.6 x 2.0"		
Weight	1.5 lbs		
Catalog No.	2126.53		

For Electrostatic Discharge Testing Model 6536



1000V Digital/Analog Models 1050 & 1060















Test Voltage Adju	Adjustable 10 - 100Vpc		
Insulation Range	20G Ω		
Resistance Range	1000kΩ		
Continuity Range	10Ω, 100Ω		
Voltage Measurement 700Vac/dc			
Power Source	Six AA batteries		
Display Digital/Analog, bargraph, backlight			
Other	Alarm, ∆REL		
Dimensions	8.30 x 4.25 x 2.36"		
Weight	1.87 lbs		
Catalog No.	2155.56		
Catalog No.	2155.57		
Model 6536 ESD Floor Test Kit			

PATING 53			
MODELS	1050 1060		
Test Voltage	50, 100, 250,	500, 1000Vpc	
Insulation Range	2kΩ to 400	00GΩ (4TΩ)	
Other Measurement	DAR, PI, Capacitance		
Resistance Range	0.01Ω to $400k\Omega$		
Continuity Range	0.01 to 39.99Ω		
Voltage Measurement	nt 1000Vac/dc		
Memory (Readings)	20	128kb	
Power Source Eight 1.5V C cell batteries		9.6V NiMH battery pack	
Display D	Display Digital/Analog, bargraph, backlight		
Communication —	DataView® software RS-232 to USB adapter		
Dimensions	9.45 x 7.28 x 4.33"		
Weight	7.5 lbs		
Catalog No.	2130.01 2130.03		

Test Voltage	500, 1000, 2500, 5000Vpc	
Insulation Range	$10k\Omega$ to $10T\Omega$	
Other Measureme	ent DAR, PI, Capacitance	
Leakage Current	1pA to 3mA	
Voltage Measurer	nent 1 to 5100Vac	
Power Source	9.6V NiMH battery pack	
Display	Digital/Analog	
Communication	_	
Dimensions	10.63 x 9.84 x 7.09"	
Weight	9.5 lbs	
Catalog No.	2130.18	





For Testing Motors, **Pumps & Transformers Models 6522, 6524 & 6526**



For Insulation Measurements on Communication & Data Cables

Model 6532



Insulation Measurements for Electrical Components Model 6534































ϵ	

MODELS	6522	6524	6526
Test Voltage	250, 500, 1000Vpc	50, 100, 250	, 500, 1000VDC
Insulation Rang	je 40GΩ	200GΩ	
Resistance Ran	ige –	1000kΩ	
Continuity Rang	ge 10Ω	10Ω, 100Ω	
Voltage Measurement 700Vac/dc			
Memory (Measur	rements)	300	1300
Power Source Six AA batteries			
Display	Digital/Analog, bargraph		
Other	Dither Lead Compensation		Pass/Fail LED
Dimensions 8.30 x 4.25 x 2.36"			
Weight	pht 1.87 lbs		
Catalog No.	2155.51	2155.52	2155.53

Test Voltage	50, 100V
Insulation Ran	ge 20GΩ
Resistance Ra	nge 1000kΩ
Continuity Ran	ige 10Ω, 100Ω
Voltage Measu	rement 700Vac/dc
Memory (Measu	irements) 1300
Power Source	Six AA batteries
Display	Digital/Analog, bargraph
Other	Lead Compensation, Alarms
Dimensions	8.30 x 4.25 x 2.36"
Weight	1.87 lbs
Catalog No.	2155.54

10, 25, 100, 250, 500Vpc		
je 50GΩ		
ige 1000kΩ		
ge 10Ω, 100Ω		
Voltage Measurement 700Vac/dc		
rements) 1300		
Six AA batteries		
Digital/Analog, bargraph		
Δ REL, Lead Compensation		
8.30 x 4.25 x 2.36"		
1.87 lbs		
2155.55		
֡		

5000V Digital/Analog Model 5050



Test Voltage	500, 1000, 2500, 5000Vpc
Insulation Range	10k $Ω$ to 10 T $Ω$
Other Measurem	ent DAR, PI, DD, Capacitance
Dielectric Discha	rge 0.02 to 50.00
Leakage Current	3mA
Voltage Measure	ment 1 to 2500Vac/dc
Memory (Readings) 20
Power Source	9.6V NiMH battery pack
Display Digita	l/Analog, bargraph, backlight
Communication	_
Dimensions	10.63 x 9.84 x 7.09"
Weight	9.5 lbs
Catalog No.	2130.20

5000V Digital/Analog Model 5060



PATING 53	
Test Voltage	500, 1000, 2500, 5000Vpc
Insulation Range	$10k\Omega$ to $10T\Omega$
Other Measureme	nt DAR, PI, DD, Capacitance
Dielectric Dischar	ge 0.02 to 50.00
Leakage Current	3mA
Voltage Measurem	ent 1 to 2500Vac/dc
Memory (Readings)	1500
Power Source	9.6V NiMH battery pack
Display	10Ω , 100Ω backlight
Communication DataView® software / 128kB memory with RS-232 to USB adapter	
Dimensions	10.63 x 9.84 x 7.09"
Weight	9.5 lbs
Catalog No.	2130.21

5000V Graphical Model 5070



Test Voltage	500, 1000, 2500, 5000Vpc
Insulation Range	10kΩ to 10TΩ
Other Measuremen Step Vo	nt DAR, PI, DD, Capacitance, oltage & Temperature Correction
Dielectric Discharg	je 0.02 to 50.00
Leakage Current	3mA
Voltage Measurem	ent 1 to 2500Vac/dc
Memory (Readings)	1500
Power Source	9.6V NiMH battery pack
Display (Graphical 300 x 240 resolution
Communication DataView® software/ 128kB memory with RS-232 to USB adapter	
Dimensions	10.63 x 9.84 x 7.09"
Weight	9.5 lbs
Catalog No.	2130.30





www.aemc.com

Since its creation in 1893, Chauvin Arnoux® has continued to successfully innovate and develop new products in response to customer needs and applications. Over the years, Chauvin Arnoux® has developed extensive expertise and knowledge in many product lines, including: current probes, multimeters (the first multimeter patented in 1937!), ground testers, insulation testers, environmental testers and many others in the portable test instrument realm.

One product line that stands out is Insulation Testers/Megohmmeters.

Our megohmmeter line finds its roots in the early 1900s. Limited technology was available, so a galvanometer and a decade resistance box combined with a DC power source was used to make one of the first megohmmeters. Years later, hand-cranked technology, first using a generator, provided the test voltage. Today, similar technology is used in the Models 6501 and 6503 hand-cranked magnetizer, but a regulated alternator provides rectified test voltage and a sealed case protects the meter from the environment. Electronics set in the 1950s and 60s gave birth to electronic megohmmeters with electronic amplifiers. Eventually, digital displays came to the scene, though analog meters remained due to customer habits and preference.

Today, megohmmeters are digital and incorporate many intelligent features. Timers, alarms and variable test voltages are becoming common. AEMC® introduced a unique line of professional megohmmeters (Models 1050, 1060, 5050, 5060, 5070, 6505, 6527, 6522, 6524, 6526, 6532, 6534, 6536,6550 & 6555) with added features, such as: memory; automated tests and results (internal calculations of DAR, PI and other measurements); graphical displays; PC control; and, report compliant software. Market feedback has been very positive and the megohmmeters are setting new industry standards. All AEMC® manufactured megohmmeters are designed to the latest international safety and testing standards, and are CE marked.



First Megohmmeter Introduced in 1909





Visit our website at www.aemc.com

AEMC ONE SOURCE

For All Your Electrical Test & Measurement Instruments