


NOTES:

1. PACKAGE EACH CABLE ASSEMBLY INDIVIDUALLY IN BAG. TAG IN BAG WITH "AMPENOL CONNEX, 175108-25-XX.XX AND DATE CODE".
2. CABLE ASSEMBLY TO BE 100% TESTED FOR HI-POT, CONTINUITY, SHORTS AND OPEN.

175108-25-XX.XX		REVISIONS			
DRAWING NO.	REV	DESCRIPTION	DATE	ECO	APPR
THIRD ANGLE PROJ.	A	RELEASE TO MFG.	25-Aug-11	--	HR



PART NUMBER	LENGTH (IN.)	TOLERANCE
175108-25-06.00	6.00	±0.150
175108-25-12.00	12.00	±0.250
175108-25-18.00	18.00	±0.250
175108-25-24.00	24.00	±0.500
175108-25-36.00	36.00	±0.500
175108-25-48.00	48.00	±0.500

DESIGN REQUIREMENTS:

- FREQUENCY _____ TO _____ GHz CONTINUITY
 VSWR _____ : 1 MAX HI-POT : 500 VRMS
 INS. LOSS _____ dB MAX OTHER

009-954-348	A/R	3	HEAT SHRINK TUBING	
009-881-352	A/R	2	RG-400 CABLE	
172147	2	1	N CRIMP JACK	
PART NUMBER	QTY	ITEM	DESCRIPTION	FINISH

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES ±.015 (0,381 mm) ±.005 (0,127 mm) ± 1°	MATERIAL	DRAWN HARI R	DATE 25-Aug-11	TITLE N CRIMP JACK TO N CRIMP JACK USING RG 400 CABLE, VARIOUS LENGTHS	Amphenol Connex	
	REFERENCE TASK#731	ENGINEER HARI R	DATE 25-Aug-11			
NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.		APPROVED	DATE		SCALE: 2.0:1	SHEET 1 OF 1
		CAD FILE Root Folder:/ Cable Assembly:/ 175108-25-XX.XX			DWG SIZE B	DRAWING NO. 175108-25-XX.XX