

Recommended and Replacement Accessories

Some accessories listed are included with the order of a product or kit and can also be ordered separately as a replacement part.



AF-600 A-Frame Find any fault with the AF-600 A-Frame cable ground fault locator, specifically designed for use with the Amprobe UAT-600 Series.

Order No. 4994405



SC-600 Signal Clamp The Signal Clamp accessory provides an efficient and safe method of applying a locate signal to a cable, enabling the Transmitter to induce a signal through the insulation into the wires or pipes. The clamp works on low impedance closed circuits only.

*The SC-600 is included in the UAT-620 Underground Utilities Locator.

Order No. 4994479



CT-400 Signal Clamp/400A Current Transducer The CT-400 Signal Clamp accessory* is used to induce a signal into wires without access to bare conductors. For use with the AT-6000 Series Advanced Wire Tracers.

*The CT-400 is included in the AT-6030 Advanced Wire Tracer Kit.

Order No. 4868025



SC-7000 The SC-7000 Signal clamp accessory is used to induce a signal into wires without access to bare conductors. For use with the AT-7000 Advanced Wire Tracer system.

*The SC-7000 is included in the AT-7030 Advanced Wire Tracer Kit.

Order No. 4313916



SC-3500 Signal Clamp 4" Signal Clamp accessory designed for use with the AT-3500 Professional Underground Cable and Pipe Locator System.

Order No. 3435073



MLS55-3 Pipe Transmitter Accessory designed for use with the AT-3500 Professional Underground Cable and Pipe Locator System.

Order No. 3729989



CT-53 Flex Current Sensor thin flex current sensor with user selectable input ranges of 300 A, 1000 A, or 3000 A is designed for use with the DM-5 Power Quality Analyzer.

*The CT-53 is included with the DM-5.

Order No. 4726219



CT-500 Flex Current Sensor thin flex current sensor with user selectable input ranges of 300 A, 1000 A, or 3000 A is designed for use with the DM-5 Power Quality Analyzer.

*The CT-500 is included with the DM-5.

Order No. 4726228



TIC-410A Hot Stick Attachment extends the reach of the TIC 300 Pro high voltage detector for checking transmission lines, power distribution equipment, down power lines, fuses, and load break connectors. Extends the voltage limit on the TIC 300 Pro from 1500 AC to 122,000 V AC (122 kV) and adjusts from 33" to 57". Just screw it onto the universal adapter on the TIC 300 Pro high voltage probe — no other tools are required.

Order No. 3467441

Recommended and Replacement Accessories

Some accessories listed are included with the order of a product or kit, and are also available as a replacement part and can be ordered separately.



TL-UAT-600 Test Lead Kit includes a black test lead with detachable black alligator clip, red test lead with permanently attached red alligator clip and ground stake.

*The TL-UAT-600 is included in the UAT-610 and UAT-620 Underground Utilities Locator Kits.

Order No. 4994446



DL243D Test Lead Kit 48" silicone lead wires, probe tips, alligator clips, spade lugs, fold-out carrying case.

Order No. 3026853



DL248D Deluxe Test Lead Kit Same as DL243D plus spring loaded crimp tips and red tip length extender.

Order No. 3026866




TL35B Test Leads 40" PVC insulated lead with standard tips plus threaded large alligator clips, CE approved alligator clips, 0.6" jaw, shrouded 90 ° banana plugs, one red and one black leads and clips.

Order No. 3068232



TL1500 Heavy duty test leads CAT IV/1000 V, 1500 V MAX.

Order No. 2696277



MO-100-LEADS Replacement set of test leads for the MO-100

Order No. 4160798



TPK-59 Dual Banana Thermocouple Accessory for multimeters and clamp-ons with temperature input. Measures temperature from -50 °F to 600 °F. Plugs directly to a meter without additional adapters.

Order No. 2733660



UT-300 Ultrasonic Transmitter

Replacement part for ULD-300.

Order No. 2733660



TPK-60 K-type optional external temperature probe replacement accessory for the TMA5 Mini-Vane Anemometer.

Order No. 3503184



RLD-1-SENSOR Replacement Sensor for the RLD-1 Refrigerant Leak Detector.

Order No. 4091231



ULD-300-KIT1 Adapter Kit For ULD-300 includes: TEA-1 Flexible tubing adapter, PB-1 power parabola, HP-1 headphone, TE-1 tubular extension

Order No. 3503184

Recommended and Replacement Accessories

Some accessories listed are included with the order of a product or kit and can also be ordered separately as a replacement part.



EL52A AC Outlet Line Splitter

Measures load current without splitting line cord. Two measurement points, X1 and X10 for increased sensitivity. Built-in voltage measurement jacks 115 V, 15 A.

Order No. 3027072



CT235A CE



CT237B CE



CT238A CE

Clamp Attachments These current transformer probes measure AC or DC current. They convert high current to a low level millivolt signal for input directly into a test instrument. They can be used with standard DMMs, recorders, digital or analog meters, data loggers/DAS, oscilloscopes, or other test and measurement instruments.

CT235A AC/DC current clamp, 1000 A (50/10 kHz), mV output, 1.2" max conductor

Order No. 3026809

CT237B AC/DC current clamp, 200 A (50/10 kHz), mV output, .75" max conductor

Order No. 3511514

CT238A AC/DC current clamp, 20 A (50/20 kHz) Low current version

Order No. 3026827

Use with HD110C and HD160C Heavy-duty Multimeters



CC-5 Carrying Case with Magnet

Designed for use with the DM-5 Power Quality Analyzer.

Order No. 4726243



CC-300 PRO Carrying Case Designed for use with the TIC 300 PRO High Voltage Detector.

*The CC-300 PRO is included with the TIC 300 PRO and is available as a replacement part.

Order No. 3467429



HS-1 Hanging Strap The HS-1 Hanging Strap is a three-way hanger for the AT-7000-T Transmitter or any Amprobe digital multimeter. It allows convenient hanging of the unit, placement on a belt or as a stand.

Order No. 4594135