Digital Catalog

AVEN OF AVE






































Website: aventools.com

Phone: (734) 973-0099

Email: info@aventools.com







A Advancing



A Advancing





Table of Contents



| Microscopy and Inspection ····· | 03 |
|---|-------|
| Mighty Scope v2 | 03 |
| Mighty Scope ClearVue | 04 |
| Cyclops • • • • • • • • • • • • • • • • • • • | 05-06 |
| MicroVue • • • • • • • • • • • • • • • • • • • | 07 |
| Stereo Zoom Microscopes | 08-14 |
| CMOS Cameras | 15 |
| Digital Microscope Systems | 16 |
| 360 Viewer Systems | 17 |
| Mighty Cam ES Systems • • • • • • • • • • • • • • • • • • • | 18 |
| Imaging & Measurement Systems • • • • • • • • • • • • • • • • • • • | 19 |
| Digital Microscope Lenses & Accessories • • • • • • • • • • • • • • • • • • • | 20-21 |
| Microscope Accessories • • • • • • • • • • • • • • • • • • • | 22-26 |
| Magnifiers • • • • • • • • • • • • • • • • • • • | 27-29 |
| Magnifying Lamps • • • • • • • • • • • • • • • • • • • | 30-33 |
| Work Lights & Machine Lights • • • • • • • • • • • • • • • • • • • | 34 |

| Hand Tools · · · · · · · · · · · · · · · · · · · | 35 |
|---|-------|
| Accu-Cut Cutters | 35-36 |
| Technik Cutters & Pliers ••••••••••••••• | 37-39 |
| Niptec Cutters • • • • • • • • • • • • • • • • • • • | 40 |
| Industrial Cutters & Pliers • • • • • • • • • • • • • • • • • • • | 41 |
| Tweezers ••••••••••• | 42-52 |
| Screwdrivers • • • • • • • • • • • • • • • • • • • | 53 |
| Stainless Steel Hand Tools • • • • • • • • • • • • • • • • • • • | 54-56 |
| Crimping Tools & Dies ••••••••••••••• | 57-58 |
| Stripping Tools • • • • • • • • • • • • • • • • • • • | 59 |
| Electrician Scissors & Blades • • • • • • • • • • • • • • • • • • • | 60 |
| Scissors & Hemostats | 61 |
| Probes • • • • • • • • • • • • • • • • • • • | 62 |
| Scalpels & Blades • • • • • • • • • • • • • • • • • • • | 63 |
| Knives & Blades | 64 |
| Bench-top Tools · · · · · · · · · · · · · · · · · · · | 65 |
| Soldering & Desoldering • • • • • • • • • • • • • • • • • • • | 65-69 |



Microscopy and Inspection

Mighty Scope v2

USB Digital Microscope







Adjustable Focus Mount





Mighty Scope v2

USB Digital Microscope [10x - 200x~]

- 10x 200x~ Magnification (based on a 24" monitor)
- Enhanced Image Sensor (1/4" Color CMOS)
- Improved depth of field
- Adjustable 8 energy-efficient LED lights
- Includes fine-focus metal stand
- MicroViewer Plus Software optimized for the Mighty Scope v2 w/ all of the measurement and image/video capabilities needed for professional inspection



Mighty Scope v2 Bundles

| Product ID | Description | | |
|---------------|---|--|--|
| 26700-218 | Mighty Scope v2 with Fine Focus Stand | | |
| 26700-218-DFS | Mighty Scope v2 with Fine Focus Stand + Diffuser | | |
| 26700-218-PLR | Mighty Scope v2 with Fine Focus Stand + Polarizer | | |

Mighty Scope v2 Accessories

| Product ID | Description | | |
|----------------|--|--|--|
| 26700-218-DIFF | Diffuser Attachment for Mighty Scope v2 | | |
| 26700-219 | Polarizer Attachment for Mighty Scope v2 | | |





With Diffuser




Without Diffuser





With Polarizer



Without Polarizer

Mighty Scope® ClearVue

All-In-One Digital Microscope



Mighty Scope ClearVue

USB Digital Microscope [8x - 25x]

- 8x 25x Magnification
- Compact All-in-one system
- Save high resolution image/video files directly to microSD card
- Enhances productivity eliminates eye strain and body fatigue
- 1080p Full HD Imaging at 60 FPS
- HDMI Output for additional monitor viewing
- ezlmageX3 software download included
- 1080p Full HD Output
- 5" built-in HD screen

26700-220-MNT

26700-220-557



26700-220-505



26700-220-559



26700-220-479D

26700-220-558D

Mighty Scope ClearVue Bundles

| Product ID | Description | | |
|--|--|--|--|
| 26700-220-MNT | Mighty Scope ClearVue on Post Stand | | |
| 26700-220-557 | Mighty Scope ClearVue on Flex Arm Stand w/ Table Clamp | | |
| 26700-220-505 | Mighty Scope ClearVue on Compact Post Stand w/ Dual Gooseneck LEDs & Back Light | | |
| 26700-220-479 | Mighty Scope ClearVue on Post Stand w/ Gliding Stage XYR | | |
| 26700-220-559 | Mighty Scope ClearVue on Spring Balanced Arm w/ Table Clamp | | |
| 26700-220-559WB | Mighty Scope ClearVue on Adjustable Spring Balanced Arm with Weighted Base | | |
| 26700-220-558 | Mighty Scope ClearVue on Flex Arm Stand w/ Magnetic Base | | |
| 26700-220-MNTD | Mighty Scope ClearVue Digital Microscope 8x-25x With Post Stand And Diffuser | | |
| 26700-220-559D | Mighty Scope ClearVue Digital Microscope 8x-25x + 34" Spring Balanced Arm And Diffuser | | |
| 26700-220-557D Mighty Scope ClearVue Digital Microscope 8x-25x + 18 Inch FlexArm Stand With Table Clam And Diffuser | | | |
| 26700-220-479D | 26700-220-479D Mighty Scope ClearVue Digital Microscope 8x-25x With Post Stand And Gliding Stage And Diffuser | | |
| 26700-220-558D | 26700-220-558D Mighty Scope ClearVue Digital Microscope 8x-25x + 18 Inch FlexArm Stand With Magnetic B And Diffuser | | |



26800B-479



26700-220-STN



26700-220-DIFF

Mighty Scope ClearVue Accessories

| Product ID | Description | | |
|----------------|---|--|--|
| 26800B-479 | Compact Gliding Stage X/Y/R | | |
| 26700-220-STN | Post Stand For Digital Microscope Mighty Scope ClearVue | | |
| 26700-220-DIFF | Diffuser Attachment For Mighty Scope ClearVue | | |

Cyclops®

Digital Microscopes

Cyclops® 3.0

- Micro SD card for saving images and video
- New and improved software and camera sensor
- New dual screen mode using HDMI & USB outputs simultaneously
- ▶ 13x-140x Magnification
- The included 11 inch aluminum adjustable stand provides for a large working distance
- Control the Cyclops' features such as focus and lighting with the infrared remote control



26700-423

Cyclops® HDMI

- Built-in HDMI output for viewing images directly on an HD monitor
- Auto focus enabled
- Designed to maximize efficiency and operator comfort
- Equipped with a 4x objective lens
- ► High magnification range and extended working distance
- Magnification ranges up to 132x on a 21.5"
 HD monitor



26700-401





Cyclops® Models

| Product ID | Description | |
|---|--|--|
| 26700-423 Cyclops 3.0 Digital Microscope with USB & HDMI [13x to 140x] with 4x Lens | | |
| 26700-401 Cyclops® HDMI Digital Microscope (up to 132x) | | |
| 26700-423-505 Cyclops 3.0 + Post Stand w/ Gooseneck LEDs & LED Back Light | | |
| 26700-401 + 26800B-557-412 Cyclops® HDMI Digital Microscope with 18" Flex Arm/Table Clamp | | |
| 26700-401 + 26800B-558-412 | Cyclops® HDMI Digital Microscope with 18" Flex Arm/Magnetic Base | |

Cyclops® Stands & Accessories

| Product ID Description | | | |
|------------------------|--|--|--|
| 26800B-558-412 | 18" Flex Arm With 360° Swivel Head and Magnetic Base | | |
| 26800B-557-412 | 18" Flex Arm With 360° Swivel Head and 2" Table Clamp | | |
| 26800B-600 | Boom Stand Mounting Post for Cyclops Digital Microscopes | | |

Optional Configurations





Cyclops® Accessories

Objective Lenses

Cyclops[®] 4x Long Focus Lens Item # 26700-400-L-4XLF

Provides operators with a working distance of approximately 95mm - 218mm (3.75 - 8.5 inches).



Use of this lens will increase magnification, allowing even further clarity for examining small objects. Includes lighting attachment.

Cyclops[®] Objective Lens 4X with Polarizer Item # 26700-400-PL01

4x Objective Lens with polarizer aides in the illumination and study of small and shiny parts. The polarized lens cover attaches to the Cyclops in order to block intense reflected light, significantly reducing glare.



26700-400-L-4XLF



26700-400-L10X



26700-400-PL01

Flex Arm Stands

Flexible Arm Stands are a hassle-free addition to your inspection system. The arm easily bends and stays put in any position. Tilt, rotate, and position as needed. Features a universal 1/4-20" screw mount, compatible with many inspection cameras, consumer cameras, as well as Aven's Cyclops Digital Microscope.



Add-Ons

22" LCD Monitor Item # 26700-406

Outstanding performance and eco-friendliness complement the sleek design. LED back-lit with 50,000,000:1 Smart Contrast Ratio, Full 1080P with HDMI.



26700-406

LCD Monitor Mount, 542 Series, 12" Post Height Item # 26700-411

The 542 Series LCD Monitor Mount expands desktop workspace and provides ergonomic comfort. Holds widescreen display up to 27". Adjust the monitor to where it is most comfortable by adjusting the articulating arms with its 360-degree rotation, -15 to +15 degree tilt, and side to side swivel.



Compact Gliding Stage XYR Item # 26800B-479

Compact gliding stage with horizontal, vertical and 360 movement. Ideal for inspecting small parts, micro chips, PCB boards, and more. Durable all-metal construction ensures a long working life, with rack and pinion gears for smooth motion.



26800B-479

Articulating Arm Post Stand

Articulating arm stand for use with microscopes. Features a 415mm (16.33in) articulating arm with two articulating joints on a 450mm (17.7in) post. Includes a built-in table clamp with dual locks for added stability. The arm can be raised/lowered and rotated to the ideal position.



HDMI Image Measurement Box Item # 26700-401-IMB-08

Designed for use with Aven's Cyclops HDMI Digital Microscope, this device gives operators access to advanced imaging & measurement software with no need to connect to a PC. Capture images/videos, measure, write onscreen notes, and more.



26700-401-IMB-08

MicroVue

Digital Microscope w/ Built-in HD Monitor



MicroVue

Digital Microscope w/ Built-in HD Monitor [17x - 110x]

- Built-in 11.6" monitor for ergonomic viewing
- 8.6x 221x magnification on the built-in monitor (with optional lenses)
- HDMI output for external monitor viewing
- Built-in measurement capabilities
- Save image/video files to USB storage device
- USB included
- Compact design saves bench top space

MicroVue

| Product ID Description | | |
|------------------------|---|--|
| 26700-140 | MicroVue Digital Microscope With Built-In HD Monitor [17 - 110x] | |
| 26700-140-3D | MicroVue Digital Microscope With Built-In HD Monitor And 360 Viewer [8.6x - 221x] | |

MicroVue Accessories

| Product ID | Description | | |
|----------------|---|--|--|
| 26700-140-L05X | MicroVue Auxiliary Lens 0.5x | | |
| 26700-140-L20X | MicroVue Auxiliary Lens 2.0x | | |
| 26700-140-M32 | MicroVue Focus Mount With Arbor For Boom Stands, 32mm Opening | | |
| 26700-140-3DA | MicroVue 360 Viewer Attachment | | |













26700-140-L05X


26700-140-L20X

26700-140-M32

26700-140-3DA

Bodies

The Aven Advantage





The Aven Advantage

Aven's Stereo Zoom Microscopes

- Virtually greaseless knobs will not slip over time
- The single lens design will prevent double vision
- ► The custom cut prisms allow for a straight light path giving you a crisp, clear image throughout the life of the scope

Bodies

SPZ-50 Series Stereo Zoom Microscopes

- Magnification range: 6.7x-50x (3.35x-200x with optional lenses)
- Large 7.46:1 best-in-class zoom ratio
- ► Field of view: 34.3mm-3.6mm (1.35"-0.14")
- ► Working distance: 108mm (4.25")
- Includes high eye point DHW10x (F.N.23) eyepieces for comfortable viewing even for operators with eyeglasses
- Optional eyepieces available include DHW15x (F.N.15) & DHW20x (F.N.11.4)
- Trinocular body type features click stop zoom adjustment for extremely accurate measuring
- Trinocular port includes easy adjust C-mount camera adapter for fine focusing
- Includes rubber eye-guards and dust cover

| Product ID | Description | | |
|------------|--|--|--|
| SPZ-50 | SPZ-50 Stereo Zoom Binocular Microscope | | |
| SPZV-50 | SPZV-50 Stereo Zoom Trinocular Microscope | | |
| SPZ-50E | ESD Safe SPZ-50 Stereo Zoom Binocular Microscope | | |
| SPZV-50E | ESD Safe SPZV-50 Stereo Zoom Trinocular Microscope | | |

Optical Data for SPZ-50 & SPZV-50 + SPZ-50E & SPZV-50E

| Eyepiece DHW10x (F.N.23) | | | | | |
|----------------------------|------------|------------|-------------|------------|---------------|
| Auxiliary Lens | Nil | w/0.5x | w/0.75x | w/1.6x | w/2x |
| Magnifications | 6.7x-50x | 3.35x-25x | 5x-37.5x | 10.72x-80x | 13.4x-100x |
| Working Distance | 108mm | 240mm | 132mm | 50mm | 41 mm |
| Field of View | 34.3-4.6mm | 68.9-9.2mm | 45.7-6.1 mm | 21.4-2.8mm | 17.1 - 2.3 mm |

| Eyepiece DHW15x (F.N.15) | | | | | | | |
|----------------------------|------------|-------------|--------------|-------------|-------------|--|--|
| Auxiliary Lens | Nil | w/0.5x | w/0.75x | w/1.6x | w/2x | | |
| Magnifications | 10.05x-75x | 5.02x-37.5x | 7.53x-56.25x | 16.08x-120x | 20.1 x-150x | | |
| Working Distance | 108mm | 240mm | 132mm | 50mm | 41 mm | | |
| Field of View | 22.3-3mm | 44.7-6mm | 29.8-4mm | 16-1.8mm | 11.1-1.5mm | | |

| Eyepiece DHW20x (F.N.11.4) | | | | | | | |
|------------------------------|------------|----------|------------|-------------|------------|--|--|
| Auxiliary Lens | Nil | w/0.5x | w/0.75x | w/1.6x | w/2x | | |
| Magnifications | 13.4x-100x | 6.7x-50x | 10.05x-75x | 21.44x-160x | 26.8x-200x | | |
| Working Distance | 108mm | 240mm | 132mm | 50mm | 41 mm | | |
| Field of View | 17-2.2mm | 34-4.5mm | 22.6-3mm | 10.6-1.4mm | 8.5-1.1mm | | |

DSZ-70 Series Binocular Stereo Zoom Microscopes

- ► Magnification Range: **20x-70x** (5x-224x with optional lenses)
- ▶ 3.5:1 zoom ratio

SPZV-50

- Field of view: 10mm-2.8mm (0.39"-0.11")
- ► Working Distance: 80mm (4.25")
- ► Includes DSW10xZ (F.N.20) eyepieces
- Optional eyepieces available include DSW5xZ (F.N.20), DSW15x (F.N.15) & DSW20x (F.N.11.4)
- Versatile binocular microscope best suited for high magnification applications
- Includes rubber eye-guards and dust cover



| Product ID | Description |
|------------|---|
| DSZ-70 | DSZ-70 - Binocular Stereo Zoom Microscope |

Optical Data for DSZ-70

| Eyepiece DSW5xZ (F.N.20) | | | | | | |
|----------------------------|----------|----------|-------------|-----------|-----------|--|
| Auxiliary Lens | Nil | w/0.5x | w/0.75x | w/1.6x | w/1.6x | |
| Magnifications | 10x-35x | 5x-17.5x | 7.5x-26.25x | 16x-56x | 16x-56x | |
| Working Dist. | 80mm | 120mm | 85mm | 41 mm | 41 mm | |
| Field of View | 10-2.9mm | 20-5.7mm | 13.3-3.8mm | 6.2-1.7mm | 6.2-1.7mm | |

| Eyepiece DSW10xZ (F.N. 20) | | | | | | |
|------------------------------|----------|----------|------------|-----------|-----------|--|
| Auxiliary Lens | Nil | w/0.5x | w/0.75x | w/1.6x | w/1.6x | |
| Magnifications | 20x-70x | 10x-35x | 15x-52.5x | 32x-112x | 32x-112x | |
| Working Dist. | 80mm | 120mm | 85mm | 41 mm | 41 mm | |
| Field of View | 10-2.8mm | 20-5.7mm | 13.3-3.8mm | 6.2-1.7mm | 6.2-1.7mm | |

| Eyepiece DSW15x (F.N. 15) | | | | | | | |
|-----------------------------|-----------|-----------|--------------|-----------|-----------|--|--|
| Auxiliary Lens | Nil | w/0.5x | w/0.75x | w/1.6x | w/1.6x | | |
| Magnifications | 30x-105x | 15x-52.5x | 22.5x-78.75x | 48x-168x | 48x-168x | | |
| Working Dist. | 80mm | 120mm | 85mm | 41 mm | 41 mm | | |
| Field of View | 7.5-2.1mm | 15-4.2mm | 10-2.8mm | 4.6-1.3mm | 4.6-1.3mm | | |

| Eyepiece DSW20x (F.N. 11.4) | | | | | | | |
|-------------------------------|-----------|------------|------------|----------|----------|--|--|
| Auxiliary Lens | Nil | w/0.5x | w/0.75x | w/1.6x | w/1.6x | | |
| Magnifications | 40x-140x | 20x-70x | 30x-105x | 64x-224x | 64x-224x | | |
| Working Dist. | 80mm | 120mm | 85mm | 41 mm | 41 mm | | |
| Field of View | 5.7-1.6mm | 11.4-3.2mm | 7.6-2.1 mm | 3.5-1mm | 3.5-1mm | | |

Bodies

DSZ-44 Series Stereo Zoom Microscopes

- Magnification Range: 10x-44x (2.5x-140.8x with optional lenses)
- Zoom ratio: 4.4:1
- Field of view 23mm to 5.2mm (0.90" to 0.20")
- ► Working distance: 90mm (3.54")
- Includes Wide Field DSW10x (F.N.23) eyepieces
- Optional eyepieces available include DSW5x (F.N.22.5), DSW15x (F.N.15) & DSW20x (F.N.11.4)
- Trinocular port includes easy adjust C-mount camera adapter for fine focusing
- Includes rubber eye-guards and dust cover

| Product ID | Description |
|------------|---|
| DSZ-44 | DSZ-44 - Stereo Zoom Binocular Microscope |
| DSZV-44 | DSZV-44 - Stereo Zoom Trinocular Microscope |

Optical Data for DSZ-44 & DSZV-44

| Eyepiece DSW5x (F.N. 22.5) | | | | | | |
|------------------------------|------------|-----------|-------------|-----------|------------|--|
| Auxiliary Lens | Nil | w/0.5x | w/0.75x | w/1.6x | w/2x | |
| Magnifications | 5x-22x | 2.5x-11x | 3.75x-16.5x | 8x-35.2x | 13.4x-100x | |
| Working Dist. | 90mm | 150mm | 105mm | 45mm | 41 mm | |
| Field of View | 22.5-5.1mm | 45-10.2mm | 30-6.8mm | 14-3.1 mm | 17.1-2.3mm | |

| Eyepiece DSW10x (F.N. 23) | | | | | | | |
|-----------------------------|----------|-----------|------------|------------|------------|--|--|
| Auxiliary Lens | Nil | w/0.5x | w/0.75x | w/1.6x | w/2x | | |
| Magnifications | 10x-44x | 5x-22x | 7.5x-33x | 16x-70.4x | 13.4x-100x | | |
| Working Dist. | 90mm | 150mm | 105mm | 45mm | 41 mm | | |
| Field of View | 23-5.2mm | 46-10.4mm | 30.6-6.9mm | 14.3-3.2mm | 17.1-2.3mm | | |

| Eyepiece DSW15X (F.N. 15) | | | | | | | |
|-----------------------------|----------|----------|--------------|------------|------------|--|--|
| Auxiliary Lens | Nil | w/0.5x | w/0.75x | w/1.6x | w/2x | | |
| Magnifications | 15x-66x | 7.5x-33x | 11.25x-49.5x | 24x-105.6x | 13.4x-100x | | |
| Working Dist. | 90mm | 150mm | 105mm | 45mm | 41 mm | | |
| Field of View | 15-3.4mm | 30-6.8mm | 20-49.5mm | 9.3-2.1 mm | 17.1-2.3mm | | |

| Eyepiece DSW20X (F.N. 11.4) | | | | | | | |
|-------------------------------|------------|------------|-------------|------------|---------------|--|--|
| Auxiliary Lens | Nil | w/0.5x | w/0.75x | w/1.6x | w/2x | | |
| Magnifications | 20x-88x | 10x-44x | 15x-66x | 32x-140.8x | 13.4x-100x | | |
| Working Dist. | 90mm | 150mm | 105mm | 45mm | 41 mm | | |
| Field of View | 11.4-2.5mm | 22.8-5.1mm | 15.2-3.45mm | 7.1-1.6mm | 17.1 - 2.3 mm | | |

SPZH-135 Series Stereo Zoom Microscopes

- ► Magnification range: 21 x-135x (14x-180x with optional lenses)
- ▶ 6.4:1 zoom ratio

DSZV-44

- Field of view: 34.3mm-3.6mm (1.35"-0.14")
- ▶ Working distance: 84mm (3.3")
- Includes high eye point DHW15x (F.N.15) eyepieces for comfortable viewing even for operators with eyeglasses
- ▶ DHW20x (F.N.11.4) optional eyepieces available
- Trinocular body type features click stop zoom adjustment for extremely accurate measuring
- Trinocular port includes easy adjust
 C-mount camera adapter for fine focusing
- Includes rubber eye-guards and dust cover



| Product ID | Description | |
|------------|---|--|
| SPZH-135 | SPZH-135 Stereo Zoom Binocular Microscope | |
| SPZHT-135 | SPZHT-135 Stereo Zoom Trinocular Microscope | |

Optical Data for SPZH-135 & SPZHT-135

| | Eyepiece DHW15x (F.N.15) | | | DHW20x (F.N.11.4) | |
|--|----------------------------|------------|-------------|-------------------|------------|
| | Auxiliary Lens | Nil | w/0.5x | Nil | w/0.5x |
| | Magnifications | 21x-135x | 10.5x-67.5x | 28x-180x | 14x-90x |
| | Working Dist. | 84mm | 135mm | 84mm | 135mm |
| | Field of View | 10.7-1.6mm | 21.4-3.3mm | 8.1-1.2mm | 16.2-2.5mm |

ESD Safe SPZ-50E Series Stereo Zoom Microscopes

- ESD Safe coating dissipates electrostatic discharges
- ▶ Magnification Range: 6.7x to 50x (3.35x to 200x with optional lenses)
- Large 7.46:1 best-in-class zoom ratio
- ► Field of View: 34.3mm-3.6mm (1.35" to 0.14")
- ► Working Distance: 108mm (4.25")
- Includes high eye point DHW10x (F.N.23) eyepieces for comfortable viewing even for operators with eyeglasses
- SPZV-50E
- Optional eyepieces available include DHW15x (F.N.15) & DHW20x (F.N.11.4)
- Trinocular body type features click stop zoom adjustment for extremely accurate measuring
- ▶ Trinocular port includes easy adjust C-mount camera adapter for fine focusing
- ► Includes rubber eye-guards and dust cover

| Product ID | Description |
|------------|--|
| SPZ-50E | SPZ-50E ESD Safe Stereo Zoom Binocular Microscope [6.7x-50x] |
| SPZV-50E | SPZV-50E ESD Safe Stereo Zoom Trinocular Microscope [6.7x-50x] |

Systems

SPZH-135 Stereo Zoom Binocular Microscope on Stand PLED

- Magnification Range: 21x-135x
- Zoom ratio: 6.4:1
- Field of view: 10.7-1.6mm (0.42"-0.6")
- Working Distance: 84mm (3.3")
- Includes high eye point DHW 15x (F.N.15) eyepieces for comfortable viewing even for operators with eyeglasses
- Diopter adjustment on both eyepiece
- Adjustable Interpupillary distance of 50mm-74mm (1.96"-2.91") accommodates any operator
- Pole stand with built-in LED illumination with dimmer control
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work



26800B-351

SPZ-50 Stereo Zoom Binocular Microscope on Stand DABS w/ **Integrated LED Ring Light**

- Magnification range: 6.7x-50x
- Large zoom ratio: 7.46:1
- Field of view: 34.3mm-4.6mm (1.35"-0.18")
- Working Distance: 108mm (4.25")
- Includes high eye point DHW 10x (F.N.23) eyepieces for comfortable viewing even for operators with eyeglasses
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 52mm to 75mm (2.04" to 2.95") accommodates any
- Double Arm Boom Stand delivers smooth movement of a ball bearing slide, letting the microscope glide easily across objects
- Tiltable arbor enables you to angle the microscope for maximum comfort and viewing
- Integrated 60 LED Ring Light with dimmer
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work



26800B-369

| Product ID | Description |
|------------|---|
| 26800B-351 | SPZH-135 Stereo Zoom Binocular Microscope on Stand PLED |

SPZ-50 Stereo Zoom Binocular Microscope on Stand DABS & Integrated 26800B-369

SPZH-135 Stereo Zoom Microscope on Ultra Glide Boom Stand with LED FOI

- Magnification Range: 21x-135x
- Zoom ratio: 7.46:1
- Field of view: (1.35"-0.14")
- Working distance: 84mm (3.3")
- Standard High Eye Point wide field 15x eyepieces at 45 degrees for comfortable viewing even for operators with eyeglasses
- Diopter adjustment on both eyepiece tubes
- Adjustable Interpupillary Distance of 1.96" (50mm) to 2.91" (74MM) accommodates any operator



- ▶ Smooth motion of the gliding arm allows the microscope to easily scan across the subject. Features two locking knobs to adjust the horizontal and vertical position of
- A heavy 15×10.5 inch metal base provides excellent stability and a safety collar on the support post provides added protection for your inspection system.
- Multi coated optical components, free from chromatic and spherical aberration

| \rightarrow | |
|---------------|--|
| Product ID | Description |
| 26800B-373-11 | SPZH-135 Stereo Zoom Microscope on Ultra Glide Boom Stand with LED FOI |

DSZV-44 Stereo Zoom Trinocular Microscope on Stand PLED with Mighty Cam® USB 5M CMOS Camera

Description

- Magnification range: 10x-44x
- Zoom ratio: 4.4:1

Product ID

- Field of view: 23mm-5.2mm (0.91"-
- Working distance: 90mm (3.54")
- Includes wide field DSW10x (F.N.23)
- Diopter adjustment on both eyepiece tubes
- Adjustable interpupillary distance of 52mm-75mm (2.04"-2.95") accommodates any operator
- Mighty Cam® USB 5M CMOS Camera with ezMeasure software



26800B-323

- Pole stand with built-in LED illumination with dimmer control
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

| Product ID | Description |
|------------|---|
| | DSZV-44 Stereo Zoom Trinocular Microscope on Stand PLED with Mighty Cam® USB 5M CMOS Camera |

Design Your Own Microscope System

With a large variety of cameras, lighting options, stands and focus mounts, you can create and order your own customized microscope system on AvenTools.com. If you need help creating a custom system, please call our experienced sales team at 734.973.0099 and let them assist you in creating a tailor made solution that will meet your specific requirements.

Systems

SPZ-50 Stereo Zoom Binocular Microscope on Stand PLED

- Magnification range: 6.7x-50x
- Large zoom ratio: 7.46:1
- Field of view: 34.3mm-4.6mm (1.35"-0.18")
- Working distance: 108mm (4.25")
- Includes high eye point DHW 10x (F.N.23) eyepieces for comfortable viewing even for operators with eyeglasses
- Diopter adjustment on both eyepiece tubes
- Adjustable interpupillary distance of 52mm-75mm (2.04"-2.95") accommodates any operator
- Pole stand with built in LED illumination with dimmer control
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

| Product ID | Description |
|------------|---|
| 26800B-371 | SPZ-50 Stereo Zoom Binocular Microscope on Stand PLED |

SPZ-50 Stereo Zoom Binocular Microscope System with **Polarized Ring Light**

- Superior optics with crystal clear high resolution images
- Magnification range: 6.7x-50x
- Compact, durable metal post stand with base
- 60 LED ring light with adjustable polarizer reduces the glare from shiny or reflective objects



26800B-371

| Product ID | Description |
|--------------|---|
| 26800B-373-4 | SPZ-50 Stereo Zoom Binocular Microscope System with Polarized Ring Light |



DSZ-44 Stereo Zoom Binocular Microscope on Stand DABS with LED FOI

- Magnification range: 10x-44x
- Zoom ratio: 4.4:1
- Field of view: 23-5.2mm (0.91"-0.2")
- Working distance: 90mm (3.54")
- Includes wide field DSW 10x (F.N.23) eyepieces
- Diopter adjustment on both eyepiece tubes



26800B-303

- Adjustable Interpupillary Distance of 52mm-75mm (2.04"-2.95") accommodates
- Double Arm Boom Stand delivers smooth movement of a ball bearing slide, letting the microscope glide easily across objects
- Tiltable arbor enables you to angle the microscope for maximum comfort and
- High Output LED fiber optic illuminator and ring light provides clear illumination for
- Multi coated optical components, free from chromatic and spherical aberration
- Coarse and fine focusing, ideal for fine detail work

| Product ID | Description |
|------------|--|
| 26800B-303 | DSZ-44 Stereo Zoom Binocular Microscope on Stand DABS with LED Fiber Optic Illuminator |

SPZ-50 Series Stereo Zoom Microscope System with Ring Light w/Adjustable Polarizer

- Superior optics with crystal clear high resolution images
- Magnification Range: 6.7x-50x
- Compact, durable metal post stand with
- 120 LED ring light with adjustable polarizer reduces the glare from shiny or reflective
- Available with Mighty Cam® Eidos or as a binocular system



| Product ID | Description |
|--------------|--|
| 26800B-373-2 | SPZ-50 Stereo Zoom Binocular Microscope System with Ring Light w/ Adjustable Polarizer |
| 26800B-373-3 | SPZV-50 Stereo Zoom Trinocular Microscope System with Eidos Camera and Ring Light w/Adjustable Polarizer |



SPZ & SPZV Stereo Zoom Microscopes (6.7X-50X)

| Product ID | Description |
|----------------------|---|
| 26800B-373-8 | SPZ-50 Stereo Zoom Microscope with Ultra-Glide Arm Stand and FOI LED Illumination |
| SPZ-50-534-223 | SPZ-50 Stereo Zoom Microscope with OLED Ring Light and Double Arm Boom Stand |
| 26800B-369 | SPZ-50 Stereo Zoom Binocular Microscope on Stand DABS & Integrated LED Ring Light |
| 26800B-223-SPZ | SPZ-50 Stereo Zoom Microscope with OLED Ring Light and Pole Stand |
| 26800B-371 | SPZ-50 Stereo Zoom Binocular Microscope on Stand PLED |
| 26800B-373-1 | SPZ-50 Stereo Zoom Binocular Microscope with Ultra Glide Stand and LED Illumination |
| 26800B-373-6 | SPZ-50 Stereo Zoom Binocular Microscope with Double Arm Boom Stand and LED Illumination |
| 26800B-373-4 | SPZ-50 Stereo Zoom Binocular Microscope System with Polarized Ring Light |
| 26800B-373-5 | SPZ-50 Stereo Microscope on Standard Articulating Arm with E-Arm Focus Mount with Ring Light |
| 26800B-373-2 | SPZ-50 Stereo Zoom Binocular Microscope System with Ring Light w/Adjustable Polarizer |
| SPZ50-506 | SPZ-50 Stereo Zoom Microscope on Track Stand with Top and Bottom LEDs |
| 26800B-373-3 | SPZV-50 Stereo Zoom Microscope System with Eidos Camera and Ring Light w/Adjustable Polarizer |
| 26800B-373-9 | SPZV-50 Stereo Zoom Binocular Microscope with USB 3.0 Camera + FOI LED Illumination |
| 26800B-373-10-PRO | SPZV-50 Stereo Zoom Microscope + 1080p HD Mighty Cam Pro Auto Focus Camera + Ultra Glide Arm Stand, 22" HD Monitor |
| 26800B-385 | SPZV-50 Trinocular Microscope with Mighty Cam Eidos 2M Integrated Camera/Monitor |
| 26800B-382-PRO | SPZV-50 True Trinocular Stereo Zoom Microscope on Stand DABS, Mighty Cam Pro Auto Focus Camera. LED FOI & 22" Monitor |
| 26800B-383 | SPZV-50 Stereo Zoom Trinocular Microscope on Stand PLED with Mighty Cam USB 3.0 6M CMOS Camera |
| 26800B-373-3 | SPZV-50 Stereo Zoom Microscope with Eidos Camera and Double Arm Boom Stand + HD Monitor |
| SPZV-50-258-512 | SPZV-50 Stereo Zoom Trinocular Microscope on Stand PLED with Mighty Cam Pro Camera |
| SPZV-50E-258-514-ESD | SPZV-50E Stereo Zoom Trinocular Microscope on Stand PLED with Mighty Cam Pro Camera |
| SPZV50-506 | SPZV-50 Stereo Zoom Microscope on Track Stand with Top and Bottom LEDs |

Systems











DSZ & DSZV Stereo Zoom Microscopes (10X-44X)

| Product ID | Description |
|-----------------|--|
| 26800B-323 | DSZV-44 Stereo Zoom Trinocular Microscope on Stand PLED with Mighty Cam USB 5M CMOS Camera |
| 26800B-339 | DSZV-44 Trinocular Microscope with Mighty Cam Eidos 2M Integrated Camera/Monitor |
| DSZV-44-258-512 | DSZV-44 Stereo Zoom Trinocular Microscope on PLED Stand With Mighty Cam Pro |
| DSZV44-506 | DSZV-44 Stereo Zoom Trinocular Microscope on Track Stand with Top and Bottom LEDs |
| DSZ44-506 | DSZ-44 Stereo Zoom Microscope on Track Stand with Top and Bottom LEDs |











26800B-373-11

26800B-373-13-PRO

SPZ50-506

26800B-373-12 26800B-351

SPZH & SPZHT Stereo Zoom Microscopes (21X-135X)

| Product ID | Description |
|-------------------|---|
| 26800B-355 | SPZHT-135 Trinocular Microscope with Mighty Cam Eidos 2M Integrated Camera/Monitor |
| 26800B-373-12 | SPZHT-135 Stereo Zoom Microscope with USB 3.0 Camera + Ultra Glide Stand and FOI LED Illumination |
| 26800B-373-13-PRO | SPZHT-135 Stereo Zoom Microscope + 1080p HD Mighty Cam Auto Focus Camera +, 22" HD Monitor |
| 26800B-373-11 | SPZH-135 Stereo Zoom Microscope with Ultra-Glide Arm Stand and FOI Illuminator |
| 26800B-351 | SPZH-135 Stereo Zoom Binocular Microscope on Stand PLED |
| SPZH135-506 | SPZH-135 Stereo Zoom Microscope on Track Stand with Top and Bottom LEDs |
| SPZHT135-506 | SPZHT-135 Stereo Zoom Microscope on Track Stand with Top and Bottom LEDs |



26800B-355

DSZ Stereo Zoom Microscopes (20X-70X)

| Product ID | Description |
|------------|------------------------------------|
| 26800B-340 | DSZ-70PFL Stereo Microscope System |



26800B-340

CMOS Cameras

Mighty Cam® Pro Auto Focus with HDMI & USB Outputs and SD Card Port

- Aven's Mighty Cam Pro is an all-in-one inspection auto-focus camera. This camera offers both USB and HDMI outputs for inspection from an HD monitor or your PC via the included Mosaic software. This camera features integrated measurement capabilities for measuring without a PC. This camera also features a built-in SD card port for capturing instant high resolution images with no need for a PC.
- ▶ 1080p Full HD Imaging at 60 FPS
- ▶ USB output connects to PC
- Built-in measurement software No PC required
- Advanced measurement software included for computer connectivity
- Achieve instant auto focus
- Enhances productivity eliminates eye strain and body fatigue
- Save high resolution image/video files directly to SD card



26100-258

| Product ID | Description |
|------------|---|
| 26100-258 | Mighty Cam® Pro Auto Focus HDMI/USB/SD Card |

Mighty Cam Eidos - 5M Camera with Integrated 11.6" HD Monitor

- ► All-in-one, compact system
- ► 1080p Full HD Imaging at 60 FPS on the 11.6" LCD monitor
- Built-in measurement software No PC required
- Capture high resolution image/ video files and perform on-screen measurements without a PC
- Save high resolution image/video files directly to USB Storage card
- HDMI Output for additional monitor viewing
- Monitor can be tilted to the optimal viewing angle
- Enhances productivity eliminates eye strain and body fatigue



26100-260

| Product ID | Description |
|------------|---|
| 26100-260 | Mighty Cam Eidos - 5M Camera with Integrated 11.6" HD Monitor |

Mighty Cam® USB 3.0 6MP CMOS Camera with Imaging Software

- Aven's Mighty Cam® USB 6M CMOS Camera with imaging and measurement software. Create stunning images with outstanding clarity then measure, annotate and analyze with ease with the imaging software.
- USB 6M CMOS Camera with Imaging Software
- Easy plug-and-play USB 3.0 interface
- Versatile C/CS lenses mount
- Calibrate measurements, adjust depth of field in real time and create large panoramic images with real-time stitching feature



26100-244

| Product ID | Description |
|------------|---|
| 26100-244 | Mighty Cam® USB 3.0 6MP CMOS Camera with Imaging Software |

Mighty Cam ES Camera with USB + HDMI Outputs and SD Card Port

- Streamlined camera designed for efficient inspection
- USB + HDMI outputs view on an HD monitor or from your PC
- SD Card save images and video files
- Compatible with C C/S Mount lenses and trinocular microscopes
- 1/4-20" screw mount adapter mounts to nearly any camera stand
- Advanced measurement software included for use in PC mode



26100-259

| Product ID | Description |
|------------|---|
| 26100-259 | Mighty Cam ES Camera w/ USB + HDMI Outputs and SD Card Port |

Digital Microscope Systems

Mighty Cam Pro [28.8x-384x] Micro Lens w/ Post Stand

- 57.6x 384x (28.8x 192x when using the 0.5x objective lens)
- ► Auto focus camera features HDMI & USB
- Includes LED ring light with 96 ultra-bright adjustable LEDs
- Heavy duty post stand accommodates a large variety of parts



| Product ID | Description |
|---------------|--|
| 26700-109-PRO | Mighty Cam Pro Auto Focus Micro Lens System with Standard Post Stand |

Digital Microscope Systems

Macro Vue Eidos Video Inspection System with Gliding Boom Stand

- 7x-40x magnification at a 6" working distance
- The Gliding Boom Stand smoothly glides across large objects
- Built-in SD card slot for instant image/video capture, no computer required



| Product ID | Description |
|------------|---|
| 26700-118 | Macro Vue Eidos Video Inspection System with Gliding Boom Stand |

AutoFlex Video Inspection System with 1080p Auto Focus Camera & FlexArm Stand

- ► 7x-70x magnification at a 6 inch working distance
- Ultimate flexibility: 18 inch flexible arm with a 360 ball joint provides limitless positioning options
- Achieve instant auto focus no need to adjust the focus of the lens
- ► LED ring light with 96 ultra-bright, adjustable



| Product ID | Description |
|---------------|---|
| 26700-121-PRO | AutoFlex Video Inspection System with 1080p Auto Focus Camera & FlexArm Stand, 64 GB USB Drive Card Table Clamp |
| 26700-120-PRO | AutoFlex Video Inspection System with 1080p Auto Focus Camera & FlexArm Stand, 64 GB USB Drive Card Magnetic Base |

Macro Vue Eidos Video Inspection System with Standard Stand

- 7x-40x magnification at a 6" working distance
- ▶ Wide zoom range for general inspection
- Built-in SD card slot for instant image/video capture, no computer required



| Mighty Cam Pro [7x-70x] |
|-------------------------|
| Macro Lens w/ Double |
| Arm Boom Stand |

- Auto focus camera features HDMI & USB outputs
- 7x 70x magnification at a 6 inch working distance
- Includes Aven's Focus Mount with built-in LED ring light
- Double arm boom stand provides smooth horizontal movement



258-209-534

| Product ID | Description |
|------------|---|
| 26700-117 | Macro Vue Eidos Video Inspection System with Standard Stand |

| 258-209-534 Mighty Cam Pro Auto Focus Macro Lens System with Double Arm Boom Stand | Product ID | Description |
|--|-------------|--|
| | 258-209-534 | Mighty Cam Pro Auto Focus Macro Lens System with Double Arm Boom Stand |

Mighty Cam Pro [3x-43x] w/ Post Stand

- Provides instant focus from any angle with a sharp 1080p full HD image
- Save high resolution image/video to the included SD card
- ► Magnification range: 3x-43x
- Heavy duty post stand accommodates a large variety of parts



Mighty Cam Pro [7x-70x] Macro Lens w/ Post Stand

- Auto focus camera features HDMI & USB outputs
- 7x 70x magnification at a 6 inch working distance
- Includes Aven's Focus Mount with built-in LED ring light
- Heavy duty post stand accommodates a large variety of parts



| Product ID | Description |
|---------------|---|
| 26700-108-PRO | Mighty Cam Pro Auto Focus Macro Lens System with Post Stand |

| Product ID | Description |
|-------------|---|
| 258-207-570 | Mighty Cam Pro Auto Focus Macro Lens System with Post Stand |

360 Viewer Systems

Mighty Vue Eidos



26700-151-C05-260-570



26700-151-C05-260-506

Mighty Cam ES




26700-151-C05-259-570




26700-151-C05-259-506

| Product ID | Description |
|-----------------------|--|
| 26700-151-C05-260-570 | Mighty Cam Eidos on Post Stand w/ Gooseneck LEDs + 360 Viewer [13.3x - 94.4x] |
| 26700-151-C05-260-506 | Mighty Cam Eidos on Track Stand w/ Overhead and Back Light LEDs + 360 Viewer [13.3x - 94.4x] |
| 26700-151-C05-259-570 | Mighty Cam ES on Post Stand w/ Gooseneck LEDs + 360 Viewer [22x - 147x] |
| 26700-151-C05-259-506 | Mighty Cam ES on Track Stand w/ Overhead and Back Light LEDs + 360 Viewer [22x - 147x] |





360° RotationView From All Angles



Features

- ► Inspect parts from any angle
- ▶ 360 Viewing w/ included attachment
- ▶ 360 viewer can be easily engaged or disengaged by sliding the mechanism in or out

Mighty Cam ES Systems

Mighty Cam ES [7x-70x] Macro Lens w/ Post Stand

- Camera features HDMI & USB outputs
- ► 7x 70x magnification at a 6 inch working distance
- Includes Aven's Focus Mount with built-in LED ring light
- Heavy duty post stand accommodates a large variety of parts



Mighty Cam ES [7x-70x] w/ FlexArm Stand

- ► 7x-70x magnification at a 6 inch working distance
- Ultimate flexibility: 18 inch flexible arm with a 360 ball joint provides limitless positioning options
- No computer required for image processing
- LED ring light with 96 ultra-bright, adjustable LEDs
- Eliminates the fatigue and eye strain associated with frequent microscope use



| Product ID | Description |
|----------------|---|
| 258-207-570-ES | Mighty Cam ES Macro Lens System with Post Stand |

| Product ID | Description |
|--------------|--|
| 26700-121-ES | Mighty Cam ES Macro Lens System with FlexArm Stand |

Mighty Cam ES [28.8x-384x] Micro Lens w/ Post Stand

- 57.6x 384x (28.8x 192x when using the 0.5x objective lens)
- ► Camera features HDMI & USB outputs
- Includes LED ring light with 96 ultra-bright adjustable LEDs
- Heavy duty post stand accommodates a large variety of parts



Mighty Cam ES [7x-70x] Macro Lens w/ Double Arm Boom Stand

- Camera features HDMI & USB outputs
- 7x 70x magnification at a 6 inch working distance
- Includes Aven's Focus Mount with built-in LED ring light
- Double arm boom stand provides smooth horizontal movement



258-209-534-ES

| Product ID | Description |
|--------------|---|
| 26700-109-ES | Mighty Cam ES Micro Lens System with Post Stand |

| Product ID | Description |
|----------------|--|
| 258-209-534-ES | Mighty Cam ES Macro Lens System with Double Arm Boom Stand |

Mighty Cam ES [3x-43x] w/ Post Stand


- Camera features HDMI & USB outputs
- Save high resolution image/video to the included SD card
- ► Magnification range: 3x-43x
- Heavy duty post stand accommodates a large variety of parts



| P | roduct ID | Description |
|-----|------------|---|
| 267 | 700-108-ES | Mighty Cam ES Macro Lens System with Post Stand |




Imaging & Measurement Software






Capture High Quality Images

Create enhanced still photos or record a live video stream for play back



Auto Calibration & Measurement Tools

Auto calibrate with circle and measure with just a few clicks



ezImageX3® Software

ezImage[®] software allows you to measure, annotate, and analyze your images with just a few mouse clicks. With advanced features and easy to use interface, exImageX3 makes inspection as easy as possible. While using ezImage[®] you can view real-time live images or screenshots from your saved folder which can be reviewed, replayed, and analyzed.



Simultaneous Live Views

Use two cameras on same work station for side by side live views



Compare Overlays

Compare your object to a transparent image to catch imperfections

MicroViewer PLUS Software

The Mighty Scope v2 includes a free download of MicroViewer PLUS software. This software is optimized for the Mighty Scope v2, with all the features needed for professional inspection.

- Image/video capture
- Measurement
- Line, angle, and circle drawings/measurement
- Grid overlays
- Compare modes
- Mac or Windows versions available

Digital Microscope Lenses & Accessories

Macro Zoom 3x – 42x Lens System

- ► Focal length: 12-36mm
- C/CS mount
- ► Working distance 20mm~300mm
- ▶ Ideal for quality assurance or assembly applications where easy to view, sharp and true to life magnified image of your product is required. The Macro Zoom 3x-42x offers unsurpassed clarity and parfocal zoom capabilities. Compatible with cameras with C/CS mount. Includes a soft travel pouch.



26700-182

| Product ID | Description |
|------------|-------------------------------|
| 26700-182 | Macro Zoom 3x-42x Lens System |

Micro Lens System Zoom 640

- Infinity Optical Design for large depth of field and zoom ratio
- Parfocal throughout zoom range
- ► Compact design
- High contrast images and vivid colors
- Aven Micro Lens System produces crisp and clear images that are distortion free and void of chromatic aberration. This lens system comes with detents which allows you to calibrate the lens for measurement repeatability.

 Comes standard with 1x C-mount coupler and 1x objective lens. Total magnification is 0.6x-4.0x, Field of View is 6mm x 8mm at low magnification and 0.8mm x 1.2mm at high magnification. Working distance is 82mm.

 Additional couplers and objective lenses are available to help you configure a lens system to meet your application.



26700-151

| Product ID | Description |
|------------|----------------------------|
| 26700-151 | Micro Lens System Zoom 640 |

Computar MLH 10x Lens

- ► f/5.6 to 32C manual iris
- ▶ 21.6-4.5° diagonal FOV
- Manual zoom (10x) and focus
- ▶ 0.15-0.45m Focus
- ► C-Mount connection
- Computar Manual Zoom Lenses provide manual adjustment of focal length, iris and focus. For use where a variable angle of view is required. Main applications for this lens include inspection, machine vision and robotics
- ► This system requires an adapter plate



26700-181

| Product ID | Description |
|-------------|--|
| 26700-181 | Macro Zoom 3x-42x Lens System |
| 26700-181AP | Adapter Plate for Macro Lens 26700-181 |

Adapter Plate for Macro Lens Zoom 7000

- ► Adapter for Macro Lens Zoom 7000
- For focus mounts (26800B-517 & 26800B-518)
- Outside diameter: 73mm
- Inside diameter: 46.75mm
- 22.5mm height



26700-180AP

| Product ID | Description |
|-------------|--|
| 26700-180AP | Adapter Plate for Macro Lens Zoom 7000 |

Adapter Plate for Micro Lens 640

- Adapter for Micro Lens 640
- ► For focus mounts (26800B-517 & 26800B-518)
- Outside diameter: 73mm
- Inside diameter: 35.25mm
- 24mm height



26700-151 AP

| Product ID | Description | |
|-------------|----------------------------------|--|
| 26700-151AP | Adapter Plate for Micro Lens 640 | |

C-Mount Coupler 0.5x

- ► Mounts to Micro Video Lens System Zoom 640
- Reduces magnification by 0.5x
- ► Ideal for cameras with sensors 12.7mm (1/2") or larger
- ► Can be used with any C-Mount camera
- See optical specification chart for more details



26700-156

| Product ID | Description | |
|------------|----------------------|--|
| 26700-156 | C-Mount Coupler 0.5x | |

Adapter Plate for Macro Lens 26700-181

- Adapter for Macro Lens Zoom 26700-181
- Outside diameter: 84mm
- Inside diameter: 47mm
- ▶ 0.75mm height



26700-181 AP

| Product ID | Description | |
|-------------|--|--|
| 26700-181AP | Adapter Plate for Macro Lens 26700-181 | |

Digital Microscope Lenses & Accessories

C-Mount Coupler 1.0x

- Mounts to Micro Video Lens System Zoom 640
- Increases magnification by 1x
- Ideal for with sensors less than 16.9 mm (2/3")
- Can be used with any C-Mount camera
- See optical specification chart for more details



26700-158

Objective Lens 0.5x

- Objective Lens for Micro Video Lens System
- Reduces magnification by 0.5x
- Color corrected lens system

Product ID

26700-162

- Working distance 175mm (6.9")
 - See optical specification chart for more details

Objective Lens 0.5x

Objective Lens 0.75x



Description

Description

26700-162

| Product ID | Description | |
|------------|----------------------|--|
| 26700-158 | C-Mount Coupler 1.0x | |

Objective Lens 1.5x

- Objective Lens for Micro Video Lens System Zoom 640
- Increases magnification by 1.5x
- Color corrected lens system
- Working distance 54mm (2.1")
- See optical specification chart for more details



26700-165

| Ohi | ective | Lens | 0.75x |
|-----|--------|-------|-------|
| OB | GCIIVG | FC113 | U./JA |

- Objective Lens for Micro Video Lens System
- Reduces magnification by 0.75x
- Color corrected lens system
- Working distance 117mm (4.6")
- See optical specification chart for more



26700-163

| Product ID | Description | |
|------------|---------------------|--|
| 26700-165 | Objective Lens 1.5x | |

Objective Lens 2x

- Objective Lens for Micro Video Lens System Zoom 640
- Increases magnification by 2x
- Color corrected lens system
- Working distance 35mm (1.4")
- See optical specification chart for more details



26700-166

Objective Lens 1x

Product ID

26700-163

- ► Objective Lens for Micro Video Lens System Zoom 640
- Color corrected lens system
- Working distance 82mm (3.2")
- See optical specification chart for more



26700-164

| Product ID | Description | |
|------------|-------------------|--|
| 26700-166 | Objective Lens 2x | |

| Product ID | Description | |
|------------|-------------------|--|
| 26700-164 | Objective Lens 1x | |

Optical Data Chart

| Objective | | | CCD Coupler | |
|---------------|------------------|------------|------------------|-----------------|
| Magnification | Working Distance | | 0.5X | 1X |
| 0.27 | 293mm | Total Mag. | 0.09X0.6X | 0.18X1.2X |
| 0.3X | 293mm | FOV(mm) | 40X53.336X8 | 20X26.673X4 |
| 0.57 | 175 | Total Mag. | 0.15X1X | 0.3X2X |
| 0.5X | 175mm | FOV(mm) | 24X323.6X4.8 | 12X161.8X2.4 |
| 0.75 | 117 | Total Mag. | 0.225X1.5X | 0.45X3X |
| 0.75X | 117mm | FOV(mm) | 16X21.33-2.4X3.2 | 8X10.67-1.2x1.6 |
| 1.V | 82mm | Total Mag. | 0.3X-2X | 0.6X-4X |
| 1X | | FOV(mm) | 12X16-1.8X2.4 | 6X8-0.9X1.2 |
| 1.57 | 54mm | Total Mag. | 0.45X-3X | 0.9X-6X |
| 1.5X | | FOV(mm) | 8X10.67-1.2X1.6 | 4X5.33-0.6X0.8 |
| av | 25 | Total Mag. | 0.6X-4X | 1.2X-8X |
| 2X | 35mm | FOV(mm) | 6X8-0.9X1.2 | 3X4-0.45X0.6 |

Illumination

Fiber Optic Illuminator 24W

- ► The light source is an ultra-bright and energy efficient LED, providing long-life illumination at low heat temperatures
- The unit operates quietly, with no distracting fan noise
- Adjustable brightness intensity up to
- Anti-static metal construction



| 26200A-310 |
|------------|
| |

Polarizer for Fiber Optic Ring Lights

- Helps reduce glare
- Analyzer sits in Counter-bore
- Low profile does not inhibit placement of lens



26200A-402P

| Product ID | Description | Product ID | Description |
|------------|-----------------------------|-------------|---------------------------------------|
| 26200A-310 | Fiber Optic Illuminator 24W | 26200A-402P | Polarizer for Fiber Optic Ring Lights |
| | | | |

Ring Light - Video Lenses

- High quality fiber
- Provides 360° shadow-free illumination
- Large fiber bundle ensures maximum light transmission
- Comes with standard 15.875mm (5/8")
- Inner diameter 28.58mm (1.125")
- Designed for use with Video Lenses



26200A-403

Fiber Optic Ring Light

- High quality glass fiber
- Provides 360° shadow free illumination
- Large fiber bundle ensures maximum light transmission
- Accepts polarizers
- Comes with standard 15.875mm (5/8") adapter
- Inner diameter 58.674mm (2.31")



26200A-402

| Product ID | Description | |
|------------|---------------------------|--|
| 26200A-403 | Ring Light - Video Lenses | |

LED Ring Light with Adjustable Polarizer

- Ideal for reducing glare when inspecting reflective objects
- 120 adjustable ultra-bright SMD LEDs
- Polarizer dial with reference markers to adjust the level of polarization
- Includes a tinted glass analyzer insert for enhanced polarization effects



26200B-222

| Product ID | Description | |
|------------|------------------------|--|
| 26200A-402 | Fiber Optic Ring Light | |
| 26200A-402 | Fiber Optic Ring Light | |

Dual Pipe Light Guide

- High quality fiber
- Large fiber bundle assures maximum light transmission
- Obedient "stay-up" sheathing for accurate positioning
- Focusable lens on each pipe for individual light control



| Product ID | | Description | |
|------------|-----------------------|-------------|--|
| 26200A-523 | Dual Pine Light Guide | | |

Product ID Description 26200B-222 LED Ring Light with Adjustable Polarizer

Ring Light LED with Polarizer

- Polarizer with Analyzer is ideal for illuminating shiny or highly reflective
- LED lights are flicker free, energy efficient and eco-friendly
- Operates at a low temperature and does not change color over time
- Inner diameter is 70mm (2.75") with three thumb screws for easy mounting



26200B-214

LED Ring Light w/ Brightness and Sector Control

- 60 High Intensity LED Lights
- 7 Step Brightness Control
- 4 Sectors and Each can be Controlled Independently
- Flicker Free
- No Color Change with Temperature



| Product ID | Description |
|------------|---|
| 26200B-211 | LED Ring Light w/ Brightness and Sector Control |

Product ID Description Ring Light LED with Polarizer 26200B-214

Microscope Focus Mounts

E-Arm Focus Mount w/ Integrated LED Ring Light

- E-Arm compatible with boom stands and articulating arm stands
- 60 integrated LED ring light with dimmer control
- Minimum 20,000 hours of high-output LED illumination
- Fits Aven's binocular and trinocular microscopes
- Low power consumption



| | 26200B-209 | |
|------------|------------|--|
| escription | | |

| Product ID | Description |
|------------|--|
| 26200B-209 | E-Arm Focus Mount w/ Integrated LED Ring Light |

Ring Light LED with Integrated Focus Mount

- Integrated LED ring light with focus mount with coarse and fine focus
- Eliminates chance of LED ring becoming loose from the microscope
- Increases working distance
- May be used with standard stand, articulating arm stand or either single or double arm boom stands?



26200B-207

| Product ID | Description |
|------------|--|
| 26200B-207 | Ring Light LED with Integrated Focus Mount |

N-Type Focus Mount

- Coarse focus adjustments
- Precision rack and pinion mechanism with tension
- 32mm opening for post attachment
- Will accept Aven SPZH, SPZ, and DSZ series microscopes



26800B-578

| Product ID | Description |
|------------|--------------------|
| 26800B-578 | N-Type Focus Mount |

Tiltable Arbor

- Extends the working range of boom stands and articulating arm stands
- Allows tilting of microscope bodies
- Increases operator comfort



26800B-521

| Product ID | Description |
|------------|----------------|
| 26800B-521 | Tiltable Arbor |

Focus Mount

- Coarse & fine focus adjustments
- Precision rack & pinion mechanism with tension control
- 74mm diameter ring
- Will accept Aven SPZH, SPZ, DSZ and NSW series microscopes



26800B-517

| Product ID | Description |
|------------|-------------|
| 26800B-517 | Focus Mount |

E-Arm Focus Mount

- Rack and pinion mechanism with coarse focus adjustment
- 50mm focusing distance in vertical direction
- 74mm diameter ring
- Mounts to any of our boom stands or articulating arm stands



26800B-518

| Product ID | Description |
|------------|-------------------|
| 26800B-518 | E-Arm Focus Mount |

Focus Mount with Tiltable Arbor

- Coarse & Fine Focus Adjustments
- Precision Rack & Pinion Mechanism with Tension
- Extends working range
- Tiltable
- Increases operator comfort



| Product ID | Description |
|----------------|--|
| 26800B-521-517 | Focus Mount with Tiltable Arbor |
| 26800B-521-207 | Focus Mount/LED Ring Light With Tiltable Arbor |

Ring Light Adapter

- Allows for secure mounting of ring lights to DSZ, NSW and SPZ Series Microscopes
- Screws onto bottom of microscope body



26800B-460

| Product ID | Description |
|------------|--------------------|
| 26800B-460 | Ring Light Adapter |

Protective Lens Cover

- Allows for secure mounting of ring lights to DSZ, NSW and SPZ Series Microscopes
- Screws onto bottom of microscope body



26800B-465

| Product ID | Description |
|------------|-----------------------|
| 26800B-465 | Protective Lens Cover |

Microscope Stands

Single Arm Boom Stand w/Heavy Metal Base

- Base dimensions: 285mm x 260mm x 18mm (11.22" x 10.23" x 0.71")
- Vertical post length: 384mm (15.12")
- Heavy base provides excellent stability
- Allows positioning of microscopes over a large area
- Posts are highly polished for smooth operation



| Product ID | Description |
|------------|---|
| 26800B-519 | Single Arm Boom Stand w/Heavy Metal Base |
| 26800B-520 | Single Arm Boom Stand W/Heavy Metal Base And Tiltable Arbor |

Double Arm Boom Stand w/Heavy Metal Base

- ▶ Base dimensions: 285mm x 260mm x 18mm $(11.22" \times 10.23" \times 0.71")$
- Vertical post length: 384mm (15.12")
- Heavy base provides excellent stability
- Allows positioning of microscopes over a large area
- Posts are highly polished for smooth operation



| Product ID | Description |
|---------------|--|
| 26800B-534 | Double Arm Boom Stand w/Heavy Metal Base |
| 26800B-534-EP | 10 Inch Extension Post For Double Arm Boom Stand |

Note: Single & Double Arm Boom Stands require either a Focus Mount (26800B-517) with tiltable arbor (26800B-521) or E-Arm Focus Mount (26800B-518).

Ultra-Glide Boom Stand w/ Heavy Metal Base

- Heavy base coupled with ball bearing slide allows for easy positioning of the microscope
- 13.5" height available with extension post
- All metal construction
- Ideal for use when large objects are to be viewed



| Product ID | Description |
|------------|--|
| 26800B-556 | Ultra-Glide Boom Stand w/ Heavy Metal Base |

Standard Articulating Arm Stand

- Allows great flexibility in positioning
- Can be moved out of way when not
- All metal construction



26800B-560

| Product ID | Description |
|------------|---------------------------------|
| 26800B-560 | Standard Articulating Arm Stand |

Microscope Track Stand With Overhead and Backlight LED Illumination

- Built-in overhead and back-light LEDs, no need for an external light source
- Individual dimmer controls for both LEDs
- Coarse and fine focus adjustment
- Smooth focus mount movement
- Large working distance (throat depth: 280mm)
- Compact and light weight



26800B-506

| Product ID | Description |
|------------|---|
| 26800B-506 | Track Stand with Overhead and Back-light LED Illumination |

Pole Stand with Focus Mount and LED Illumination

- Base dimensions: 220mm x 284mm x 15mm $(8.6" \times 11" \times 0.6")$
- Vertical post length: 255mm (10")
- Light weight compact stand
- Comes with rack & pinion focus mount with course and fine adjustment knobs
- Built in 60 LED ring light with dimmer control



| Product ID | Description |
|------------|--|
| 26800B-512 | Pole Stand with Focus Mount and LED Illumination |

Pole Stand with Focus Mount

- Base dimensions: 220 x 284 x 15mm (8.66" x 11.18" x 0.59")
- Vertical post length: 250mm (10")
- Lightweight compact stand
- Ideal for examining small parts
- Saves bench space
- Includes with rack & pinion focus mount with course and fine adjustment knobs



26800B-511

| Product ID | Description |
|------------|-----------------------------|
| 26800B-511 | Pole Stand with Focus Mount |

Note: Pole stands are not suitable for SPZ Series microscopes with 0.5x lens as the vertical post is not long enough to accommodate the working distance.

Heavy Duty Post Stand w/ **Safety Clamp**

- Base dimension: 279mm x 330mm x 12.7mm (10.98" x 13" x 0.5")
- Vertical post length: 406mm (15.98")
- Aluminum powder coated base
- 10 tapped holes for mounting x-y stages
- UNC bolt and safety clamp included
- Vertical post will accept focus mount (26800B-517) to which bodies SPZH, SPZ series, DSZ series and NSW series can be mounted



| Product ID | Description |
|------------|--|
| 26800B-570 | Heavy Duty Post Stand with Safety Clamp - 25mm |
| 26800B-571 | Heavy Duty Post Stand with Safety Clamp - 32mm |

Microscope Eye Pieces

Microscope Eyepiece 10x with 10:100mm Scale

- 10x magnification power
- 10:100mm scale reticle
- **Excellent for measurement**
- High eye-point design
- 20mm super wide field of view



26800B-455

| Product ID | Description |
|------------|---|
| 26800B-455 | Microscope Eyepiece 10x with 10:100mm Scale |

Microscope Eyepiece 10x with 5:100mm Scale

- 10x magnification power
- 5:100mm scale reticle
- **Excellent for measurement**
- High eye-point design



Microscope Eyepiece 10x with 20x20 0.5mm Scale

- 10x magnification power
- 20x20, 0.5mm squares reticle
- Excellent for measurement
- High eye-point design
- 20mm super wide field of view



26800B-457

| Product ID | Description |
|------------|--|
| 26800B-457 | Microscope Eyepiece 10x with 20x20 0.5mm Scale |

Microscope Eyepiece 10x with 10x10 1mm Squares

- 10x magnification power
- 10x10, 1mm squares reticle
- **Excellent for measurement**
- High eye-point design
- 20mm super wide field of view



26800B-458

| Product ID | Description |
|------------|--|
| 26800B-458 | Microscope Eyepiece 10x with 10x10 1mm Squares |

Microscope Eyepiece 10x with 10:100mm Scale Cross Hair

- 10x magnification power
- 10:100mm scale cross hair reticle
- **Excellent for measurement**
- High eye-point design
- 20mm super wide field of view



26800B-459

| Product ID | Description |
|------------|--|
| 26800B-459 | Microscope Eyepiece 10x with 10:100mm Scale Cross Hair |

DSW-10X Eyepieces - DSZ-44 and NSW series bodies

- Wide field 10x eyepieces
- For DSZ-44 and NSW series Microscopes
- FN 23



26800B-441

| Product ID | Description |
|------------|--|
| 26800B-441 | DSW-10X Eyepieces - DSZ-44 and NSW series bodies |

DSW-15X Eyepieces - DSZ and NSW series bodies

- Wide field 15x eyepieces
- For DSZ-44, DSZ-70 and NSW microscopes
- FN 15



| Product ID | Description |
|------------|---|
| 26800B-442 | DSW-15X Eyepieces - DSZ and NSW series bodies |

DSW-20X Eyepieces - DSZ and NSW series bodies

- Wide field 20x eyepieces
- For DSZ-44, DSZ-70 and NSW microscopes
- FN 11.4



26800B-443

| Product ID | Description |
|------------|---|
| 26800B-443 | DSW-20X Eyepieces - DSZ and NSW series bodies |

DSW-10X Eyepieces - DSZ-70 series bodies

- Wide field 10x eyepieces
- For DSZ-70 microscopes
- FN 20



26800B-445

| Product ID | Description |
|------------|--|
| 26800B-445 | DSW-10X Eyepieces - DSZ-70 series bodies |

Microscope Eye Pieces

DHW-10X Eyepieces - SPZ series bodies

- ▶ Wide field 10x eyepieces
- ► For SPZ series microscopes
- ► FN 23



26800B-448

| Product ID | Description |
|------------|---------------------------------------|
| 26800B-448 | DHW-10X Eyepieces - SPZ series bodies |

DHW-15X Eyepieces - SPZ series bodies

- ► Wide field 15x eyepieces
- ► For SPZ series microscopes
- ► FN 15



26800B-449

| Product ID | Description |
|------------|---------------------------------------|
| 26800B-449 | DHW-15X Eyepieces - SPZ series bodies |

DHW-20X Eyepieces - SPZ series bodies

- ► Wide field 20x eyepieces
- ► For SPZ series microscopes
- ► FN 11.4



26800B-450

| Product ID | Description |
|------------|---------------------------------------|
| 26800B-450 | DHW-20X Eyepieces - SPZ series bodies |

Rubber Eye Guards

- Adds comfort
- Manufactured from stretchable rubber material
- ► Eliminates stray light
- ► Protects eyepieces



26800B-453

| Product ID | Description |
|------------|-----------------------------------|
| 26800B-452 | Rubber Eye Guards - DSW eyepieces |
| 26800B-453 | Rubber Eye Guards - DHW eyepieces |

Auxiliary Lens 0.5x

- Reduces magnification of DSZ, NSW, SPZH and SPZ series microscopes
- ► Increases working distance and field of view
- 0.5x lens cannot be used with SPZ series bodies with stand P, PFM, PLED and Stand T and NSW series bodies with Stand T



26800B-461

| Product ID | Description |
|------------|---------------------|
| 26800B-461 | Auxiliary Lens 0.5x |

Auxiliary Lens 0.75x

- Reduces magnification of DSZ, NSW, SPZH and SPZ series microscopes
- Increases working distance and field of



| Product ID | Description |
|------------|----------------------|
| 26800B-462 | Auxiliary Lens 0.75x |

Auxiliary Lens 1.6x

- Increases magnification of DSZ, NSW, SPZH and SPZ series microscopes
- ► Reduces working distance and field of



| Product ID | Description |
|------------|---------------------|
| 26800B-463 | Auxiliary Lens 1.6x |

Auxiliary Lens 2x

- Increases magnification of DSZ, NSW, SPZH and SPZ series microscopes
- Reduces working distance and field of



26800B-464

| Product ID | Description |
|--------------|-------------------|
| 26800B-464 | Auxiliary Lens 2x |
| \leftarrow | |



Magnifiers

Aven Headband Magnifier with LEDs and Lenses 1x, 1.5x, 2x, 2.5x, 3.5x

- A customizable solution for hands-free magnification
- Includes a 5 auxiliary lens kit with storage case
- A three LED light panel placed at the front of the device provides bright, shadow-free illumination
- The brightness intensity of the LEDs can be adjusted by pressing the button at the top of the
- The length of the headband can be adjusted by twisting the headband regulating wheel to the desired length, and locked in place by pressing
- The non-slip inner padding of the headband is designed for operator comfort for the duration



| 26115 |
|-------|

| of use | |
|------------|--|
| Product ID | Description |
| 26115 | OptiSight Pro Headband Magnifier with LEDs and Lenses 1x. 1.5x. 2x. 2.5x. 3.5x |

Eye Loupe Inspection Goggles with LEDs [6x - 25x]

- Designed for comfortable up close inspection
- Set includes 6 pairs of lenses, ranging from 6x - 25x
- Built in LEDs provide additional illumination when needed
- Frames can be lengthened/shortened to the required length
- The lenses can be flipped upwards when not in use, so the operator does not have to remove
- The lens barrels can be adjusted horizontally to accommodate the operator's face



| 0 0 | |
|-----|-------|
| | 26116 |

| Product ID | Description |
|------------|---|
| 26116 | Eye Loupe Inspection Goggles with LEDs [6x - 25x] |

OptiSight Headband Magnifier

- Visor can be worn comfortably over prescription or safety glasses
- Durable high-strength plastic
- Interchangeable lenses 1.75x, 2x, 2.5x
- Visor design shields out unwanted glare
- Precision optical grade acrylic prismatic lens.



26224

| Product ID | Description |
|------------|------------------------------|
| 26224 | OptiSight Headband Magnifier |





OptiVue Headband Magnifier - 4 lenses

- Provides hands-free magnification
- Visor tilts up for normal viewing
- Includes 1.6x, 2.0x 2.5x 3.5x Lens
- Adjustable headband fits any size



26226

| Product ID | Description |
|------------|--|
| 26226 | OptiVue Headband Magnifier - 4 lenses (1.6x, 2.0x, 2.5x, 3.5x) |

Magnifiers

OptiVisor Headband Magnifiers

- Optical glass prismatic lenses ground and polished to precision optical standards
- Adjustable pivots allow the visor to be tilted out of the way when not needed and at your fingertips when you need magnification
- Adjusts to fit all head sizes
- High impact visor provides a tough, durable, always-new appearance
- Padded orthopedic felt adds to comfort



| Product ID | Description | |
|------------|--------------------------------------|--|
| 26101 | OptiVisor Headband Magnifier - 1.5x | |
| 26102 | OptiVisor Headband Magnifier - 1.75x | |
| 26103 | OptiVisor Headband Magnifier - 2x | |
| 26104 | OptiVisor Headband Magnifier - 2.5x | |
| 26105 | OptiVisor Headband Magnifier - 2.75x | |
| 26106 | OptiVisor Headband Magnifier - 3.5x | |

OptiVisor Replacement Lenses

- 1.5x 3.5x Replacement Lenses
- Optical glass prismatic lenses ground and polished to precision optical standards
- Replacement Lens for Optivisor Headband Magnifier



| Product ID | Description | |
|------------|-----------------------------|--|
| 26107 | Replacement Lens #2 - 1.5x | |
| 26108 | Replacement Lens #3 - 1.75x | |
| 26109 | Replacement Lens #4 - 2x | |
| 26110 | Replacement Lens #5 - 2.5x | |
| 26111 | Replacement Lens #7 - 2.75x | |
| 26112 | Replacement Lens #10 - 3.5x | |

OptiVisor Auxiliary Lens - 2.5x

- Attaches to the front of Optivisor headband magnifier
- Mounts on one side of the lens plate to provides an additional 2-1/2X magnification
- Pivots out of the way when not needed



| Product ID | Description |
|------------|---------------------------------|
| 26113 | OptiVisor Auxiliary Lens - 2.5x |

Hand Held Magnifier 5x/20x with LED Light

- ▶ Illuminated handheld magnifier with 11 total LEDs
- Ergonomic designed straight handle
- LEDs provides strong light for clear viewing
- Magnification: 5x/20x
- Powered by 3 AAA batteries (not included)
- Features an ON/OFF switch button



| Product ID | Description |
|------------|----------------------------|
| 26054 | Hand Held Magnifier 5x/20x |

Hand Held Magnifier 10x/30x with LED Light

- Illuminated handheld magnifier with 6 LED
- Ergonomic designed straight handle
- Focus bulb provides strong light for clear viewing
- Magnification: 10x/30x
- Powered by 3 AAA batteries (not included)
- Features an ON/OFF switch button
- CE approved, Factory Audit ISO9001:2000



| Product ID | Description |
|------------|-----------------------------|
| 26053 | Hand Held Magnifier 10x/30x |

Wide View Magnifier [2.25x - 4x] w/ UV & White LEDs

- ▶ 5 Diopter (2.25x) high quality glass lens with additional 12 diopter (4x) spot lens
- Bright white LEDs operating at 6500 Kelvin (White LEDs) and UV LEDs operating at 365nM
- 18 White LEDs with two intensity levels (4 watt)
- 26 UV LEDs (8 watt)
- 36,000+ hours (White LEDs) 30,000+ hours (UV LEDs)
- 400 mAh Rechargeable Lithium Ion Battery (last 2 hours in UV mode and up to 6 hours in white LED mode) Power adapter included (1A/5V)
- Device can be used via the power adapter when battery is drained
- **ESD Safe**



| Product ID | Description |
|------------|--|
| 26060 | Wide View UV Hand Held Magnifier w/ Ultraviolet & White LEDs |



Magnifiers

Swing Out Inspection Loupe 10x

- Distortion-free, three-piece bonded lens
- Made from optical glass

Product ID

26011

- 10x eye loupe with 1" working distance
- Gold color finish loupe easily folds up to protect lens
- Includes leather carrying case



26011

| - | |
|------|---|
| AVEN | 9 |
| 1 | |
| 1 | |

Eye Loupe 10x

- Lightweight & sturdy glass lens magnifier
- Powerful 10x magnification
- Excellent for close inspection of small parts
- Rests comfortably in the eye socket
- Ideal for use by jewelers, photographers, watchmakers, printers, and quality control inspectors



26034

| Product ID | Description |
|------------|---------------|
| 26034 | Eye Loupe 10x |

Swing Out Inspection Loupe 20x

Swing Out Inspection Loupe 10x

- Distortion-free, three-piece bonded lens
- Made from optical glass
- 20x eye loupe with 1/2" working distance
- Chrome finish loupe easily folds up to protect
- Includes leather carrying case



26012

Eye Loupe 10x with LED Light

- Lightweight glass lens magnifier
- Powerful 10x magnification
- Excellent for close inspection of small parts
- Adjustable bright LED light
- Ideal for use by jewelers, photographers, watchmakers, printers, and quality control inspectors



26034-LED

| Product ID | Description |
|------------|------------------------------|
| 26034-LED | Eye Loupe 10x with LED Light |

Product ID Description 26012 Swing Out Inspection Loupe 20x

Description

Magnifier 10x

- Pre-focused dual lenses allow examination of objects close-up
- Transparent acrylic base permits ambient light to illuminate the object
- Powerful 10x magnification
- Ideal for model makers, stamp and coin collectors, and photography



26051

| Product ID | Description |
|------------|--------------------------------|
| 26051 | Swing Out Inspection Loupe 20x |

Pocket Microscope 40x w/ Illumination

- Perfect carry-with microscope with magnification of 40x
- Eyepiece has scale with 0.1 mm graduation and a measurement range of 4mm
- Operates on two AA batteries (not included)
- Useful for engineers, tool makers and quality control inspectors



26800C-534

| Product ID | Description |
|------------|---------------------------------------|
| 26800C-534 | Pocket Microscope 40x w/ Illumination |

Pen Type Microscope 25x w/LED Light & Scale

- Perfect "pen-type" microscope with 25x magnification and includes reticle scale
- Includes pocket clip and a bright LED light
- Beveled opening to gather and focus light Provides distortion-free inverted image
- Ideal for inspection in electronics, medical, printing, and jewelry industries



| Product ID | Description |
|------------|---|
| 26800C-552 | Pen Type Microscope 25x w/LED Light & Scale |



Mighty Vue Inspector - Magnifying Lamp w/ Built-in HD Camera



Mighty Vue Inspector - 3 Diopter Magnifying Lamp w/ Built-in Camera

- Connect to an HD monitor via HDMI cable
- Connect to a PC via USB (software not included)
- View/Save Images on a micro SD card
- Ideal for sharing images on a screen & finding defects in quality control
- Frosted diffuser on LED lights help evenly distribute light
- ► LED color temperature controls
- Convenient handle to easily reposition lamp
- Lamp provides up to a 36" (914 mm)
- Attractive design w/ a diamond pattern beveled finish & stainless-steel band



Mighty Vue Inspector - 5 Diopter ESD Safe Magnifying Lamp w/ Built-in Camera

- Connect to an HD monitor via HDMI cable
- Connect to a PC via USB (software not included)
- View/Save Images on a micro SD card
- Ideal for sharing images on a screen & finding defects in quality control
- ESD Safe Dissipates electrostatic discharge
- Frosted diffuser on LED lights help evenly distribute light
- LED color temperature controls
- Convenient handle to easily reposition lamp
- Lamp provides up to a 36" (914 mm) reach
- ► Attractive design w/ a diamond pattern beveled finish & stainless-steel band



| on |
|----------------------|
| p w/ Built-in Camera |
| o w/ E |

| Product ID | Description |
|------------|--|
| 26512-CAM | Mighty Vue Inspector - 5 Diopter ESD Safe Magnifying Lamp w/ Built-in Camera |

Mighty Vue

Mighty Vue Pro Magnifying Lamp With UV LEDs - ESD Safe

- Features both standard white LEDs and UV LEDs
- ▶ 48 white LEDs, 30 UV LEDs (400nm)
- 7.5 x 6.2" extra-wide glass lens for crystal-clear viewing
- 360 swivel lamp head. Inspect from any angle.
- ► Touch-sensitive brightness control
- ▶ Built-in handle for easy positioning
- Adjustment knob locks lamp head and arm in position
- Adjustable spring balanced arm, free of pinching hazards
- ESD Safe
- Includes heavy-duty table clamp and power adapter



26505-ESL-XL5-UV

| Product ID | Description |
|------------------|--|
| 26505-ESL-XL3-UV | Mighty Vue Pro 3 Diopter [1.75x] magnifying lamp with UV and white LEDs - ESD Safe |
| 26505-ESL-XL5-UV | Mighty Vue Pro 5 Diopter [2.25x] magnifying Lamp with UV and white LEDs - ESD Safe |

Mighty Vue Pro 5 Diopter Magnifying Lamp with Color Temperature Controls - ESD Safe

- Large 7"x6" lens
- ► Durable ESD safe plastic housing
- 36" spring balanced arm stays put in any position
- ► Heavy duty ESD safe metal mounting clamp with 63.5mm (2.5") opening
- Color temperature ranges from 3500K-6500K
- Features 60 high-powered energy-efficient SMD LEDs (30 per color temperature) that provide shadow-free illumination
- ▶ LEDs are rated for over 20,000 hours of use
- Features brightness adjustment (max: 1100lm)
- ▶ Unit operates at 115 VAC



26505-ESL-XL5

| Product ID | Description |
|---------------|---|
| 26505-ESL-XL5 | Mighty Vue Pro 5 Diopter magnifying Lamp with Color Temperature Controls - ESD Safe |



Mighty Vue Pro 3 Diopter Magnifying Lamp with Color Temperature Controls

- Large 7" x 6" lens, 3 diopter
- 36" spring balanced arm stays put in any position
- ► Heavy duty ESD safe metal mounting clamp with 63.5mm (2.5") opening
- ► Color temperature ranges from 3500K-6500K
- Feature 60 high-powered, energy-efficient SMD LEDs (30 per color temperature) that provide shadow-free illumination
- LEDs are rated for over 20,000 hours of use
- Features brightness adjustment (max: 1100lm)
- ▶ Unit operates at 115 VAC

| 26505-LED-XL3 | |
|---------------|--|

| Product ID | Description |
|---------------|--|
| 26505-LED-XL3 | Mighty Vue Pro 3 Diopter Magnifying Lamp with Color Temperature Controls |

Mighty Vue Slim 5 Diopter LED Magnifying Lamp

- ► Touch-sensitive brightness controls
- 34" covered spring balanced arm stays set in any position
- ▶ 6.5" x 4" 5 Diopter glass lens
- ▶ 60 High intensity energy saving SMD LEDs
- Cool operating temperature
- Exceptionally long LED element life (minimum 20,000 hours)
- Ideal for assembly, workshop or inspection applications
- Heavy Duty Table Clamp allows for easy attachment to desk and bench tops



26505-MX5

| Product ID | Description |
|------------|---|
| 26505-MX5 | Mighty Vue Slim 5 Diopter [2.25x] LED Magnifying Lamp |

ProVue

ProVue Solas Magnifying Lamps

- Designed to accommodate multiple lenses
- ► Two models available
- 5" crystal clear glass lens for 360° distortion-free viewina
- ▶ 36" spring balanced arm stays set in any position
- Heavy duty mounting clamp with 63.5mm (2.5") opening
- ► LED models feature 60 high-powered, energyefficient SMD LEDs that provide shadow-free
- Adjustable LEDs are rated for over 20,000 hours of use



| Product ID | Description | | |
|------------|---|--|--|
| 26501-XL35 | ProVue Solas Magnifying Lamp with Interchangeable 5-Diopter Lens (2.25x) | | |
| 26501-XL58 | ProVue Solas Magnifying Lamp with Interchangeable 8-Diopter Lens (3x) | | |
| 26501-RL3D | ProVue Solas 3 Diopter Replacement Lens (1.75x) for 26501-XL35 | | |
| 26501-RL5D | ProVue Solas 5 Diopter Replacement Lens (2.25x) for 26501-XL35 AND 26501-XL58 | | |
| 26501-RL8D | ProVue Solas 8 Diopter Replacement Lens (3x) for 26501-XL58 | | |

ProVue SuperSlim LED Magnifying Lamp with Rolling Stand

- Same features as Aven 26501-LED
- Mounted on our heavy duty floor stand with casters



26501-LED-STN

| Product ID | Description |
|---------------|---|
| 26501-LED-STN | ProVue SuperSlim LED Magnifying Lamp with Rolling Stand |

ProVue SuperSlim Magnifying Lamp

- Available in two configurations: 5-Diopter (2.25x) and 8-Diopter (3x magnification)
- 5" crystal clear glass lens for 360° distortionfree viewing
- 36" spring balanced arm stays set in any position
- Heavy duty mounting clamp with 63.5mm (2.5") opening
- Fluorescent model features 22 Watt bulb operating at 6400k
- LED models feature 60 high powered energy efficient SMD LEDs lights that provide shadow free illumination
- ▶ LED lights are rated for over 20,000 hours of use
- Unit operates at 115 VAC



26501-LED

| Product ID | Description |
|--------------|--|
| 26501-LED | ProVue LED Magnifying Lamp 5 Diopter [2.25x] |
| 26501-LED-8D | ProVue LED Magnifying Lamp 8 Diopter [3x] |

ProVue Deluxe LED Magnifying Lamp Dual Color Temp

- ➤ 3500K-6500K color temperature range
- 5 diopter glass lens
- ▶ 36" friction arm no springs, no pinch hazards
- Beautifully constructed aluminum design
- ▶ Built-in brightness control
- 3 locking joints help lamp stay in place in any position
- Minimum LED lifetime of 20,000 hours



26501-LFL-LED

| Product ID | Description |
|---------------|---|
| 26501-LFL-LED | ProVue Deluxe LED Magnifying Lamp Dual Color Temp Control |

OptiVue |

OptiVue 5 Diopter LED Magnifying Desk Lamp

- ► 11" flexible gooseneck arm
- ▶ 4" 5 diopter glass lens
- ▶ 36 high-intensity energy-saving SMD LEDs



| Product ID | Description |
|------------|--|
| 26507-XL5 | OptiVue 5 Diopter LED Magnifying Desk Lamp |

In-X - Interchangeable Magnifying Lamp

In-X[®] Interchangeable Magnifying Lamp with 5 Diopter Lens







- Interchangeable lenses: no need to keep multiple magnifying lamps on hand
- Easy lens exchange: no tools required
- Lamp includes a 5 diopter interchangeable glass lens
- Capable of a magnification of 2.25x 4.75x with the optional lenses
- Fully enclosed spring balanced arm prevents pinching hazards
- Rotatable lamp head: can be positioned to nearly any angle
- Ultra-bright LEDs with brightness intensity adjustment



26501-LED-INX

| | | | 26501-LED-INX |
|-------------------|--|---------|---------------|
| Product ID | Description | Diopter | Magnification |
| 26501-LED-INX | In-X Interchangeable Magnifying Lamp with 5 Diopter Lens [2.25x] | 5 | 2.25x |
| 26501-LED-INX-8D | In-X Magnifying Lamp 8 Diopter [3x] Bundled With A 5 Diopter Lens [2.25x] | 8 & 5 | 3x & 2.25x |
| 26501-LED-INX-12D | In-X Magnifying Lamp 12 Diopter [4x] Bundled With A 5 Diopter Lens [2.25x] | 12 & 5 | 4x & 2.25x |
| 26501-LED-INX-15D | In-X Magnifying Lamp 15 Diopter [4.75x] Bundled With A 5 Diopter Lens [2.25x] | 15 & 5 | 4.75x & 2.25x |
| 26501-INX-RL5D | 5 Diopter Interchangeable Lens for In-X Magnifying Lamps | 5 | 2.25x |
| 26501-INX-RL8D | 8 Diopter Interchangeable Lens for In-X Magnifying Lamps | 8 | 3x |
| 26501-INX-RL12D | 12 Diopter Interchangeable Lens for In-X Magnifying Lamps | 12 | 4x |
| 26501-INX-RL15D | 15 Diopter Interchangeable Lens for In-X Magnifying Lamps | 15 | 4.75x |

Accessories

Replacement Clamp

for ProVue Deluxe and Mighty Vue Deluxe Magnifying Lamps

- Replacement table clamp for Aven's ProVue Deluxe and Mighty Vue Deluxe Magnifying Lamps
- Secures to the side of any work bench (up to 1.5 in width)
- Heavy duty aluminum construction
- Includes 4 mounting screws



26501-DSG-CL

| Product ID | Description |
|--------------|---|
| 26501-DSG-CL | Replacement Clamp for ProVue Deluxe & Mighty Vue Deluxe |

Replacement Clamp

for Mighty Vue Pro 26505-ESL-XL5



▶ Effortlessly mounts to a desk or table top



26505-RC-ESD

| Product ID | Description |
|--------------|--|
| 26505-RC-ESD | Replacement Clamp for Mighty Vue Pro 26505-ESL-XL5 |

Floor Stand Heavy Duty with Castors

- ▶ 5 full swivel castors for easy mobility
- Designed for durability
- Easy to clean; no maintenance required
- Provides full mobility for magnifying lamp applications in beauty salons, the medical field, electronics repair, dental clinics, industrial inspection, scientific research laboratories and even at home
- Works with ProVue SuperSlim Magnifying Lamps



| Product ID | Description |
|------------|-------------------------------------|
| 26509-STN | Floor Stand Heavy Duty with Castors |

ProVue Replacement Clamp

- ► Heavy duty metal mounting clamp with 63.5mm (2.5") opening
- ► Mounts easily to desk or table top
- ► Fits ProVue Magnifying Lamps



| Product ID | Description |
|------------|--------------------------|
| 26501-RC | ProVue Replacement Clamp |

Work Lights & Machine Lights

LED Dual Gooseneck Spotlight Illuminator

- Ideal external light source for high-magnification inspection systems
- Provides bright, even lighting
- Versatile, adjustable illumination at any angle
- 6500K cool light LED illuminator
- Add illumination to difficult to reach areas
- 23-3/8" (568mm/each) long dual gooseneck
- Metal framework intensity control box with light adjustment knobs for each light
- UV Dual Gooseneck Illuminators sold separately



26200B-221

Sirrus Task Light LED High Intensity Fixed Focus with 500mm Flex Arm and Mounting Clamp

- 500mm flexible arm stays set in any position to provide direct light where needed
- High-intensity energy-efficient LED
- Cool operating temperature

Product ID

- Exceptionally long LED element life (minimum 20,000
- Ideal for assembly, workshop or office applications

Sirrus 26527 Magnetic Base



26527

| Product ID | Description | |
|------------------|---|--|
| 26200B-221 | LED Dual Gooseneck Spotlight Illuminator | |
| 26200B-221-GNUV | 395 NM Ultra Violet Flexible Gooseneck for LED Dual Gooseneck Spotlight Illuminator | |
| 26200B-221-GNLED | Replacement Gooseneck for LED Dual Gooseneck Spotlight Illuminator | |

Sirrus Task Light LED w/ Swivel Head, 500mm Flex Arm & Mounting Clamp

- 500mm flexible arm stays set in any position to provide direct light where needed
- High-intensity energy-efficient LEDs
- Cool operating temperature
- Exceptionally long LED element life (minimum 20,000
- Ideal for assembly, workshop or office applications



| Tubular | LED | Machine | Light |
|--------------|-----|---------|-------|
| N 10/7 D. I. | 4 | | |

26527

26527-MB

- Sealed to keep out fluids, chips and shavings
- Long life LEDs (40,000 hours)
- Wide Illumination angle
- **Built in Ballast**



Description Sirrus Task Light LED High Intensity Fixed Focus with 500mm Flex Arm and Mounting

26600-501

| Product ID | Description | Product ID | Description |
|---|--|------------|--|
| 26526 | Sirrus Task Light LED w/ Swivel Head 500mm Flex Arm & Mounting Clamp | 26600-501 | Tubular LED Machine Light 14 Watt 15in (380mm) |
| 26520-MB Sirrus Magnetic Base for Task Lights | | 26600-503 | Tubular LED Machine Light 20 Watt 22.72 In (577mm) |
| | | 26600-503G | Tubular LED Machine Light 20 Watt 22.72 In (577mm) w/ Glas |
| | | | _ , , , , , , , , , , , , , , , , , , , |

Sirrus LED Lamp w/ Aluminum Head, 500mm Flex Arm & Mounting Clamp

- 500mm flexible arm stays set in any position to provide direct light where needed
- High-intensity energy-saving LEDs
- Cool operating temperature
- Exceptionally long LED element life (minimum 20,000
- Ideal for assembly, workshop or office applications



| _ | _ | | | |
|---|---|----|---|---|
| 0 | ٨ | 50 |) | O |

| Product ID | Description | |
|------------|--|--|
| 26528 | Sirrus LED Task Lamp w/ Aluminum Head, 500mm Flex Arm & Mounting Clamp | |
| 26520-MB | Sirrus Magnetic Base for Task Lights | |

| Product ID | Description |
|--|--|
| 26600-501 | Tubular LED Machine Light 14 Watt 15in (380mm) |
| 26600-503 Tubular LED Machine Light 20 Watt 22.72 In (577mm) | |
| 26600-503G | Tubular LED Machine Light 20 Watt 22.72 In (577mm) w/ Glass Diffuser |
| 26600-505 | Tubular LED Machine Light 2 X 14 Watt 26 In (658 mm) |
| 26600-505G | Tubular LED Machine Light 2 X 14 Watt 26 In (658 mm) w/ Glass Diffuser |

Tubular LED Machine Light

- 28 watt LED Lights
- 40,000 hours of life
- Tempered glass diffuser lens
- Color Temperature 5600K 6000K
- Aluminum body




26600-510

| Product ID | Description |
|------------|---|
| 26600-510 | LED Machine Light 22 In (560mm) 28 Watt |
| 26600-510 | LED Machine Light 22 In (560mm) |

Hand Tools





Accu-Cut® Oval Head Cutter

- This popular shape can be used for many applications
- ESD safe ergonomic grips
- Robust oval head designed for durability



10821S

Accu-Cut® Mini Oval Head Cutter

Description

Accu-Cut® Mini Oval Head Cutter

Accu-Cut[®] Mini Oval Head Cutter

- Miniature oval head for fine cutting work
- ESD safe ergonomic grips

Product ID

108275

10827F

Designed to be durable



Cutting Edge

Semi-Flush

10827F

Capacity

0.2-1.25mm

0.1-0.9mm

| Product ID | Description | Cutting Edge | Capacity |
|------------|--|--------------|--------------|
| 108215 | Accu-Cut [®] Oval Head Cutter | Semi-Flush | 0.2mm-1.25mm |
| 10821F | Accu-Cut [®] Oval Head Cutter | Flush | 0.15-1.25mm |

Accu-Cut® Oval Relief Head Cutter

- This popular shape can be used for many applications
- Relieved head allows easier access in tight confined areas
- ESD safe ergonomic grips
- Designed to be durable



10822F

| Accu-Cut® | Tunarad | Hand | Cutton |
|-----------|---------|------|--------|
| ACCU-CUI | laberea | пеаа | Currer |

- Pointed head allows for increased access in tight areas
- ESD safe ergonomic grips
- Designed to be durable



| Product ID | Description | Cutting Edge | Capacity | |
|------------|---|--------------|-------------|--|
| 10822\$ | Accu-Cut [®] Oval Relief Head Cutter | Semi-Flush | 0.2-1.2mm | |
| 10822F | Accu-Cut [®] Oval Relief Head Cutter | Flush | 0.15-1.1 mm | |

| Product ID | Description | Cutting Edge | Capacity |
|------------|---|---------------------|-------------|
| 10825\$ | Accu-Cut [®] Tapered Head Cutter | Semi-Flush | 0.2-1.25mm |
| 10825F | Accu-Cut [®] Tapered Head Cutter | Flush | 0.15-1.25mm |



Premium-Grade Cutters

Accu-Cut® Large Oval Head Cutter

- 25% larger than our standard oval head cutters
- ► Larger cutting capacity
- ► ESD safe ergonomic grips
- Designed to be durable



10823S

| Product ID | Description | Cutting Edge | Capacity |
|------------|--|--------------|------------|
| 10823\$ | Accu-Cut [®] Large Oval Head Cutter | Semi-Flush | 0.2-1.5mm |
| 10823F | Accu-Cut [®] Large Oval Head Cutter | Flush | 0.15-1.5mm |


Accu-Cut® XL Oval Head Cutter

- Extra large oval head for cutting heavy duty wire
- ► ESD safe ergonomic grips
- Designed to be durable



| Product ID | Description | Cutting Edge | Capacity |
|------------|---|--------------|----------|
| 108298 | Accu-Cut [®] XL Oval Head Cutter | Semi-Flush | 0.4-2mm |





Accu-Cut® Tapered Relief Head Cutter

- Pointed head with relief allows for increased access in tight areas
- ESD safe ergonomic grips
- Designed to be durable



10826F

| Product ID | Description | Cutting Edge | Capacity |
|------------|--|---------------------|------------|
| 10826\$ | Accu-Cut [®] Tapered Relief Head Cutter | Semi-Flush | 0.2-1.15mm |
| 10826F | Accu-Cut [®] Tapered Relief Head Cutter | Flush | 0.1-1.05mm |

Accu-Cut® Mini Tapered Relief Cutter

- Miniature tapered head with relief for exceptionally fine cutting work
- ► ESD safe ergonomic grips
- Designed to be durable



| Product | ID | Description | Cutting Edge | Capacity |
|---------|----|--|---------------------|------------|
| 108285 | | Accu-Cut [®] Mini Tapered Relief Cutter | Semi-Flush | 0.2-1.1 mm |
| 10828F | | Accu-Cut [®] Mini Tapered Relief Cutter | Flush | 0.1-1mm |



Professional-Grade Pliers & Cutters



Technik® Oval Head Cutter 144mm (4.5in)

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



1032

| Product ID | Description | Cutting Edge | Capacity |
|------------|--|--------------|-------------|
| 10321 | Technik [®] Oval Head Cutter 114mm (4.5") | Semi-Flush | 0.2-1.25mm |
| 10323 | Technik [®] Oval Head Cutter 114mm (4.5") | Flush | 0.15-1.25mm |

Technik® Tapered Head Cutter 114mm (4.5in)

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ► ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



| Product ID | Description | Cutting Edge | Capacity |
|------------|---|--------------|-------------|
| 10325 | Technik [®] Tapered Head Cutter 114mm (4.5") | Semi-Flush | 0.2-1.25mm |
| 10326 | Technik [®] Tapered Head Cutter 114mm (4.5") | Flush | 0.15-1.25mm |

NOTE: Product ID's with * included in 10600A Precision Stainless Steel Pliers Set

Technik® Oblique Head Cutter 144mm (4.5in)

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability
- Dblique tip can be used for fine wire cutting



10328

| Product ID | Description | Cutting Edge | Capacity |
|------------|---|--------------|------------|
| 10328 | Technik [®] Oblique Head Cutter 144mm (4.5") | Semi-Flush | 0.2-1.25mm |

Technik® Long Nose Pliers w/ Cutter 120.5mm (4.75in)

- Manufactured from 400 series stainless steel
- ► Induction hardened jaws
- Dual leaf springs
- ► ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



| Product ID | Description | Jaw Length | Tip Width | Jaw Type |
|------------|---|------------|-----------|----------|
| 10315 | Technik [®] Long Nose Plier w/ Cutter 120.5mm (4.75") | 26.4mm | 1.8mm | Serrated |



Professional-Grade Pliers & Cutters

Technik® Mini Tapered Head Cutter 110mm (4.3in)

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



| IC |)3 | 3 |
|----|----|---|
| | | |
| | | |

| Product ID | Description | Cutting Edge | Capacity |
|------------|--|--------------|------------|
| 10331 | Technik [®] Mini Tapered Head Cutter 110mm (4.3") | Flush | 0.1-1.25mm |

Technik® End Cutter 144mm (4.5in)

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ► ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability
- Designed to cut close to the surface leaving smooth surface behind



10327

| Product ID | Description | Cutting Edge | Capacity |
|------------|--|--------------|------------|
| 10327 | Technik [®] End Cutter 144mm (4.5") | Semi-Flush | 0.2-1.25mm |

Technik® Chain Nose Pliers 144mm (4.5in)

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ► ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



| Product ID | Description | Jaw Length | Tip Width | Jaw Type |
|------------|--|------------|-----------|----------|
| 10301 | Technik [®] Chain Nose Pliers 114mm (4.5") | 23.6mm | 1.8mm | Smooth |
| 10307 | Technik [®] Chain Nose Pliers 114mm (4.5") | 23.6mm | 1.8mm | Serrated |

Technik® Chain Nose Pliers 152mm (6in)

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- Dual leaf springs
- ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



| Product ID | Description | Jaw Length | Tip Width | Jaw Type |
|------------|--|------------|-----------|----------|
| 10333 | Technik [®] Chain Nose Pliers 152mm | 38.8mm | 2mm | Serrated |

Technik® Chain Nose Pliers 127mm (5in)

- Manufactured from 400 series stainless
- Induction hardened jaws
- Dual leaf springs
- ► ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



| Product ID | Description | Jaw Length | Tip Width | Jaw Type |
|------------|--|------------|-----------|----------|
| 10302 | Technik [®] Chain Nose Pliers 127mm (5") | 26.6mm | 1.8mm | Smooth |
| 10308 | Technik [®] Chain Nose Pliers 127mm (5") | 26.6mm | 1.8mm | Serrated |
| 10311 | Technik [®] Chain Nose Pliers 127mm (5") | 37.4mm | 1.8mm | Smooth |
| 10311\$ | Technik [®] Chain Nose Pliers 127mm (5") | 37.4mm | 1.8mm | Serrated |





Professional-Grade Pliers & Cutters

Technik® Round Nose Pliers 114mm-127mm (4.5in-5in)

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- **Dual leaf springs**
- ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



| Product ID | Description | Jaw Length | Tip Width | Jaw Type |
|------------|--|------------|-----------|----------|
| 10305 | Technik [®] Round Nose Pliers 114mm (4.5") | 21.3mm | 1.14mm | Smooth |
| 10306 | Technik [®] Round Nose Pliers 127mm (5") | 23.6mm | 1.14mm | Smooth |

Technik® Bent Nose Pliers 114mm (4.5in)

- Manufactured from 400 series stainless
- Induction hardened jaws
- **Dual leaf springs**
- ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



10310

| Product ID | Description | Jaw Length | Tip Width | Jaw Type |
|------------|---|------------|-----------|----------|
| 10309 | Technik [®] Bent Nose Pliers 114mm (4.5") | 22.8mm | 1.5mm | Smooth |
| 10310 | Technik [®] Bent Nose Pliers 114mm (4.5") | 22.8mm | 1.5mm | Serrated |

Technik® Flat Nose Pliers 114mm-152mm (4.5in-6in)

- Manufactured from 400 series stainless
- Induction hardened jaws
- **Dual leaf springs**
- ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



| Product ID | Description | Jaw Length | Tip Width | Jaw Type |
|------------|---|------------|-----------|----------|
| 10303* | Technik [®] Flat Nose Pliers 114mm (4.5") | 23.6mm | 3.2mm | Smooth |
| 10304 | Technik [®] Flat Nose Pliers 127mm (5") | 29.9mm | 5.87mm | Smooth |
| 10335 | Technik [®] Flat Nose Pliers 152mm (6") | 42mm | 5.3mm | Smooth |

NOTE: Product ID's with * included in 10600A Precision Stainless Steel Pliers Set

Technik® Bent Nose Pliers 152mm (6in)

- Manufactured from 400 series stainless
- Induction hardened jaws
- **Dual leaf springs**
- ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



| Product ID | Description | Jaw Length | Tip Width | Jaw Type |
|------------|---|------------|-----------|----------|
| 10313 | Technik [®] Bent Nose Pliers 152mm (6") | 40.6mm | 2mm | Smooth |

Technik® Needle Nose Pliers 146mm (5.75")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- **Dual leaf springs**
- ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



| I | Product ID | Description | Jaw Length | Tip Width | Jaw Type |
|---|------------|---|------------|-----------|----------|
| | 10314* | Technik [®] Needle Nose Pliers | 49mm | 1.5mm | Serrated |

Technik® Needle Nose Pliers Curved 152mm (6")

- Manufactured from 400 series stainless steel
- Induction hardened jaws
- **Dual leaf springs**
- ESD safe cushioned grips
- Box joint construction provides superior jaw alignment and durability



| Product ID | Description | Jaw Length | Tip Width | Jaw Type |
|------------|--|------------|-----------|----------|
| 10953 | Technik [®] Needle Nose Pliers Curved 152mm (6") | 31.2mm | 1.3mm | Serrated |

Technik® Precision Stainless Steel Pliers Set 6pc

- Induction hardened jaws
- **Dual leaf springs**
- ESD Safe cushioned grips
- Manufactured from 400 series stainless
- Box Joint construction provides superior jaw alignment and durability
- Set includes: Technik Stainless Steel Pliers & Cutters - 10301, 10303, 10314, 10315, 10321, 10327
- Tools come with a handy leatherette pouch



10600A

| Product ID | Description |
|------------|---|
| 10600A | Technik® Precision Stainless Steel Pliers And |

NIPTEC

Industrial-Grade Cutters



Niptec® TR 5000 Cutter

- Durable 5mm thick blades
- Compact ergonomic design
- Semi-flush cutting edge
- For use on copper wire up to 12 AWG
- ESD Safe grips



10501

Niptec® TR 25-E Cutter

- ► For use on copper wire up to 18 AWG
- Blue non-slip grips make tool comfortable and easy to use
- Compact ergonomic design

Product ID

10521EC

 Narrow cutting head for access into dense areas

Niptec® TR 25-E Cutter



10521EC

Cutting Edge

| Product ID | Description | Cutting Edge | |
|------------|------------------------------------|--------------|--|
| 10501 | Niptec [®] TR 5000 Cutter | Semi-Flush | |

Niptec® TR 5000PG Cutter

- Durable 5mm thick blades
- Compact ergonomic design
- ► Semi-flush cutting edge
- For use on copper wire up to 16 AWG
- ESD Safe grips



10503

| Niptec [®] TR | 2014 | Cutton |
|------------------------|------|--------|
| Minter IK | | Currer |

- Compact ergonomic design
- ESD Safe grips make tool comfortable and easy to use
- For use on copper wire up to 20 AWG
- Small cutting head angled at 21° for access into tight places



10527B

| Product ID | Description | Cutting Edge |
|------------|--------------------------------------|---------------------|
| 10503 | Niptec [®] TR 5000PG Cutter | Flush |

Niptec® TR 25 Cutter

- For use on copper wire up to 18 AWG
- ESD Safe grips
- Compact ergonomic design
- Narrow cutting head for access into dense areas



10521

| Product ID | Description | Cutting Edge |
|------------|----------------------------------|--------------|
| 10521 | Niptec [®] TR 25 Cutter | Flush |

Product ID Description Cutting Edge

10527B Niptec® TR 20M Cutter Flush

Description

Did you know **Aven offers a limited lifetime**warranty on all hand tools? Visit
www.AvenTools.com for more information.

Industrial Cutters & Pliers

Flat Nose Serrated Pliers 5" (125mm)

- Serrated Jaws with V-Slot for holding
- Grip remains consistently parallel along full length of jaw when open or closed
- Compound lever action with no spring
- Nickel-plated handles with jaws made of hardened steel



Flat Nose Pliers w/ Wire Cutters 8"

- Serrated Jaws with V-Slot for holding wire
- Grip remains consistently parallel along full length of jaw when open or closed
- Compound lever action with no spring
- Cushion-grip handles with jaws made of hardened steel
- Built-in wire cutter cuts soft wire up to 6mm (0.24")



| Product ID | Description | Max Opening | Jaw Length |
|------------|--------------------------------------|-------------|------------|
| 10757 | Flat Nose Serrated Pliers 5" (125mm) | 10mm | 41 mm |

| Product ID | Description | Max Opening | Jaw Length |
|------------|------------------------------------|-------------|------------|
| 10764 | Flat Nose Pliers w/Wire Cutters 8" | 17mm | 41 mm |

Flat Nose Pliers 8"

- Serrated Jaws with V-Slot for holding
- Grip remains consistently parallel along full length of jaw when open or closed
- Compound lever action with no spring
- Nickel-plated handles with jaws made of hardened steel



10756

Flat Nose Pliers w/ Wire Cutters 5"


- Serrated Jaws with V-Slot for holding wire
- Compound lever action with no spring
- Nickel-plated handles with jaws made of hardened steel
- Built-in wire cutter cuts soft wire up to 2.5mm (0.1")
- Grip remains consistently parallel along full length of jaw when open or closed



| Product ID | Description | Max Opening | Jaw Length |
|------------|---------------------|-------------|------------|
| 10756 | Flat Nose Pliers 8" | 17mm | 41 mm |

| Product ID Description | | Max Opening | Jaw Length |
|------------------------|---------------------|-------------|------------|
| 10761 | Flat Nose Pliers 5" | 17mm | 35mm |





Aven offers a wide variety of tweezers to meet a broad range of applications and 2 different quality grades.

In order to choose the best tool for your application:

- 1. Determine the type of points best suited for your application.
- 2. Refer to the material guide below and select the correct material for your application.
- 3. Determine the quality level required for your application if applicable. (Table 1)

Special Coatings (Available on non-magnetic stainless steel only)

TE - Teflon Superior anti-scratch, non-stick material. Acid resistant. 400°F/200°C

EP - Epoxy Good electrical insulation and resistance to chemicals. Anti-glare. 300°F/150°C

* To order tweezers with above mentioned coatings call Aven for price and d



little

None

Very Good

Soft

| tweezers with above mentioned coatings, call Aven for lelivery time. | | Quality Grades |
|--|----------------------------|--|
| Secret Moou-Tex. 00,50 | Accu-Tek ♦ ♦ ♦ ♦ | Made from the finest steels. Perfectly Balanced for a superior feel. Light weight with soft tension with accurately finished points. Recommended for work under high power magnification aerospace and micro electronics and in applications where high precision is required. All Accu-Tek precision tweezers are made from anti-acid, anti-magnetic stainless steel. |
| AMSA GROSS Ecechnik* | Technik ♦ ♦ ♦ | Finely crafted tweezers. Anti-glare finish to reduce eye strain. Hand finished points for accuracy. Recommended for micro electronics and precision assembly. |

Titanium Nitride PVD


Carbon Composite

Excellent

Non-corrosive

Tweezer Styles

| | Tip Name | Description |
|-----------|----------|---|
| | AA | For general assembly, very strong and precise tips with fine finish |
| | AC | Sturdy tips for bending and handling very fine wire. Includes finer grips |
| | мм | General Purpose Tweezer |
| | 00 | Flat edges, heavy duty strong blades tapering to a regular strong point |
| | 00C | Flat edges, strong blades tapering to a regular strong point |
| OOD | 00D | Flat edges, strong blades tapering to a regular strong point, finger grips |
| | 0 | Fine Straight Points for handling and positioning of miniature parts or fine wire |
| | 0A | Straight Points with radius edges, designed for dense areas |
| Wrong Man | ОС | Flat Edges, fine tips and short |
| | SS | Extra long and narrow with extended reach to access confined areas |
| | 1 | General Use, Strong Blade with Fine Point |
| | 2 | Tapered sharp point for bending and handling of small wire and parts |
| | 2A | Straight Flat Tips. Provides large flat gripping surface |
| No. 20 | 2AB | Curved Flat Tips. Best Flat tips. Tips provide large flat gripping surface |
| TI | 3 | Fine point tweezers for general assembly or light magnification applications |
| | | |





Titanium:

Excellent for use in the silicon chip industry, as they do not shed particles like the stainless steel. When it is determined that microscopic particles are a detriment when handling abrasive parts we recommend using titanium tweezers. In addition since titanium tweezers are 100% non magnetic, they are extremely useful when working with magnetic materials or when working in a magnetic field. Titanium is lightweight and a high strength material.

Carbofib:

Fully ESD Safe (102 ohm) but at the same time, soft and non scratching. These conductive synthetic fiber tips are ideally suited to handle delicate and fragile components when extreme care and ESD safety are an absolute necessity. Every tweezers is manually finished and tested for maximum precision. Chemical resistant and heat resistant up to 256°C.

Stainless Steel:

Perfectly balanced for a superior feel. Light weight with soft tension with accurately finished points. Recommended for work under high power magnification aerospace and micro electronics and in applications where high precision is required. Stainless steel does show some magnetism.

Stainless Steel W/ Titanium Nitride PVD Infusion:

The attractive blue finish is a result of a Titanium Nitride PVD coating method, giving the tweezers the strength, durability, and scratch & corrosion resistance of titanium. These coatings can reduce friction and provide a barrier against damage. The applications for these coatings are ever expanding. Aerospace, automotive, defense, manufacturing and more where long lasting durability is crucial.

Ceramic:

ESD Safe, non magnetic. Resists all chemicals except hydrofluoric acids. Withstands temperatures up to 900°F. Heat sink fighter.

Plastic:

We offer static dissipative plastic tweezers. Plastic tweezers are non magnetic, resist virtually all commercial solvents. Non absorbent and easy to clean. Tips are non-marring.



LechnikTM

- Stainless Steel
- Anti-Magnetic & Anti-Acid
- ► Precision Assembly
- Laboratory & Microscopy
- ► Anti-Glare Finish to Reduce Eye Strain
- ► Hard Finished Points for Accuracy
- ▶ Recommended for Micro Electronics and Precision Assembly





| Product ID | Description |
|------------|---------------------------------------|
| 18013USA | Technik Tweezers AA-SA |
| 18032USA | Technik Tweezers 00-SA |
| 18049USA | Technik Tweezers 2A-SA |
| 18072USA | Technik Tweezers 7-SA |
| 18056USA | Technik Tweezers 3C-SA |
| 18062USA | Technik Tweezers 5-SA |
| 18023USA | Technik Tweezers MM-SA |
| 18037USA | Technik Tweezers 00D-SA |
| 18069USA | Technik Tweezers 6-SA |
| 18053USA | Technik Tweezers 3-SA |
| 18043USA | Technik Tweezers 1-SA |
| 18046USA | Technik Tweezers 2-SA |
| 18059USA | Technik Tweezers 4-SA |
| 18040USA | Technik Tweezers SS-SA |
| 18029USA | Technik Tweezers OC-SA |
| 18034USA | Technik Tweezers 00C-SA |
| 18065USA | Technik Tweezers 5A-SA |
| 18066USA | Technik Tweezers 5B-SA |
| 18050USA | Technik Tweezers 2AB-SA |
| 18074USA | Technik Tweezers 7B-SA |
| 18016USA | Technik Tweezers AC-SA |
| 18027USA | Technik Tweezers 0A-SA |
| 18475USA | Technik 6-Piece Precision Tweezer Set |
| 18476USA | Technik 5-Piece Precision Tweezer Set |

BLU-TEK

- Stainless Steel Titanium PVD Infusion Process
- Corrosion Resistant
- Aven's Most Precise Tips
- Laboratory & Microscopy



| Product ID | Description | |
|------------|--|--|
| 18872 | Blu-Tek Tweezers with Fine Curved Tips Style 7-SS | |
| 18851 | Blu-Tek Tweezers with Fine Angled Tips Style 51-SS | |
| 18853 | Blu-Tek Tweezers with Straight Pointed Tips Style 3-SS | |
| 18862 | Blu-Tek Tweezers with Long Fine Tips Style 5-SS | |
| 18865 | Blu-Tek Tweezers with Long Angled Tips Style 5A-SS | |
| 18800BTK | Blu-Tek Tweezer Kit with Storage Case | |



Carbofib

- Polyetheretherketone Reinforced with Carbon Fiber
- ► Heat Resistant
- Chemical Resistant
- Precision Assembly & Laboratory



| Product ID | Description | |
|----------------|--------------------------|--|
| 18702 | Carbofib 302-CF Tweezers | |
| 18704 | Carbofib 304-CF Tweezers | |
| 18762 | Carbofib 5-CF Tweezers | |
| 18 <i>7</i> 68 | Carbofib 2A-CF Tweezers | |
| 18 <i>7</i> 69 | Carbofib 7-CF Tweezers | |

E-Z Pik

- ► Stainless Steel
- ► Color Coated to Easily Identify Tip Pattern
- Precision Assembly



| Product ID | Description |
|------------|--------------------------------|
| 18013EZ | E-Z Pik Tweezers AA Yellow |
| 18072EZ | E-Z Pik Tweezers 7 Orange |
| 18056EZ | E-Z Pik Tweezers 3C Light Blue |
| 18032EZ | E-Z Pik Tweezers 00 Red |
| 18049EZ | E-Z Pik Tweezers 2A Black |
| 18062EZ | E-Z Pik Tweezers 5 Green |
| 18480EZ | E-Z Pik 6-Piece Tweezer Set |

Titanium

- **ESD Safe**
- Light Weight Non-Magnetic
- Precision Assembly



| The state of the s | nion 2 | 111 | |
|--|---------|---------|---------------|
| 18056TT | 18072TT | 18032TT | 18049TT |
| | | | |
| 18062TT | 18013TT | 18046TT | 18037TT |
| | 6 mans | | |
| 18053TT | 18069TT | 18043TT | 18065TT |
| | | | 2A Artes |
| 18059TT | 1848OTT | | TITANIUM AVEN |

| Product ID | Description | |
|------------|---------------------------|--|
| 18056TT | Aven Titanium Tweezers 3C | |
| 18072TT | Aven Titanium Tweezers 7 | |
| 18032TT | Aven Titanium Tweezers 00 | |
| 18049TT | Aven Titanium Tweezers 2A | |
| 18062TT | Aven Titanium Tweezers 5 | |
| 18013TT | Aven Titanium Tweezers AA | |
| 18046TT | Aven Titanium Tweezers 2 | |

| Product ID | Description |
|------------|--|
| 18037TT | Aven Titanium Tweezers 00D |
| 18053TT | Aven Titanium Tweezers 3 |
| 18069TT | Aven Titanium Tweezers 6 |
| 18043TT | Aven Titanium Tweezers 1 |
| 18065TT | Aven Titanium Tweezers 5A |
| 18059TT | Aven Titanium Tweezers 4 |
| 18480TT | Titanium 6-Piece Precision Tweezer Set |


Artis

- Stainless Steel ESD Safe Angled Bend Reduces Hand Fatigue
- Laboratory & Microscopy



| Product ID | Description |
|------------|----------------------|
| 18072ARS | Artis Tweezers 7-SA |
| 18062ARS | Artis Tweezers 5-SA |
| 18049ARS | Artis Tweezers 2A-SA |
| 18032ARS | Artis Tweezers 00-SA |
| 18013ARS | Artis Tweezers AA-SA |

| Product ID | Description |
|------------|---|
| 18040ARS | Artis Tweezers SS-SA |
| 18023ARS | Artis Tweezers MM-SA |
| 18056ARS | Artis Tweezers 3C-SA |
| 18043ARS | Artis Tweezers 1-SA |
| 18480ARS | Artis 9-Piece Tweezers Set with Carrying Case |



Comfort Grip

- Stainless Steel with ESD Safe Cushion Grips
- Reduces Hand Fatigue
- Precision Assembly



| Product ID | Description | |
|------------|-----------------------------|--|
| 18056-ER | Comfort Grip Tweezers 3C-SA | |
| 18072-ER | Comfort Grip Tweezers 7-SA | |
| 18062-ER | Comfort Grip Tweezers 5-SA | |
| 18032-ER | Comfort Grip Tweezers 00-SA | |
| 18049-ER | Comfort Grip Tweezers 2A-SA | |
| 18059-ER | Comfort Grip Tweezers 4-SA | |
| 18046-ER | Comfort Grip Tweezers 2 | |

Ceramic

- Low thermal conductivity and high thermal shock resistance
- ▶ 100% non magnetic, non rusting and non static
- ► Highly resistant to all strong acids except hydrofluoric
- ► Solder will not adhere to surface
- ▶ Will hold tip geometry better than metal
- Swiss made stainless steel handles



| Product ID | Description | |
|------------|------------------------------|--|
| 18814 | Ceramic Tweezers Pattern 7MZ | |
| 18812 | Ceramic Tweezers Pattern 73 | |

Cutting

- Carbon Steel
- Designed to Cut Soft Metal Wires
- ► Induction Hardened for Durability
- Anti-Magnetic
- Anti-Acid



18114CS

| Product ID | Description |
|------------|--|
| 18114CS | Accu-Tek Cutting Tweezers 15AWG Carbon Steel |

General Purpose Tweezers

Aven Fiber Grip Tweezers

- Polished stainless steel tips firmly hold without contaminating
- Heat-resistant fiber grips protect your hands from heat while soldering
- Ideal for soldering, bending, separating and removing small items
- Cross-lock mechanism opens when pressed



| Product ID | Description |
|------------|---|
| 18415 | Aven Fiber Grip Tweezers - Straight |
| 18417 | Aven Fiber Grip Tweezers - Curved 35° angle |

Aven Self Locking Tweezers

- ► Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Cross-lock mechanism opens when pressed and closes when released



| Product ID | Description |
|------------|---|
| 18419 | Aven Self Locking Tweezers - Narrow |
| 18421 | Aven Self Locking Tweezers - Wide |
| 18423 | Aven Self Locking Tweezers - Narrow Short |

Aven Cross Locking Tweezers

- Stainless steel finish provides excellent corrosion resistance
- Ideal for soldering and holding small parts



| Product ID | Description |
|------------|-----------------------------|
| 18428 | Aven Cross Locking Tweezers |

Aven College Forceps w/Lock

- Stainless steel finish provides excellent corrosion resistance
- ldeal for bending, separating and removing
- Curved tip is helpful when working in confined spaces



| Product ID | Description | Bend ° |
|------------|-----------------------------|--------|
| 18400 | Aven College Forceps w/Lock | 40° |

Aven College Forceps w/ Alignment Pin

- Stainless steel finish provides excellent corrosion resistance
- Alignment pin keeps tips aligned under high stress applications
- Inside and outside serrations provide better gripping and handling



| Product ID | Description | Tip Style | Bend ° |
|------------|--------------------------------------|-------------------------|--------|
| 18401 | Aven College Forceps w/Alignment Pin | Straight, Serrated | N/A |
| 18402 | Aven College Forceps w/Alignment Pin | Curved, Serrated | 35° |
| 18403 | Aven College Forceps w/Alignment Pin | Offset Curved, Serrated | 35° |
| 18438 | Aven College Forceps w/Alignment Pin | Curved, Serrated | 35° |

Aven Forceps w/Plastic Coated Tips

- Stainless steel finish provides excellent corrosion resistance
- Plastic coated tips provide chemical resistance
- Serrated handles provide better gripping



| Product ID | Description | |
|------------|--|--|
| 18430 | Aven 8" Forceps w/Plastic Coated Tips | |
| 18431 | Aven 12" Forceps w/Plastic Coated Tips | |

Aven Forceps w/Straight Serrated Tips

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Long, straight tip is helpful when working in confined spaces
- Serrated handles provide better gripping



| Product ID | Description | |
|------------|--|--|
| 18432 | Aven 12" Forceps w/ Straight Serrated Tips | |
| 18433 | Aven 10" Forceps w/Straight Serrated Tips | |
| 18434 | Aven 8" Forceps w/Straight Serrated Tips | |
| 18435 | Aven 6" Forceps w/Straight Serrated Tips | |
| 18436 | Aven 5" Forceps w/Straight Serrated Tips | |

Aven Utility Tweezers

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing
- Serrated handles provide better gripping



| Product ID | Description | Tip Style | Bend ° |
|------------|-------------------------------------|--------------------|--------|
| 18425 | Aven 7" Utility Tweezers - Curved | Curved, Serrated | 30° |
| 18426 | Aven 7" Utility Tweezers - Straight | Straight, Serrated | N/A |

Aven 4 3/8" Spade Tweezers

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Spade tip is helpful when working in confined spaces
- Serrated handles provide better gripping



| Product ID | Description | Tip Style |
|------------|----------------------------|-----------|
| 18487 | Aven 4 3/8" Spade Tweezers | Spade |

Aven 4 3/8" General Purpose

Tweezers

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Serrated handles provide better gripping



| Product ID | Description | Tip Style | Bend ° |
|------------|------------------------------|------------------|--------|
| 18481 | Aven 4 3/8" Curved Tweezers | Curved, Serrated | 20° |
| 18482 | Aven 4 3/8" Tapered Tweezers | Tapered, Smooth | N/A |

Aven General Purpose Flat Tip Tweezers

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items



| Product ID | Description | Tip Style |
|------------|-----------------------------|------------|
| 18484 | Aven 3 1/8" Tweezers | Sharp-Flat |
| 18485 | Aven 3 1/2" Tweezers | Sharp-Flat |
| 18489 | Aven 4 3/4" Smooth Tweezers | Sharp-Flat |

Aven Blunt Tip Tweezers

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Serrated handles provide better gripping
- Blunt tips are useful for handling larger items

Aven 3 1/8" Blunt Tweezers

Aven 10" Blunt Tweezers

Aven 5 15/16" Blunt Tweezers

Description



Tip Style

Blunt, Smooth

Blunt, Serrated

Blunt, Serrated, Curved 30°

| Aven | Ottset | Spade | Tweezers |
|------|--------|-------|----------|
| | | | |

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing
- Spade tip is helpful when working in confined spaces
- Serrated handles provide better gripping



| Product ID | Description | Tip Style |
|------------|-----------------------------------|-------------------|
| 18488 | Aven 4 1/8" Offset Spade Tweezers | Spade |
| 18491 | Aven 4 1/2" Offset Spade Tweezers | Spade, Curved 35° |

Aven 3" Sharp Tweezers

Product ID

18486

18490

18492

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Medium-sharp, serrated tip is helpful when working in confined spaces
- Serrated handles provide better gripping



| 18483 |
|-------|
| |

| Product ID | Description | Tip Style |
|------------|------------------------|------------------------|
| 18483 | Aven 3" Sharp Tweezers | Medium Sharp, Serrated |

Aven Toothed Tissue Forceps

- Stainless steel finish provides excellent corrosion resistance
- Ideal for bending, separating and removing small items
- Toothed models are ideal for handling the various thicknesses of tissues



| Product ID | Description | Tip Style |
|------------|-----------------------------|-----------|
| 18494 | Aven Toothed Tissue Forceps | Toothed |

Screwdrivers

Ceramic Alignment Screwdrivers

- Anti-static, non-magnetic, non-inductive heatresistant ceramic tips
- Heat resistant up to 1292°F (700°C)
- Blades made from Zirconia ceramic
- Outlasts metal or plastic tip tools

Product ID

13220

13221

13222

13224

13225

13230

No eddy current loss in high frequency



0.9mm

| Description | Blade | Size |
|--------------------------------------|------------|-----------------------------------|
| Ceramic Alignment Screwdriver | Phillips | PH1.7 |
| Ceramic Alignment Screwdriver | Slotted | 1.3 mm |
| Ceramic Alignment Screwdriver | Slotted | 2.6mm |
| Ceramic Alignment Screwdriver | Slotted | 0.9mm |
| Ceramic Alignment Screwdriver | Slotted | 1.8mm |
| Ceramic Alignment Screwdriver 4-in-1 | Phillips & | Phillips 0 & 1.7 Slotted 1.8 & |

Precision Screwdrivers - 8-Piece Set

- Ergonomically designed handle with swivel head cap for precise control and comfort
- Two component handle provides soft touch and non slip surface and is oil and solvent resistant
- Blade made from high grade alloy steel
- Supplied in a handy plastic case for secure storage



| Product ID | Description | |
|------------|--------------------------------------|--|
| 13715 | Precision Screwdrivers - 8-Piece Set | |

Precision Screwdrivers - 7-Piece Set

- Chrome Vanadium steel with satin finish and black tips
- Duplex Component handle is designed for rapid rotation and control
- Fast turning swivel caps
- Imprinted sizes on handle for easy selection
- 50mm Blade Length



| Ceramic Alignment | Screwdriver - | 6 | Piece S | Set |
|--------------------------|---------------|---|---------|-----|
|--------------------------|---------------|---|---------|-----|

- Anti-static, non-magnetic, non-inductive heatresistant ceramic tips
- Heat resistant up to 1292°F (700°C)
- Blades made from Zirconia ceramic
- Outlasts metal or plastic tip tools
- No eddy current loss in high frequency



| Product ID | Description |
|------------|---|
| 13231 | Ceramic Alignment Screwdriver - 6-Piece Set |

Product ID Description 13940 Precision Screwdrivers - 7-Piece Set

Aven Precision Screwdrivers

- Precisely machined hardened black tips for durability and exact fit
- Screwdriver blades manufactured from chrome-molybdenum steel for extra strength
- Ergonomically designed bi-component handle with swivel cap for extra comfort and



| Product ID | Description | Blade | Size | Tip Length | Length |
|------------|-----------------------|----------|---------|------------|--------|
| 13901 | Precision Screwdriver | Slotted | 1.6mm | 50mm | 150mm |
| 13902 | Precision Screwdriver | Slotted | 2.0mm | 50mm | 150mm |
| 13903 | Precision Screwdriver | Slotted | 2.4mm | 50mm | 150mm |
| 13904 | Precision Screwdriver | Slotted | 3.0mm | 50mm | 150mm |
| 13906 | Precision Screwdriver | Slotted | 3.0mm | 100mm | 200mm |
| 13910 | Precision Screwdriver | Phillips | No. 000 | 50mm | 150mm |
| 13911 | Precision Screwdriver | Phillips | No. 00 | 50mm | 150mm |
| 13913 | Precision Screwdriver | Phillips | No. 1 | 50mm | 150mm |
| 13915 | Precision Screwdriver | Phillips | No. 1 | 100mm | 200mm |
| 13923 | Precision Screwdriver | Torx | Т8 | 50mm | 150mm |
| 13930 | Precision Nutdriver | - | M3.0 | 72mm | 172mm |
| 13932 | Precision Nutdriver | - | M4.0 | 72mm | 172mm |
| 13933 | Precision Nutdriver | - | M4.5 | 72mm | 172mm |

9-Piece Anti-Static Alignment Tool Kit

- Anti-static
- Designed for adjusting and aligning conventional components
- Includes 9 popular alignment tools



Stainless Steel Hand Tools

Adjustable Wrench - Stainless Steel

- Manufactured from 304 series stainless steel
- Mirror polished to provide excellent rust resistance
- Handle hole for tethering, hanging or storage
- Can be autoclaved to temperatures up to 250-degrees Fahrenheit



ST8115-1004

| Product ID | Description | |
|--|---------------------------------------|--|
| ST8115-1004 | Adjustable Wrench 6" Stainless Steel | |
| ST8115-1006 Adjustable Wrench 8" Stainless Steel | | |
| ST8115-1008 | Adjustable Wrench 10" Stainless Steel | |
| ST8115-1010 | Adjustable Wrench 12" Stainless Steel | |

Adjustable Wrench - Stainless Steel w/ PVC Grip

- Manufactured from 304 series stainless steel
- Mirror polished to provide excellent rust resistance
- Handle hole for tethering, hanging or storage



ST8115-1008G

| Product ID | Description | |
|---|---|--|
| ST8115-1004G | Adjustable Wrench Stainless Steel 6" w/ PVC Grip | |
| ST8115-1006G Adjustable Wrench Stainless Steel 8" w/ PVC Grip | | |
| ST8115-1008G | Adjustable Wrench Stainless Steel 10" w/ PVC Grip | |
| ST8115-1010G | Adjustable Wrench Stainless Steel 12" w/ PVC Grip | |

Adjustable Wrench - Stainless Steel w/ PVC Grip

- Manufactured from 304 series stainless steel
- Mirror polished to provide excellent rust resistance
- Handle hole for tethering, hanging or storage



ST8115-1014G

| | Product ID | Description | |
|--------------------------------|--------------|---|--|
| | ST8115-1016G | Adjustable Wrench Stainless Steel 23" w/ PVC Grip | |
| ST8115-1014G Adjustable Wrench | | Adjustable Wrench Stainless Steel 17" w/ PVC Grip | |
| | ST8115-1012G | Adjustable Wrench Stainless Steel 14" w/ PVC Grip | |
| | ST8115-1002G | Adjustable Wrench Stainless Steel 4" w/ PVC Grip | |

Combination Wrenches -Stainless Steel 6-Piece Set

- Made from 304 series stainless steel
- ► Can be autoclaved to temperatures up to 250-degrees Fahrenheit
- Rust resistant, can help eliminate risk of ferrous contamination
- Includes handy roll up plastic pouch



21187-105

| Product ID | Description |
|------------|--|
| 21187-105 | Combination Wrenches Stainless Steel 6-Piece Set |

Combination Wrench - Stainless Steel

- Manufactured from 304 series stainless steel
- Can be autoclaved to temperatures up to 250-degrees Fahrenheit
- Rust resistant, can help eliminate risk of ferrous contamination



| Product ID | Description | |
|---|--|--|
| 21187-0516 | Combination Wrench Stainless Steel 5/16" | |
| 21187-0308 Combination Wrench Stainless Steel 3/8" | | |
| 21187-0716 | Combination Wrench Stainless Steel 7/16" | |
| 21187-0102 | Combination Wrench Stainless Steel 1/2" | |
| 21187-0916 Combination Wrench Stainless Steel 9/16" | | |
| 21187-0508 | Combination Wrench Stainless Steel 5/8" | |

Diagonal Cutter - Stainless Steel 6"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- Oval head designed for greater access in confined spaces
- Beveled cutting edge is hardened for long lasting performance
- Can be autoclaved to temperatures up to 250-degrees



Product ID Posserintian

| Product ID | Description | |
|------------|--------------------------------------|--|
| 10355 | Diagonal Cutter - Stainless Steel 6" | |

Diagonal Cutter w/ Comfort Grip Handles 6"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- Oval head designed for greater access in confined spaces
- Beveled cutting edge is hardened for long lasting performance
- ► Ergonomically designed grips for extra comfort



| Product ID | Description |
|------------|--|
| 10355-ER | Diagonal Cutter w/ Comfort Grip Handles 6" |

Diagonal Cutter "High Leverage" Stainless Steel 7"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- Provides more cutting power than general purpose pliers
- Beveled cutting edge is hardened for long lasting performance
- Can be autoclaved to temperatures up to 250-degrees Fahrenheit



| Product ID | Description |
|------------|--|
| 10356 | Diagonal Cutter "High Leverage" Stainless Steel 7" |

Stainless Steel Hand Tools

Groove Joint Pliers Stainless Steel 9.5"

- Manufactured from 400 series stainless
- Mirror polished to provide excellent rust resistance
- Slip-resistant tongue and groove design used for grasping and turning
- Serrated jaws with four adjustable
- Can be autoclaved to temperatures up to 250-degrees Fahrenheit



| Product ID | Description |
|------------|--|
| 10365 | Groove Joint Pliers Stainless Steel 9.5" |

Combination Pliers Stainless Steel 8"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- Tapered head design allows for greater access in confined spaces
- Designed for gripping and turning round objects such as pipes, rods and
- Serrated jaws with machined gripping teeth and wire cutter



| Product ID | Description | |
|------------|---------------------------------------|--|
| 10351 | Combination Pliers Stainless Steel 8" | |

Combination Pliers w/ Plastic Grips 8"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust
- Tapered head design allows for greater access in confined spaces
- Designed for gripping and turning round objects such as pipes, rods and pins
- Serrated jaws with machined gripping teeth and wire cutter



10351-P

10351

| Product ID | Description | |
|------------------|--|--|
| 103 <i>5</i> 1-P | Combination Pliers w/ Plastic Grips 8" | |

Long Nose Pliers Stainless Steel 6"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- Tapered head design allows for greater access in confined spaces
- Designed for gripping and turning round objects such as pipes, rods and
 - Serrated jaws with machined gripping teeth and wire cutter



| Product ID | Description | |
|---|-------------|--|
| 10360 Long Nose Pliers Stainless Steel 6" | | |

Long Nose Pliers w/ Comfort Grip Handles 6"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- Length and slim design are ideal for tight spaces
- Ergonomically designed grips for extra comfort

| Product ID | Description | |
|------------|---|--|
| 10360-ER | Long Nose Pliers w/ Comfort Grip Stainless Steel 6" | |

Pliers Set Stainless Steel

- Mirror polished stainless steel provides excellent corrosion resistance
- Packaged in a leatherette roll-up pouch
- Set includes: 6" long-nose pliers, 6" slipjoint pliers, 6" wire-cutting pliers, 9-1/2" groove-joint pliers with flat jaws, and an 8" combination plier



10381

10360-ER

| Product ID | Description | |
|------------|----------------------------|--|
| 10381 | Pliers Set Stainless Steel | |

Slip Joint Pliers Stainless Steel 6.5"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- All purpose pliers with serrated jaws, built-in wire cutter and pipe grip



| Product ID | Description | |
|------------|--|--|
| 10370 | Slip Joint Pliers Stainless Steel 6.5" | |

Stainless Steel Hand Tools

Slip Joint Pliers w/ Plastic Grips 6.5"

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent rust resistance
- All purpose pliers with serrated jaws, built-in wire cutter and pipe grip
- Plastic grips provide extra comfort



10370-P

| Product ID | Description | |
|------------|--|--|
| 10370-P | Slip Joint Pliars w / Plastic Grips 6.5" | |

Locking Pliers Stainless Steel 9"

- Body and springs made from 304 non-magnetic stainless steel
- Jaws are made from 420-series stainless steel
- Fully polished to provide excellent rust resistance
- Smooth gliding locking mechanism enables easy onehanded operation
- Trigger release handles and easy turning pressure adjusting screw



10376

| Product ID | Description | |
|------------|-----------------------------------|--|
| 10376 | Locking Pliers Stainless Steel 9" | |

Locking Pliers Stainless Steel 7"

- Body and springs made from 304 non-magnetic stainless steel
- Jaws are made from 420-series stainless steel
- Fully polished to provide excellent rust resistance
- Smooth gliding locking mechanism enables easy onehanded operation
- Trigger release handles and easy turning pressure adjusting screw



10375

Locking Pliers, Long Nose, Stainless Steel 6"

- Fully polished stainless steel provides excellent corrosion resistance
- Smooth gliding locking mechanism enables easy onehanded operation
- Long thin nose is ideal for accessing tight spaces
- Trigger release handles and easy turning pressure adjusting screw



| Product ID | Description | |
|------------|---|--|
| 10377 | Locking Pliers, Long Nose, Stainless Steel 6" | |





Crimping Tools & Dies

Crimping Tool Frame

- Aven's professional-grade crimping tool has a smooth and efficient ratcheting mechanism that creates uniform and secure crimps
- Frame for all Aven Replacement Crimping
- Exchange crimp dies by hand, no tools required
- Replacement Dies sold separately



| Product ID | Description |
|------------|---------------------|
| 10195 | Crimping Tool Frame |

Crimping Tool for Heat Shrink Terminals 22-18/16-14/12-10/8 AWG

- Aven's professional-grade crimping tool has a smooth and efficient ratcheting mechanism that creates uniform and secure crimps
- For wire ferrules 22-18/16-14/12-10/8
- Exchange crimp dies by hand, no tools



required

| Product ID | Description | Jaw | AWG | DIN |
|---------------|--|-----|---------------------|-------------------------------|
| 10190 | Crimping Tool for Heat Shrink Terminals 22-18/16-14/12- 10/8 AWG | A1 | 22-18/16-14/12-10/8 | 0.5-1.0/1.5-2.5/4- 6/10 mm |

Crimping Tool for Wire Ferrules AWG 4 & 2 (25 & 35mm2)

- Aven's professional-grade crimping tool has a smooth and efficient ratcheting mechanism that creates uniform and secure crimps
- For wire ferrules AWG 4 & 2
- Exchange crimp dies by hand, no tools required



10187

| Product ID | Description | Jaw | AWG | DIN |
|------------|--|-----|--------------------|-----------|
| 10187 | Crimping Tool for Wire Ferrules AWG 4 & 2 | F1 | 4 & 2 (25 & 35mm2) | 25/35 MM2 |

Crimping Tool for Wire Ferrules 12-22 AWG

- Aven's professional-grade crimping tool has a smooth and efficient ratcheting mechanism that creates uniform and secure crimps
- For wire ferrules 12-22AWG
- Exchange crimp dies by hand, no tools required



| Product ID | Description | Jaw | AWG | DIN |
|------------|---|-----|-----------------------|-------------------------------------|
| 10178 | Crimping Tool for Wire Ferrules 12-22AWG | D | 22/20/18/ 16/14/12 | 0.5, 0.75,1.0,1.5,2.5,4.0 MM2 |

Crimping Tool for Miniature Insulated Terminals 26-22/24-18/22-16 AWG

- Aven's professional-grade crimping tool has a smooth and efficient ratcheting mechanism that creates uniform and secure crimps
- For wire ferrules 26-22/24-18/22-16
- Exchange crimp dies by hand, no tools required



| Product ID | Description | Jaw | AWG | DIN |
|---------------|--|-----|-------------------|----------------------------------|
| 10189 | Crimping Tool for Miniature Insulated Terminals 26- 22/24-18/22-16 AWG | А3 | 26-22/24-18/22-16 | 0.1-0.5/0.25-1.0/0.5- 1.5 MM2 |

Crimping Tool for Insulated Terminals 22-18/16-14/12-10 AWG

- Aven's professional-grade crimping tool has a smooth and efficient ratcheting mechanism that creates uniform and secure crimps
- For wire ferrules 22-18/16-14/12-
- Exchange crimp dies by hand, no tools required



10188

| Product ID | Description | Jaw | AWG | DIN |
|---------------|---|-----|------------------|----------------------------|
| 10188 | Crimping Tool for Wire Ferrules 22-18/16-14/12- 10AWG | A | 22-18/6-14/12-10 | 0.5-1.0/1.5-2.5/4-6 MM2 |

Crimping Tool for Wire Ferrules 6-10 AWG

- Aven's professional-grade crimping tool has a smooth and efficient ratcheting mechanism that creates uniform and secure crimps
- For wire ferrules 6-10AWG
- Exchange crimp dies by hand, no tools required



| Product ID | Description | Jaw | AWG | DIN |
|------------|--|-----|--------|-------------|
| 10179 | Crimping Tool for Wire Ferrules 6-10AWG | F | 10/8/6 | 6/10/16 MM2 |



Crimping Tools & Dies

Crimping Die F

AWG: 10/8/6, DIN: 6/10/16 MM2 22/20/18/16/14/12 AWG



| Product ID | Description | Jaw | AWG | DIN |
|------------|---|-----|--------|-------------|
| 10179DS | Crimping Die F AWG: 10/8/6, DIN: 6/10/16 MM2 | F | 10/8/6 | 6/10/16 MM2 |

Crimping Die A3 for Miniature Insulated Terminals 26-22/24-18/22-16 AWG

| Product ID | Description | Jaw | AWG | DIN |
|------------|--|-----|---------------------------|-------------------------------|
| 10189D | Crimping Die A3 for Miniature Insulated Terminals 26-22/24-18/22-16 AWG | А3 | 26-22/ 24-18/ 22-16 | 0.1-0.5/0.25-1/ 0.5-1.5mm2 |

Crimping Die F1 For Insulated Cord Terminals 4/2



| Crimping | Die D | for Cor | d End | Termina | S |
|-----------|--------|---------|-------|---------|---|
| 22/20/18/ | 16/14/ | 12 AWG | | | |



0.5, 0.75,1.0,1.5,2.5,4.0

| Product ID | Description | Jaw | AWG | DIN | Product ID | Description | Jaw | AWG |
|------------|--|-----|-------|-----------|------------|---|-----|-----------------------|
| 10187D | Crimping Die F1, for Insulated Cord Terminals 4/2 | F1 | 4 & 2 | 25/35 MM2 | 10178DS | Crimping Die D for Cord End Terminals 22/20/18/16/14/12 AWG | D | 22/20/18/ 16/14/12 |

Crimping Die A

For Insulated End Terminals 22-18/16-14/ 12-10 AWG



| Crimping Die Al |
|-------------------------------------|
| for Heat Shrink Terminals 22-18/16- |
| 14/12-10/8 AWG |



| Product ID | Description | Jaw | AWG |
|------------|---|-----|-------------------------|
| 10190D | Crimping Die A1 for Heat Shrink Terminals 22- 18/16-14/12-10/8 AWG | A1 | 22-18/16-14/ 12-10/8 |

Product ID Description Jaw AWG 10188D Crimping Die A for Insulated End Terminals 22-18/16-14/12-10 AWG A 22-18/16-14/12-10

Crimping Kits

Aven's professional grade crimping tool has a smooth and efficient ratcheting mechanism that creates uniform and secure crimps. Ideal for professional electricians and DIY enthusiasts. Tool and dies are made from alloy steel for durability.

These kits feature quick-change dies that are easy to exchange with no tools required.



6 Piece Crimping Tool Set

- Aven's professional grade crimping tool is designed to crimp a variety of ferrules and terminals.
- ► Kit includes 5 dies and a hard plastic case
- Patented design allows for quick die change without any tools
- Ferrules and terminals are crimped by squeezing the handle through the complete cycle until the handle releases automatically.
- Precise ratcheting mechanism will ensure the same amount of crimping force for all crimps.



155 Piece Crimping Tool Set

- Aven's professional grade crimping tool is designed to crimp a variety of ferrules and terminals.
- ► Kit includes 5 dies for various wire crimping needs
- Includes 148pc wire connector set (see Specs)
- Patented design allows for quick die change without any tools
- Ferrules and terminals are crimped by squeezing the handle through the complete cycle until the handle releases automatically.
- Precise ratcheting mechanism will ensure the same amount of crimping force for all crimps.

| Product ID | Description |
|------------|--|
| 10170-KIT | 6 Piece Crimping Tool Set Includes Crimping Dies: D, F, F1, A3, A |
| 10171-KIT | 155 Piece Deluxe Crimping Tool Kit with Frame, 5 Dies, Wire Stripper, and 148 pc Connector Set Includes Crimping Dies: D, F, F1, A3, A |

Stripping Tools

Professional Automatic Wire Stripper 10105A Range: 24 - 12 AWG

- Quick and easy wire stripping
- Professional-quality tool for fast & consistent wire stripping
- Easy to use simply insert wire and squeeze handle
- Non-slip grips, steel mechanism
- Spring mechanism automatically holds wire, cuts & strips insulation clean leaving bare wire



Professional Automatic Wire Stripper 10105B Range: 18 - 8 AWG

- Quick and easy wire stripping
- Professional-quality tool for fast & consistent wire stripping
- Easy to use simply insert wire and squeeze handle
- Non-slip grips, steel mechanism
- Spring mechanism automatically holds wire, cuts & strips insulation clean leaving bare wire



| Product ID | Description |
|------------|-------------------------|
| 10105A | Wire Stripper 12-12 AWG |

| Product ID | Description |
|------------|------------------------|
| 10105B | Wire Stripper 18-8 AWG |

Professional Automatic Wire Stripper 10105C Range: 17 - 10 AWG

- Quick and easy wire stripping
- Professional-quality tool for fast & consistent wire stripping
- Easy to use simply insert wire and squeeze handle
- Non-slip grips, steel mechanism
- Spring mechanism automatically holds wire, cuts & strips insulation clean leaving bare wire



Professional Automatic Wire Stripper 10105D Range: 16 - 8 AWG

- Quick and easy wire stripping
- Professional-quality tool for fast & consistent wire stripping
- Easy to use simply insert wire and squeeze handle
- Non-slip grips, steel mechanism
- Spring mechanism automatically holds wire, cuts & strips insulation clean leaving bare wire



| 101 | U. | טט | |
|-----|----|----|--|
| | | | |

| Product ID | Description |
|------------|-------------------------|
| 10105C | Wire Stripper 17-10 AWG |

| Product ID | Description | |
|------------|------------------------|--|
| 10105D | Wire Stripper 16-8 AWG | |



Electrician Scissors & Blades

Multi-Purpose Electrician Scissors Kit with Electrician Scissors and Cable Stripping Blade



Multi-Purpose Electrician Scissors

- These 2" scissor blades are made from high tensile stainless steel, providing excellent strength and performance
- Designed for cutting/stripping soft cable and wires
- Light, strong and comfortable handles are made from impact-resistant plastic

Cable Stripping Blade

- The 2" blade is made from stainless steel and is designed for stripping wires and
- Features a protective blade cover, which includes a groove to aid in stripping cables
- Designed to work with cables with an external diameter of 3.0mm 30.0mm

Product ID Description 11010 Multipurpose Electrician Scissors Kit W/ Scissors and Knife 11015 Electrician Cable Stripping Knife W/ Blade Protector 11011 Multipurpose Electrician Scissors W/ Wire Stripper

Electrician Scissors with Wire Stripping Slots & Plastic Grips



Electrician Scissors with Wire Stripping Slots & Plastic Grips

- 2" stainless steel Blade designed for stripping wires and cables
- Hardened stainless steel blades for durability and rust free operation
- Features a protective blade cover, includes groove to aid in stripping cables
- Has two notches for stripping 19 AWG and 23 AWG copper wires
- Designed to work with cables with an external diameter of 3.0mm 30.0mm
- Built in scraper for shaving thin cables
- Ergonomic comfort grips

| Product ID | Description |
|------------|--|
| 11013 | Electrician Scissors W/ Wire Stripping Slots & Plastic Grips |





Scissors & Hemostats

5" Electrician Scissor

- Fully polished stainless steel provides excellent corrosion resistance
- Scraper and file on back edge of the blade
- Notched to strip 23-19 AWG wire



| Product ID | Description |
|------------|------------------------|
| 11012 | 5" Electrician Scissor |

 \mathcal{H}

corrosion resistance



| Product ID | Description |
|------------|--------------------------|
| 11016 | 4-1/2" Precision Scissor |

4-1/2" Slim Blade Straight Scissor

- Fully polished stainless steel provides excellent corrosion resistance
- Precision scissor for general use and cutting fine wire
- ► 1-1/4" durable stainless steel blade



11014

| , | | | | | |
|---|--|--|--|--|--|
| | | | | | |
| | | | | | |

| Product ID | Description | |
|------------|------------------------------------|--|
| 11014 | 4-1/2" Slim Blade Straight Scissor | |

8" All Purpose Standard Scissor

Fully polished stainless steel provides excellent

Fine beaks for precise and delicate work

1-3/8" durable stainless steel blade

 Fully polished stainless steel provides excellent corrosion resistance

4-1/2" Precision Scissor

3-3/4" durable stainless steel blade



11023

| Product ID | Description |
|------------|---------------------------------|
| 11023 | 8" All Purpose Standard Scissor |

Hemostat - Straight

- Manufactured from 400 series stainless steel
- Mirror polished to provide excellent corrosion resistance
- Serrated jaws hold objects firmly without cutting them
- Designed for intricate work in tight spaces
- Ratchet lock in handle allows varying gripping pressure



Hemostat - Curved

- Manufactured from 400 series stainless steel
 Mirror polished to provide excellent corrosion
- Mirror polished to provide excellent corrosion resistance
- Serrated jaws hold objects firmly without cutting them
- Designed for intricate work in tight spaces
- Ratchet lock in handle allows varying gripping pressure



12002

| Product ID | Description | Jaw Length |
|------------|---|------------|
| 12001 | Hemostat - Straight 3.5in | 20mm |
| 12015 | Hemostat - Straight 5in | 25.4mm |
| 12011 | Hemostat - Straight 5in w/Plastic Coated Handle | 25.4mm |
| 12017 | Hemostat - Straight 6in | 31.75mm |
| 12013 | Hemostat - Straight 6in w/Plastic Coated Handle | 31.75mm |
| 12019 | Hemostat - Straight 8in | 60mm |
| 12030 | Hemostat - Straight 18in | 139mm |
| 12032 | 12032 Hemostat - Straight 24in | |

| Product ID | Description | Jaw Length |
|------------|---|------------|
| 12002 | Hemostat - Curved 3.5in | 20mm |
| 12016 | Hemostat - Curved 5in | 25.4mm |
| 12012 | Hemostat - Curved 5in w/Plastic Coated Handle | 25.4mm |
| 12018 | Hemostat - Curved 6in | 31.75mm |
| 12014 | Hemostat - Curved 6in w/Plastic Coated Handle | 31.75mm |
| 12020 | Hemostat - Curved 8in | 60mm |
| 12031 | Hemostat - Curved 18in | 139mm |
| 12033 | Hemostat - Curved 24in | 155mm |

Alligator Clamp

- Serrated jaws for secure grip
- Angled to provide maximum view
- ► Stainless steel construction
- Designed to securely retrieve and hold small parts



| Product ID | Description | Jaw Length | Opening |
|------------|----------------------|------------|---------|
| 12201 | Alligator Clamp 3.5" | 0.5" | 0.25" |
| 12202 | Alligator Clamp 5.5" | 0.5" | 0.25" |

Probes

Probe Straight Needle Point

- Manufactured from 400 series stainless steel
- Excellent corrosion resistance
- Sharp tip for precision work around delicate circuits and components
- Single end straight tip
- Eight sided handle to ensure grip and prevent

| 20031 |
|-------|
| |

20032

20034

| | | 20031 |
|------------|-----------------------------|-------|
| Product ID | Description | |
| 20031 | Probe Straight Needle Point | |

Probe Double Sided Scraper Bent Tips

- Manufactured from 400 series stainless steel
- Excellent corrosion resistance
- Sharp tip for precision work around delicate circuits and components
- Double sided with bent flat and curved points
- Eight sided handle is knurled at each end for

| Product ID | Description |
|------------|--------------------------------------|
| 20035 | Probe Double Sided Scraper Bent Tips |

Probe Bent Needle Point

- Manufactured from 400 series stainless steel
- Excellent corrosion resistance
- Sharp tip for precision work around delicate circuits and components
- 90 degree bent point
- Eight sided handle to ensure grip and prevent rolling

| Product ID | Description |
|------------|-------------------------|
| 20032 | Probe Bent Needle Point |

Probe Double End Bent/Curved

- Manufactured from 400 series stainless steel
- Excellent corrosion resistance
- Sharp tip for precision work around delicate circuits and components
- Double sided with bent and curved points
- Eight sided handle is knurled at each end for extra grip

| Product ID | Description |
|------------|------------------------------|
| 20039 | Probe Double End Bent/Curved |

Probe Curved Needle Point

- Manufactured from 400 series stainless steel
- Excellent corrosion resistance
- Sharp tip for precision work around delicate circuits and components
- Curved needle point
- Eight sided handle to ensure grip and prevent



Stainless Steel Probe 4-Piece Set

- ► Manufactured from 400 series stainless steel
- Excellent corrosion resistance
- Sharp tip for precision work around delicate circuits and components
- Eight sided handle is knurled at each end for extra grip
- Set of four contains: Straight, Bent, Curved and Angled Models

| | -II. | 20210 |
|-----|------|-------|
| ion | | |
| | | |

20035

20039

| Product ID | Description |
|------------|---------------------------|
| 20034 | Probe Curved Needle Point |

Product ID Descript Stainless Steel Probe 4-Piece Set 20210

Did you know Aven offers a limited lifetime warranty on all hand tools? Visit www.AvenTools.com for more information.

Scalpels & Blades

Scalpel Blade Handle Stainless Steel #3

- #3 size handle is designed to fit blade styles #10, 11, 12, & 15
- Makes loading blades easy
- Perfectly balanced and precision machined stainless steel
- ► Fluted finger grips



| Product ID | Description |
|------------|---|
| 44031 | Scalpel Blade Handle Stainless Steel #3 |

Scalpel Blade Handle Stainless Steel #4

- #4 size handle is specifically designed to fit #23 blade style
- Makes loading blades easy
- Perfectly balanced and precision machined stainless steel
- Fluted finger grips



| Product ID | Description |
|------------|---|
| 44033 | Scalpel Blade Handle Stainless Steel #4 |

K-8, K-10 & K-13 Replacement Blades

- Snap-off replacement blades
- ► Replacement blade for Technik K-8, Technik K-10, and Technik K-13 knives
- Ideal for home, office, or industrial use cutting paper, plastic, wood and other items



| Product ID | Description |
|------------|---------------------------------|
| 44254 | K-13 Replacement Blade (100/pk) |
| 44256 | K-10 Replacement Blade (100/pk) |
| 44257 | K-8 Replacement Blade (5/pk) |

Scalpel Blades

- Made from surgical quality non-sterile .015" thick stainless steel
- Very sharp, precise and durable blade generally used for precision cutting in micro circuitry, photography, art, etc.
- Can be used with a plastic or stainless steel handle
- Contains two pieces per tube



44041

| Product ID | Description | Blade Type |
|------------|-------------------|--|
| 44041 | Scalpel Blade #10 | Curved cutting edge |
| 44042 | Scalpel Blade #11 | Elongated triangular cutting edge |
| 44043 | Scalpel Blade #12 | Small, pointed, crescent shaped cutting edge |
| 44044 | Scalpel Blade #15 | Small curved cutting edge |
| 44045 | Scalpel Blade #23 | Rounded "leaf shaped" cutting edge |

Replacement Blades



| Product ID | Description |
|------------|---------------------------------------|
| 44201 | No. 2 Blade (5/pk) |
| 44202 | No. 2 Blade (100/pk) |
| 44203 | No. 10 Blade (5/pk) |
| 44204 | No. 10 Blade (100/pk) |
| 44205 | No. 11 Blade (5/pk) |
| 44205\$ | No. 21 Stainless Steel Blade (5/pk) |
| 44206 | No. 11 Blade (100/pk) |
| 44206S | No. 21 Stainless Steel Blade (100/pk) |
| 44211 | No. 16 Blade (5/pk) |
| 44212 | No. 16 Blade (100/pk) |
| 44213 | No. 17A Blade (5/pk) |
| 44214 | No. 17A Blade (100/pk) |
| 44215 | No. 18 Blade (5/pk) |
| 44216 | No. 18 Blade (100/pk) |
| 44217 | No. 19 Blade (5/pk) |
| 44218 | No. 19 Blade (100/pk) |
| 44221 | No. 22 Blade (5/pk) |
| 44222 | No. 22 Blade (100/pk) |
| 44223 | No. 23 Blade (5/pk) |
| 44224 | No. 23 Blade (100/pk) |
| 44225 | No. 24 Blade (5/pk) |
| 44226 | No. 24 Blade (100/pk) |
| 44227 | No. 25 Blade (5/pk) |
| 44228 | No. 25 Blade (100/pk) |
| 44229 | No. 26 Blade (5/pk) |
| 44230 | No. 27 Blade (5/pk) |
| 44231 | No. 28 Blade (5/pk) |

Knives & Blades

Technik K-1 Precision Light Duty Knife

- 4-3/4-inch aluminum handle
- 4-slot point chuck for easy blade release
- Includes a super sharp #11 blade and a high impact
- Ideal for precision cutting, forming and stripping of paper, plastic, wood, cloth and film
- Fits replacement blades #10, 11, 16, 17



| Product ID | Description | Blade Size |
|------------|--|------------|
| 44012 | Technik K-1 Precision Light Duty Knife | #11 |

Technik K-13 Heavy Duty Snap Blade Knife

- 7-point deluxe snap off blade in a strong plastic track
- Plastic auto-lock handle
- Ideal for home, office, or industrial use cutting paper, plastic, wood and other items
- Fits replacement blades 44254, K-13 Replacement Blade (100/pk)



| Product ID | Description |
|------------|--|
| 44017 | Technik K-13 Heavy Duty Snap Blade Knife |

Technik K-5 Heavy Duty Knife

- 7/16-inch aluminum adapter
- 4-slot point chuck for easy blade release
- Includes a #19 sharp edge angled blade and a snug fitting plastic safety cap
- Ideal for precision cutting, trimming and stripping paper, plastic, and wood
- Fits replacement blades #2, 18, 19, 22, 23, 24, 25, 26, 27, 28



| Product ID | Description | Blade Size |
|------------|------------------------------|------------|
| 44014 | Technik K-5 Heavy Duty Knife | #19 |

Technik K-8 Flat Handle Light Duty Knife

- Sleek long handle design with a sharp utility
- Both ends of the blade can be used for cutting
- Blade can be adjusted easily
- Ideal for cutting boxes, wood, leather and foam
- Fits replacement blades 44257, K-8 Replacement Blade (5/pk)




| Product ID | Description |
|------------|--|
| 44015 | Technik K-8 Flat Handle Light Duty Knife |

Technik K-10 Plastic Snap Blade Knife

Technik K-10 Plastic Snap Blade Knife

- 13-point snap off blade in a strong plastic
- Plastic auto-lock handle
- Ideal for home, office, or industrial use cutting paper, plastic, wood and other items
- Replacement Blade (100/pk)



Technik K-18 Grip-On Non-Roll Soft Handle Knife

- 5-inch comfortable soft grip handle
- Four jaw machined aluminum chuck for secure blade positioning
- Includes a super sharp #11 blade and clear plastic safety cap
- Ideal for cutting or trimming plastic, wood, paper, cloth and film
- Fits replacement blades #10, 11, 16, 17



| Product ID | Description | Blade Size |
|------------|---|------------|
| 44011 | Technik K-18 Grip-On Non-Roll Soft Handle Knife | #11 |

Technik K-2 Medium Duty Knife

- 4-3/4-inch aluminum handle
- 4-slot point chuck for easy blade release
- Includes a super sharp #22 blade and a high impact safety cap
- Ideal for precision cutting, trimming and stripping paper, plastic, wood, cloth and film
- Fits replacement blades #2, 18, 19, 22, 23, 24, 25, 26, 27, 28



| Product ID | Description | Blade Size |
|------------|-------------------------------|------------|
| 44013 | Technik K-2 Medium Duty Knife | #22 |

Technik Knife Set

- Contains K1, K2, K5 knife handles
- 13 assorted blades
- Organized in convenient plastic tray



44101

44013

| Product ID | Description |
|------------|-------------------|
| 44101 | Technik Knife Set |

Technik Deluxe Knife Set

- Contains K1. K2, K5 knife handles
- 13 assorted blades
- Includes a Teflon covered magnetic strip to help secure the blades
- Securely organized in a deluxe wooden box



44102

| Product ID | Description | |
|------------|--------------------------|--|
| 44102 | Technik Deluxe Knife Set | |

Bench-top Tools Soldering & Desoldering

Lead Free Solder Pot 150W

- Heating element liquefies solder quickly and provides excellent thermal stability
- Crucible is made from stainless steel with titanium plating, featuring corrosion resistance and prolonged service life
- Suitable for melting solder, plastic, resin and more
- Ideal for tinning ends of stranded wire leads, pre-tinning small electrical parts and dip soldering small circuit boards



17100-150

| Product ID | Description | Solder Pot Capacity | |
|------------|---------------------------|---------------------|--|
| 17100-150 | Lead Free Solder Pot 150W | 500g | |

Adjustable Circuit Board Holder

- Retractable to accommodate various board sizes up to 198mm wide and up to 4mm thick
- Clamps allow PCB to rotate 360°
- Rigid metal structure
- Rubber feet of the base ensure stability
- Ideal for clamping PCB, for soldering/ desoldering or rework



| Product ID | Description |
|---|--|
| 17010 | Adjustable Circuit Board Holder |
| 17010-530 Bundle: Soldering Iron 40W with Fine Tip + Stand with Soft Coiled Brass Tip Cleaner & C Board Holder | |
| 17510-010 | Bundle: Soldering Iron 80W with Fine and Chisel Tips + Adjustable Circuit Board Holder |



Soldering Kit - 6pc

- 40 Watt Soldering Iron heats up to 900° F
- Ideal for use on electrical/electronic components, audio equipment, etc.
- Includes desoldering pump for removing liquid solder
- Provides basic tools needed for many soldering projects
- 6 Pc kit comes complete with replaceable fine tip

Soldering Kit - 6pc



| | | Ш | | |
|---|----|---|---|-----|
| | | | | |
| > | a. | и | | |
| | | 1 | 1 | 3/4 |

Desoldering Pump - High Impact Plastic 13"

- Durable corrosion resistant plastic construction with precision metal plunger
- Cushioned shock reduction minimizes board damage
- Teflon (PTFE) non-stick coated tip
- Easy to clean one-touch cylinder



| Product ID | Description |
|------------|--|
| 17535 | Desoldering Pump - High Impact Plastic 13" |

Desoldering Pump -ESD Safe Plastic 8.5"

Product ID

17501

- Durable corrosion resistant plastic construction
- Easy to clean one-touch cylinder
- Cushioned shock reduction minimizes board damage



| \mathcal{H} | | |
|---------------|--|--|
| Product ID | Description | |
| 17536 | Desoldering Pump - ESD Safe Plastic 8.5" | |

Description

Soldering Kit - 7pc

- 40 Watt Soldering Iron heats up to 900° F
- Ideal for use on electrical/electronic components, audio equipment, etc.
- Includes desoldering pump for removing liquid solder
- Provides basic tools needed for many soldering projects
- 7 Pc kit comes complete with replaceable



| Product ID | Description |
|------------|---------------------|
| 17502 | Soldering Kit - 7pc |
| | |


Desoldering Pump - Metal Body 7.5"

- Durable corrosion resistant aluminum construction with precision metal plunger
- Cushioned shock reduction minimizes board damage
- Push Button for Easy Plunger Release
- Easy to clean one-touch cylinder



| Product ID | Description |
|------------|------------------------------------|
| 17537 | Desoldering Pump - Metal Body 7.5" |





Desoldering Wick

- ► Made of clean, oxide-free copper wire
- Tight weave enables quick "on and off" desoldering
- Concentrated fine copper braiding utilizes less length of wick for each desoldering application

▶ RoHS compliant



| Product ID | Description |
|------------|---|
| 17540 | Desoldering Wick 1.5mm (0.06") |
| 17541 | Desoldering Wick 2mm (0.08") |
| 17542 | Desoldering Wick 2.5mm (0.1") |
| 17545 | Desoldering Wick 2.5mm with dispenser case and 4 1.5M replacement cores |

N-Series Soldering Iron Tips

- Long life, lead-free soldering iron tips
- Replacement tips for soldering the different components of PCBs
- ► Five different sizes
- Includes two tips
- For use with 17400 & 17405 ESD Safe Soldering Stations with LCD Display



| Product ID | Description |
|------------|-------------------------------------|
| 17400-N93 | N-Series Soldering Iron Tips (N-93) |
| 17400-N94 | N-Series Soldering Iron Tips (N-94) |
| 17400-N95 | N-Series Soldering Iron Tips (N-95) |

Desoldering Wick 2.5mm with Dispenser Wheel and 4 Replacement Spools

- 2.5mm desoldering wick with thumb wheel dispenser.
- 4 replacement desoldering wick spools.
- Desoldering wick quickly absorbs excess solder.
- The dispenser keeps the thread sealed, prolonging the life of the desoldering wick.
- Built-in thumb wheel is designed to provide easy flow control of the wick



17545

Soldering Iron 40W with Fine Tip

- Ideal for general purpose soldering
- Round, soft grip, non-slip handle
- Durable cord with a 5-foot reach
- Fitted with long life replaceable fine tip



Tiffed with long the replaceable tiffe tip

17521

| Product ID | Description |
|------------|----------------------------------|
| 17521 | Soldering Iron 40W with Fine Tip |

| Product ID | Description |
|------------|--|
| 17545 | Desoldering Wick 2.5mm with Dispenser Wheel and 4 Replacement Spools |

B-Series Soldering Iron Tips

- Long life, lead-free soldering iron tips
- Includes two tips
- For use with 17510 Soldering Iron 80W



| Product ID | Description | |
|------------|-------------------------------------|--|
| 17510-B51 | B-Series Soldering Iron Tips (B-51) | |

Soldering Iron 80W with Fine Tip

Soldering Iron 80W with Fine Tip

- Ideal for general purpose soldering applications including metal board, tube or large components
- Round, soft grip, non-slip handle
- Durable cord with a 5-foot reach

Product ID

17510

Fitted with long life replaceable fine tip



Solder Reel Stand

- Allows solder wire to be drawn out smoothly
- Compact design keeps work benches neat and orderly
- Holds up to 1kg (approximately 2lbs.) roll of solder wire
- Solder reel stand is the ideal solution for easy soldering wire supply



Soldering Iron Stand with Soft Coiled Brass Tip Cleaner

- Replaceable soft coiled brass tip cleaner
- Cleans tip without messy wet sponges
- Uses low abrasive brass, no water needed
- Works with any tip
- Lengthens tip life by reducing oxidation
 - Sturdy heavy duty stand with built-in tip cleaner



| Product ID | Description |
|------------|---|
| 17530 | Soldering Iron Stand with Soft Coiled Brass Tip Cleaner |

Description **Product ID** Solder Reel Stand 17560

Dual Function Smoke Absorber & Bench Fan ESD Safe

- Functions as a solder smoke absorber and a standard fan
- Compact & space-saving
- 10 speed settings
- Adjustable metal stand
- Includes carbon filter for absorbing solder smoke




Benchtop Smoke Absorber

- Removes flux fumes from soldering work bench
- Fumes absorbed by carbon activated filter
- Fan is quiet and will not add significant noise to your workspace
- Stand allows the smoke absorber to be adjusted to varying angles



| Product ID | Description | Pro | oduct ID | Description |
|------------|--|------|-------------|-------------------------|
| 17015 | Dual Function Bench Fan & Smoke Absorber | 1770 | ' 01 | Benchtop Smoke Absorber |





Hot Glue Gun 60W with Plastic Case

- Narrow nozzle for precise glue application
- Temperature dial (180°-240° C)
- Ergonomic hand grip



| Long | Trigger | Hot | Glue | Gun |
|------|----------------|-----|------|-----|
|------|----------------|-----|------|-----|

- Easy reach long trigger provides smooth glue control
- Narrow nozzle for precise glue application

Long Trigger Hot Glue Gun

Heats up quickly

Product ID

17610



| Product ID | Description |
|------------|------------------------------------|
| 17621 | Hot Glue Gun 60W with Plastic Case |

Hot Glue Gun 25W with Plastic Case

- Narrow nozzle for precise glue application
- Ergonomic hand grip
- Easy reach trigger



| Product ID | Description |
|------------|------------------------------------|
| 17620 | Hot Glue Gun 25W with Plastic Case |

Helping Hands Magnifier with Clamps

- Useful auxiliary tool in soldering, model making and other hobbies
- Heavy-duty cast iron base provides stability
- Magnifier can be swiveled and fixed to desired position or angle
- Two alligator spring clips that hold work firmly in any position
- 2x magnifier is removable



| 26000 |
|-------|
| |
| |

| Product ID | Description |
|------------|-------------------------------------|
| 26000 | Helping Hands Magnifier with Clamps |
| | |

Description




Aven Heat Guns

- Heats Up Quickly
- 3 Nozzle Attachments For a Variety of **Applications**
- **Durable Construction**
- Compact, Ergonomic Design
- Adjustable Heat Control



| Product ID | Description | |
|------------|--|--|
| 17601 | Heat Gun 1500W with Adjustable Temperature Control | |
| 17602 | Heat Gun 1500W with Digital Temperature Control | |

Let Us Piece Together Your Custom Solution



With over 3,000 system combinations, we have you covered.















Tools for Advancing Innovation

For over 40 years, Aven has been a premier designer and manufacturer of high-performance optical instruments and precision tools for inspection and assembly. Our international presence and manufacturing locations throughout the world allow us to offer our customers a wide variety of technology at a competitive price, including unique solutions tailored to your specific needs.

We understand as parts continue to get smaller and smaller, the need for high-end technology is crucial.

Aven provides extensive customer service and product support, even after the sale.

To request a free live webinar or to schedule a demo with an representative,

email us at info@aventools.com

With manufacturer's representatives and distributions throughout the United States, Aven is positioned to serve your firm with the highest quality in precision inspection equipment and premium hand tools.

On behalf of the Aven team, we look forward to providing you with a custom solution to solve your needs.



Mark Kanpurwala

VP of Sales and Marketing

Phone: (734) 973-0099 Email: info@aventools.com Website: aventools.com

Ann Arbor, MI 48108