

Page 1 of 6 SDS-E-CCS503

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & EU Standards

SDS Revision: 4.0

SDS Revision Date: 4/25/2024

		1.	PRODUCT	Г & СОМ	PANY II	DEN	NTIF	ICA7	ΓΙΟΝ	I				
1.1	Product Name:	CAIG B	RAND SCR	EEN CLE	EANER	(P/I	V CC	S-50	03)					
1.2	Chemical Name:	Aqueous So				(-			,					
1.3	Synonyms:		Screen Cleaner											
1.4	Trade Names:	CAIG Brand	Screen Cleaner	(Part No. CCS	S-503, CCS-	503-1	IG, CC	S-502))					
1.5	Product Uses & Restrictions:	Screen Clea	ner											
1.6	Distributor's Name:	CAIG Labor												
1.7	Distributor's Address:		her Court, Poway											
1.8	Emergency Phone:	CHEMTR	EC: +1 (703) !	5 <mark>27-3887</mark> //	+1 (800)	424	-9300	(CC	N 20	5206)				
1.9	Business Phone / Fax:	+1 (800) 224	1-4123											
			2 HΔ	ZARDS I	IDENTIE	FIC.	ATIO	N						
2.1	Hazard Identification:	Prepared in	accordance with						ded to	comr	dy with	n OSH	Δ 29 (SER 1910 1200
			HMIS and Austra						aca ic	COM	ny witi	1 0011	A 20 C	JI IC 1310.1200
			CAUSES EYE IF			,			ΓΙΟΝ.					
		Classificatio	n: Eye Irrit. 2B; SI	kin Irrit. 2										
2.2	Label Elements:		ements (H): H316											
			<u>ry Statements</u> (F											
			- IF skin irritation											
			e cautiously with vinue rinsing. P33										sy	
2.3	Other Warnings:		OF REACH OF C		ye milalion [JEI SIS	is. Gel	meaic	aı auv	io c /all	ะแนบท.			
	outer trainings.	KEEF OUT	OF REACH OF C	HILDREN										
		3. C	OMPOSITI	ON & INC	GREDIE	NT	INFO	DRM	ATI	ON				
									EXPO	SURE LI	MITS IN	AIR (mg	g/m³)	
							CGIH		NOHSC	;		OSHA		
						р	pm		ppm			ppm	ı	
немі	CAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
	R (AQUA/EAU)	7732-18-5	ZC0110000	231-191-2	60-100	NA	NA	NF	NF	NF	NA	NA	NA	
VAIL	IN (AQUA/EAU)									,			,	
ROP	YLENE GLYCOL	57-55-6	TY2000000	200-338-0	≤ 5.0	NA	NA	(150)	474	NF	NA	NA	NA	
			e Irrit. 2B; H316, H32		440	N.1.0	1 210	NE	l NE	NE		L NIA		
ETR	ASODIUM EDTA	64-02-8	NA ral); Eye Dam. 1; H3	200-573-9	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
CRY	LATES/C10-30 ALKYL	NA	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	I
	ATES CROSS POLYMER			P			1							l .
CODII	JM HYDROXIDE	1310-73-2	WB4900000	215-185-5	≤ 0.005	(2)	NA	NF	2	NF	(2)	NA	(10)	(2) NIOSH
ООП	JIVI HT DROXIDE	Skin Corr. 1A; I		•	1 1		1			1			1	T
⁄ΙΕΤΗ	YLCHLORO-	26172-55-4	NA	247-500-7	≤ 0.0001	NA	NA	NF	NF	NF	NA	NA	NA	
SOTH	HAZOLINONE	Acute Tox. 2 (o H317, H318, H3	ral), Acute Tox. 2 (d	ermal), Skin Co	rr. 1B, Skin S	ens. 1	, Eye Da	am. 1, <i>P</i>	cute T	ox. 2 (ir	ıh), Aq.	Acute	1; H300	, H310, H314,
		2682-20-4		220-239-6	≤ 0.0001	NA	NA	NF	NF	NF	NA	NA	NA	
/ЕΤΗ	YLISOTHIAZOLINONE	Acute Tox. 3 (o	ral), Acute Tox. 3 (d 311, H314, H318, H	ermal), Skin Co	rr. 1B, Eye Da									
	I	1.		FIRST AI										
4.1	First Aid:	Ingestion:	If ingested, do											
			IMMEDIATELY											
			unconscious pe estimate of the											
			swallowed.	at will	alo iliat	.5.101	.,40 11	. 300100	. a.iu	o a	Juiit	S. 1110	. Juba	Lanco mat We
		Eyes:	Splashes are no							with c	opious	s amou	ınts of	lukewarm wate
		Skin:	for at least 15 n Wash thorough							iately	flucha	kin wit	h nlant	v of water for a
		Skin:	least 15 minute	, ,	ıııu water. II	ii casi	c 01 00	ındül, İ	mned	iai c iy	iusii S	NIII WIL	ıı bieili	y or water for a
		Inhalation:	Remove victim respiration. Ke	to fresh air at						er oxyg	en. If	breath	ing sto	ps give artificia
		I								stinal i	ritatio	n, vom	iting ar	nd/or diarrhea.
4.2	Effects of Exposure:	Ingestion:	ii product is sw											
4.2	Effects of Exposure:	Eyes:	Moderately irrit			toms	of ove	rexpos	ure m	ay inc		edness		ng, irritation an
4.2	Effects of Exposure:			ating to the e	yes. Symp			·		•	ude re		, itchir	



Page 2 of 6 **SDS-E-CCS503**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & EU Standards SDS Revision: 4.0 SDS Revision Date: 4/25/2024

		4. FIRST AID MEASURES - cont'd					
4.3	Symptoms of Overexposure:	Ingestion: If product is swallowed, may cause gastrointestinal disturbance.					
		Exposure may cause eye irritation. Symptoms of overexposure may include redness, itching, irritation, and watering.					
		Skin: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis some sensitive individuals.					
		Inhalation: Coughing, wheezing, shortness of breath, impaired pulmonary function. Irritation or soreness in thr nose and respiratory tract.					
1.4	Acute Health Effects:	Non-irritating when used as directed. Moderate irritation to eyes and skin near affected areas. Additionally, I concentrations can cause iirritation or soreness in throat, nose and respiratory tract.					
.5	Chronic Health Effects:	Non-irritating when used as directed. Possible allergic dermatitis in some sensitive individuals.					
.6	Target Organs:	Eyes, Skin					
.7	Medical Conditions	Pre-existing dermatitis, other skin conditions, and disorders of the HEALTH 1					
	Aggravated by Exposure:	target organs (eyes, skin) or impaired kidney function may be more					
		susceptible to the effects of this substance. PHYSICAL HAZARDS 0					
		PROTECTIVE EQUIPMENT B					
		EYES SKIN					
	1						
		5. FIREFIGHTING MEASURES					
.1	Fire & Explosion Hazards:	Cool uninvolved containers to prevent possible bursting. If involved in a fire, this product may					
		decompose at high temperatures to form toxic gases (e.g., CO, CO _x , hydrocarbons).					
.2	Extinguishing Methods:	CO ₂ , Dry Chemical, Alcohol foam, Dry Chemical. Use water spray to cool containers.					
.3	Firefighting Procedures:	Keep containers cool until well after the fire is out. Fight fires as for surrounding materials. As in					
		any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and					
		full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool					
		fire-exposed surfaces and to protect personal. Fight fire upwind. Avoid spraying water directly into					
		storage containers because of danger of boil-over. Prevent runoff from fire control or dilution from					
		storage containers because or danger or boil over. The control from the control of dilution from					
		entering sowers, drains, drinking water cumply, or any natural waterway. Firefighters must use full					
		entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full					
		bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to					
		bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen					
		bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to					
		bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.					
1	Spille:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES					
.1	Spills:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protect					
.1	Spills:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protec Equipment.					
.1	Spills:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protection Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, glove)					
.1	Spills:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, glow Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place					
1	Spills:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protect Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, glow Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulation					
.1	Spills:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protect Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, glow Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulation Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminal					
.1	Spills:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protect Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, glow Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulation. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminal clothing and wash thoroughly before reuse.					
.1	Spills:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protect Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, glow Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulation Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminal clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material and contain spill with inert material spills with inert material spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals.					
.1	Spills:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protect Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, glow Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulatic Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminal clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to sepa					
1	Spills:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protect Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, glow Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulation Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminal clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material and contain spill with inert material spills with inert material spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals.					
1	Spills:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protect Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, glow Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulatic Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminal clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to sepa					
1	Spills:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protect Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, glow Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulation. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminate clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert mate (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to sepa containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.					
		bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protect Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, glow Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulation Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminate clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to sepa containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION					
5.1	Spills: Work & Hygiene Practices:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protect Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, glow Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulation. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminate clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert mate (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to sepa containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.					
		bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protect Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, glow Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulation. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminate clothing and wash thoroughly before reuse. For large spills (e.g., > 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to sepa containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Do not eat, drink or smoke when handling this product. Handle as to avoid puncturing container(s). Wash unintention residues with soap and warm water. Keep tightly closed when not in use. Avoid contact with skin and clothing. Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and discontine and the product of the product					
11 2	Work & Hygiene Practices: Storage & Handling:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protect Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, glow Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulatic Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminal clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert mate (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to sepa containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Do not eat, drink or smoke when handling this product. Handle as to avoid puncturing container(s). Wash unintenting residues with soap and warm water. Keep tightly closed when not in use. Avoid contact with skin and clothing. Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and disunlight. Keep away from incompatible substances. Protect containers from physical damage. Avoid breathing vaporations are successed as a protect containers from physical damage. Avoid breathing vaporations are successed as a protect containers from physical damage.					
1	Work & Hygiene Practices:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protect Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, glow Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulation. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminate clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to sepa water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Do not eat, drink or smoke when handling this product. Handle as to avoid puncturing container(s). Wash unintenting residues with soap and warm water. Keep tightly closed when not in use. Avoid contact with skin and clothing. Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and disunlight. Keep away from incompatible substances. Protect containers from physical damage. Avoid breathing vapor spriduct residues. Avoid contaminating soil or releasing this material into sewage and drainage systems and bodie					
11 2	Work & Hygiene Practices: Storage & Handling:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protect Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, glow Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulation Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminate clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert mate (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to sepal containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Do not eat, drink or smoke when handling this product. Handle as to avoid puncturing container(s). Wash unintentifices and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and disunlight. Keep away from incompatible substances. Protect containers from physical damage. Avoid breathing vapor Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Empty containers may containers may containers in the spills promptly.					
11 2	Work & Hygiene Practices: Storage & Handling:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protect Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, glow, Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulatic Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminal clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert mate (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to sepa containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Do not eat, drink or smoke when handling this product. Handle as to avoid puncturing container(s). Wash unintentic residues with soap and warm water. Keep tightly closed when not in use. Avoid contact with skin and clothing. Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and disunlight. Keep away from incompatible substances. Protect containers from physical damage. Avoid breathing vapor sproduct residues. Avoid contaminating soil or releasing this material into sewage and drainage systems and bodie water.					
11 2	Work & Hygiene Practices: Storage & Handling:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protect Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, glow Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulation. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminate clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to sepa water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Do not eat, drink or smoke when handling this product. Handle as to avoid puncturing container(s). Wash unintenting residues with soap and warm water. Keep tightly closed when not in use. Avoid contact with skin and clothing. Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and disunlight. Keep away from incompatible substances. Protect containers from physical damage. Avoid breathing vapor spriduct residues. Avoid contaminating soil or releasing this material into sewage and drainage systems and bodie					
.1 2 .3	Work & Hygiene Practices: Storage & Handling: Special Precautions:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protect Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, glow Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulatic Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contamina clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert mate (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to sepa containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Do not eat, drink or smoke when handling this product. Handle as to avoid puncturing container(s). Wash unintentifices with soap and warm water. Keep tightly closed when not in use. Avoid contact with skin and clothing. Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and disunlight. Keep away from incompatible substances. Protect containers from physical damage. Avoid breathing vapor spoduct residues. Avoid contaminating soil or releasing this material into sewage and drainage systems and bodie water. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION					
1 2 3	Work & Hygiene Practices: Storage & Handling: Special Precautions:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protect Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, glow Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulatic Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminal clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to sepa containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Do not eat, drink or smoke when handling this product. Handle as to avoid puncturing container(s). Wash unintentifices and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and disunlight. Keep away from incompatible substances. Protect containers from physical damage. Avoid breathing vapor Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Empty containers may conproduct residues. Avoid contaminating soil or releasing this material into sewage and drainage systems and bodie water. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION CHEMICAL NAME(s) TLV STEL ES. TEL PEAK PEL STEL IDLH					
1 2 3	Work & Hygiene Practices: Storage & Handling: Special Precautions:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protect Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, glow Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulatic Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contamina clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert mate (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to sepa containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Do not eat, drink or smoke when handling this product. Handle as to avoid puncturing container(s). Wash unintentifices with soap and warm water. Keep tightly closed when not in use. Avoid contact with skin and clothing. Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and disunlight. Keep away from incompatible substances. Protect containers from physical damage. Avoid breathing vapor spoduct residues. Avoid contaminating soil or releasing this material into sewage and drainage systems and bodie water. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION					
1 2 3	Work & Hygiene Practices: Storage & Handling: Special Precautions:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protect Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, glow Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulation Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contamine clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert mate (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to sepa containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Do not eat, drink or smoke when handling this product. Handle as to avoid puncturing container(s). Wash unintentity residues with soap and warm water. Keep tightly closed when not in use. Avoid contact with skin and clothing. Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and disunlight. Keep away from incompatible substances. Protect containers from physical damage. Avoid breathing vapous product residues. Avoid contaminating soil or releasing this material into sewage and drainage systems and bodie water. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION CHEMICAL NAME(S) TILV STEL TWA ES-STEL PEAK PEL STEL IDLH					
1 2 3	Work & Hygiene Practices: Storage & Handling: Special Precautions:	bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protect Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, glow Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulatic Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contamina clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material and or earth). Transfer product to containers for recovery or disposal and solid diking material to sepa containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Do not eat, drink or smoke when handling this product. Handle as to avoid puncturing container(s). Wash unintentif residues with soap and warm water. Keep tightly closed when not in use. Avoid contact with skin and clothing. Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and disunlight. Keep away from incompatible substances. Protect containers from physical damage. Avoid breathing vapor Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Empty containers may con product residues. Avoid contaminating soil or releasing this material into sewage and drainage systems and bodie water. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION C					



Page 3 of 6 SDS-E-CCS503

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & EU Standards SDS Revision: 4.0 SDS Revision Date: 4/25/2024

0.0		EXPOSURE CONTROLS & PERSONAL PROTECTION – cont'd			
8.3	Respiratory Protection:	No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia.			
8.4	Eye Protection:	Avoid eye contact due to irritation potential. Wear protective eyewear (e.g., safety glasses with side-shield) when handling large amounts (≥1L) of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants.			
8.5	Hand Protection:	Avoid skin contact due to irritation potential. Use gloves constructed of chemical resistant materials such as neoprene or heavy nitrile rubber if frequent or prolonged contact is expected.			
8.6	Body Protection:	No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.			
		9. PHYSICAL & CHEMICAL PROPERTIES			
9.1	Appearance:	Clear, colorless liquid			
0.2	Odor:	Slight alcohol odor			
9.3	Odor Threshold:	NA NA			
9.4	pH:	NA NA			
9.5	Melting Point/Freezing Point:	NA NA			
9.6	Initial Boiling Point/Boiling	NA NA			
9.7	Range: Flashpoint:	NA NA			
9.8	Upper/Lower Flammability				
	Limits:	NA			
.9	Vapor Pressure:	NA NA			
.10	Vapor Density:	NA NA			
.11	Relative Density:	NA NA			
.12	Solubility:	Soluble			
1.13	Partition Coefficient (log Pow):	NA NA			
.14	Autoignition Temperature:	NA			
9.15	Decomposition Temperature:	NA			
9.16	Viscosity: Other Information:	NA			
9.17	Other information.	NA NA			
		10. STABILITY & REACTIVITY			
10.1	Stability:	Stable under normal conditions; unstable with heat or contamination.			
10.2	Hazardous Decomposition Products:	Will not degrade to unstable products. Discard solution.			
0.3	Hazardous Polymerization:	Will not occur.			
0.4	Conditions to Avoid:	Open flames, sparks, high heat, incompatible substances and direct sunlight.			
10.5	Incompatible Substances:	Avoid extreme heat and store away from oxidizers.			
		11. TOXICOLOGICAL INFORMATION			
1.1	Routes of Entry:				
11.2	Toxicity Data:	This product has not been tested on animals to obtain toxicological data. Toxicology data for some of the comp	ponents i		
11.3	Acute Toxicity:	this mixture, found in scientific literature. See section 4.4			
1.4	Chronic Toxicity:	This material may aggravate any pre-existing skin condition (e.g., dermatitis).			
11.5	Suspected Carcinogen:	This product does not contain any chemicals known to the State of California to cause cancer or other reproduct	tive harm		
-	,	For more information go to www.P65Warnings.ca.gov.	vo naili		
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.			
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.			
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.			
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.			
	Reproductive Toxicity: This product is not reported to cause reproductive effects in humans.				
11.7	Irritancy of Product:	The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated expos	sure.		
11.7 11.8			sure.		



Page 4 of 6 SDS-E-CCS503

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & EU Standards

SDS Revision: 4.0

SDS Revision Date: 4/25/2024

Пор		n, NOTICE, WITHING, GITC & LO Standards SDC Nevision. 4.0 SDC Nevision Date. 4/23/2024			
		12. ECOLOGICAL INFORMATION			
12.1	Environmental Stability:	There is no specific data available for this product.			
12.2	Effects on Plants & Animals:	There is no specific data available for this product. There is no specific data available for this product.			
12.3	Effects on Aquatic Life:	There is no specific data available for this product. WGK: 1 (low hazard to waters)			
	'	There is no specific data available for this product. Work. I flow hazard to waters)			
		13. DISPOSAL CONSIDERATIONS			
13.1	Waste Disposal:	Products covered by this SDS, in their original form, when disposed of as waste, are considered non-hazardous waste according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state, and federal regulations. Dispose of in accordance with federal, state, and local regulations.			
13.2	Special Considerations:	Contact the federal, state, or provincial environmental authority to determine suitability for recycling and or proper disposal requirements.			
		14. TRANSPORTATION INFORMATION			
The desc	riptive information may be	nber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.			
14.1	49 CFR (GND):	NOT REGULATED			
14.2	IATA (AIR):	NOT REGULATED			
14.3	IMDG (OCN):	NOT REGULATED			
14.4	TDGR (Canadian GND):	NOT REGULATED			
14.5	ADR/RID (EU):	NOT REGULATED			
14.6	SCT (MEXICO):	NOT REGULATED			
14.7	ADGR (AUS):	NOT REGULATED			
		15. REGULATORY INFORMATION			
15.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements.			
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.			
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.			
15.4	CERCLA Reportable Quantity (RQ):	Sodium Hydroxide: 1,000 lbs (454 kg)			
15.5	Other Federal Requirements:	NA NA			
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List			
15.7	State Regulatory Information:	No hazardous ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).			
15.8	Other Requirements:	This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information go to www.P65Warnings.ca.gov .			



Page 5 of 6 SDS-E-CCS503

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & EU Standards

SDS Revision: 4.0

SDS Revision Date: 4/25/2024

	16. OTHER INFORMATION				
16.1	Other Information:	WARNING! CAUSES EYE IRRITATION. CAUSES MILD SKIN IRRITATION. Use only as directed. Wash thoroughly with soap and water after handling. IF ON SKIN: Wash with plenty of water. IF skin irritation occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.			
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.			
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Othe government regulations must be reviewed for applicability to this product. To the best of ShipMate's & CAIG Laboratories, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition			
16.4	Prepared for:	CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 Tel: +1 (800) CAIG-123 (244-4123) Fax: +1 (858) 486-8398 fax http://www.caig.com/			
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com			



Page 6 of 6 SDS-E-CCS503

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & EU Standards

SDS Revision: 4.0

SDS Revision Date: 4/25/2024

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number			
RTECS No.	Registry of Toxic Effects of Chemical Substances Number		
EINECS No. European Inventory of Existing Commercial Chemical Substances Num			

EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists	
IDLH	Immediately Dangerous to Life and Health	
NOHSC	National Occupational Health and Safety Commission (Australia)	
OSHA U.S. Occupational Safety and Health Administration		
PEL Permissible Exposure Limit		
STEL Short Term Exposure Limit		
TLV Threshold Limit Value		
TWA	Time Weighted Average	

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	
1	1 Slight Hazard	
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	

HEALTH
FLAMMABILITY
PHYSICAL HAZARDS
PERSONAL PROTECTION

PERSONAL PROTECTION RATINGS:

Α			
В			
С		H.	
D			
Ε			
F		TH.	




Gloves

Dust Respirator

Airline Hood/Mask

or SCBA



OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic	
Irrit	Irritant	
NA	Not Available	
NR	No Results	
ND	Not Determined	
NE	NE Not Established	
NF	Not Found	
SCBA	Self-Contained Breathing Apparatus	
Sens	Sensitization	
STOT RE	Specific Target Organ Toxicity – Repeat Exposure	
STOT SE	Specific Target Organ Toxicity – Single Exposure	

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:			
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition		
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	/ ~ ~ ~ ~ ~
₩	Use No Water	HEALTH 🔪
ОХ	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals			
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal			
ppm	Concentration expressed in parts of material per million parts			
TD _{io}	TD _{Io} Lowest dose to cause a symptom			
TCLo	TCLo Lowest concentration to cause a symptom			
TD _{Io} , LD _{Io} , & LD _o or	TD _{Io} , LD _{Io} , & LD _o or Lowest dose (or concentration) to cause lethal or toxic effects			
TC, TC _o , LC _{lo} , & LC _o				
IARC	International Agency for Research on Cancer			
NTP	National Toxicology Program			
RTECS	Registry of Toxic Effects of Chemical Substances			
BCF	Bioconcentration Factor			
TL _m	Median threshold limit			
log Kow or log Koc	Coefficient of Oil/Water Distribution			

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System		
DOT	U.S. Department of Transportation		
TC	Transport Canada		
EPA	U.S. Environmental Protection Agency		
DSL	Canadian Domestic Substance List		
NDSL	Canadian Non-Domestic Substance List		
PSL	Canadian Priority Substances List		
TSCA	U.S. Toxic Substance Control Act		
EU	European Union (European Union Directive 67/548/EEC)		
WGK	Wassergefährdungsklassen (German Water Hazard Class)		

CLP/GHS (1272/2008/EC) PICTOGRAMS:

						(! >		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment