

# DAC Industries, Inc. Safety Data Sheet

# 1. Identification

**Product name:** Online Mold Cleaner

**Product code:** DAC-102

Recommended use: Cleaner, Degreaser

**Restrictions on use:** None known

**Supplier:** DAC Industries, Inc.

1636 Gervais Avenue - Suite 9 Maplewood, MN 55109, USA

T+1 (651) 748-1750

**Emergency number:** (Chemical Spills, Leaks, Fire, Exposure or Accident only):

CHEMTREC 1-800-424-9300 (in the US),

1-703-527-3887 (Outside the US), Chemtrec - Mexico 01-800-681-9531

**Issue date:** 03/01/2023

# 2. Hazard(s) identification

# **Classification:**

Physical hazards	Health hazards
Flammable aerosol Category 1	Skin corrosion/irritation Category 2
Gases under pressure Compressed gas	Skin sensitization, Category 1
	Reproductive toxicity Category 2
	Specific target organ toxicity – Single exposure,
	Category 3, Narcosis
	Specific target organ toxicity (repeated exposure)
	Category 2
	Aspiration hazard Category 1

# **GHS US labeling:**

Danger!



Hazard statements (GHS US)	Precautionary statements (GHS US)
H222 - Extremely flammable aerosol	P201 - Obtain special instructions before use.
H280 - Contains gas under pressure; may explode if heated	P202 - Do not handle until all safety precautions have been
H304 - May be fatal if swallowed and enters airways	read and understood.
H315 - Causes skin irritation	P210 - Keep away from heat, hot surfaces, sparks, open
H317 - May cause an allergic skin reaction	flames and other ignition sources. No smoking.
H336 - May cause drowsiness or dizziness	P211 - Do not spray on an open flame or other ignition
H361 - Suspected of damaging fertility or the unborn child	source.

03/01/2023 US - en 1 of 7

H373 - May cause damage to organs (Neurologic effect,
hearing sense) through prolonged or repeated exposure
(Inhalation)

P251 - Pressurized container: Do not pierce or burn, even after use.

P260 - Do not breathe mist, vapors.

P264 - Wash hands thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing must not be allowed out of the workplace.

P280 - Wear protective gloves, eye protection.

P301+P310 - If swallowed: Immediately call a poison center or doctor.

P331 - Do NOT induce vomiting.

P302+P352 - If on skin: Wash with plenty of soap and water.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.

P312 - Call a poison center or doctor if you feel unwell.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P405 - Store locked up.

P410+P403 - Protect from sunlight. Store in a well-ventilated place.

P412 - Do not expose to temperatures exceeding 50 °C/122 °F.

P501 - Dispose of contents/container to an approved waste disposal plant.

# 3: Composition/Information on ingredients

Component	CAS-No.	Amount (%)
Toluene	108-88-3	40-50
Heptane, branched, cyclic and linear	426260-76-6	15-25
Carbon dioxide (CO2)	124-38-9	25-35
(Propellant gas (Aerosol))		
heptane, n-heptane	142-82-5	1-5
D-Limonene	5989-27-5	1-5

<sup>\*</sup>Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

## 4. First-aid measures

**Inhalation**: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.

**Skin**: Wash skin with plenty of water and soap. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

**Eyes**: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Ingestion**: Aspiration hazard. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

03/01/2023 US - en **2 of 7** 

**Symptoms/effects**: Causes skin irritation. May cause an allergic skin reaction. Causes eye irritation. High concentration of vapors may induce: headache, nausea, dizziness. Aspiration hazard. May be fatal if swallowed and enters airways. May cause damage to organs (hearing sense, Neurologic effect.) through prolonged or repeated exposure (inhalation). This product may cause reproductive harm and/or developmental effects.

Immediate medical attention and special treatment, if necessary: If accidentally swallowed obtain immediate medical attention.

## 5. Fire-fighting measures

**Suitable extinguishing media**: Use extinguishing media appropriate for surrounding fire. Water spray. Dry powder. Foam. Carbon dioxide. Cool down the containers exposed to heat with a water spray.

Unsuitable extinguishing media: None.

**Fire hazard**: Extremely flammable aerosol. Contents under pressure. Keep away from open flames, hot surfaces and sources of ignition. Pressurized container: may burst if heated. Vapors are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapors.

**Special protective equipment and precautions for fire-fighters**: Use shielding to protect from bursting cans. Do not attempt to take action without suitable protective equipment. Complete protective clothing. Self-contained breathing apparatus.

#### 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures:** Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe aerosol. Avoid contact with eyes, skin and clothing.

Methods and material for containment and cleaning up: Collect spillage. Leaking cans should be placed in a plastic bag or open pail until the pressure has dissipated. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of materials or solid residues at an authorized site.

For further information refer to section 8: "Exposure controls/personal protection". For waste disposal after cleaning, see section 13.

# 7. Handling and storage

**Precautions for safe handling**: Do not handle until all safety precautions have been read and understood. Ensure adequate ventilation. Do not breathe vapor/aerosol. Avoid contact with eyes, skin and clothing. Use personal protective equipment as required. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Handle in accordance with good industrial hygiene and safety procedures.

**Storage conditions**: Do not expose to temperatures exceeding 50 °C/ 122 °F. Protect from sunlight. Store in a well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. U.F.C. (NFPA 30B) Level II Aerosol.

# 8. Exposure controls/personal protection

Exposure guidelines:	
Carbon dioxide (CO2)	9000 mg/m³ TWA OSHA PEL; 5000 ppm TWA OSHA PEL;
	5000 ppm TWA ACGIH TLV; 30000 ppm STEL ACGIH
	TLV;
Toluene	200 ppm TWA OSHA PEL; 300 ppm Ceiling OSHA;
	20 ppm TWA ACGIH TLV;
Heptane, branched, cyclic and linear	None established.

03/01/2023 US - en 3 of 7

· No data available

heptane, n-heptane	2000 mg/m³ TWA OSHA PEL; 500 ppm TWA OSHA PEL; 400 ppm TWA ACGIH TLV; 500 ppm STEL ACGIH TLV;
D-Limonene	None established.

Appropriate engineering controls: Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.

Environmental exposure controls: Avoid release to the environment.

# **Personal protective equipment:**

Hand protection: Wear suitable gloves

Eye protection: Use suitable eye protection

Skin and body protection: Wear suitable protective clothing

**Respiratory protection**: No respiratory protection needed under normal use conditions. In operations where exposure limits are exceeded or exposure levels are excessive, an approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

## 9. Physical and chemical properties

Appearance:	Aerosol	spray	can.
-------------	---------	-------	------

Physical state	: Liquid	Partition	: No data available
----------------	----------	-----------	---------------------

Color	: Clear, colorless liquid	coefficient n-
Odor	: pleasant fruity	octanol/water (Log Pow)
Odor threshold	· No data available	(Log I ov)

ouoi tiii esiioiu	. 100 data available	Auto-ignition	: 215 °C (419 °F)

<b>pH</b> : No d	lata available <b>tem</b>	perature
------------------	---------------------------	----------

Melting point	: No data available	Decomposition	: No data available
		temperature	

Freezing point	: No data available	Viscosity,	: No data available

kinematic **Boiling point** : No data available

Viscosity, : No data available  $: > -1 \, ^{\circ}\text{C} (30.2 \, ^{\circ}\text{F})$ 

Flash point dynamic : No data available Relative

**Explosion limits**: Lower explosion limit: 0.7 vol evaporation rate

Upper explosion limit: 7 vol % : Extremely flammable aerosol. **Flammability** 

: No data available **Explosive** 

: No data available Vapor pressure properties

Relative vapor : No data available **Oxidizing** : Not oxidising.

density at 20°C properties

**Relative density** : 1 **Density** : 0

**Solubility** : Not miscible. No additional information available

### 10. Stability and reactivity

(butyl acetate=1)

Reactivity: Extremely flammable aerosol.

03/01/2023 US - en 4 of 7 Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: No dangerous reactions known under normal conditions of use.

Conditions to avoid: Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

Incompatible materials: Strong oxidizing agents. Acids. Strong bases. Strong reducing agents.

**Hazardous decomposition products**: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11. Toxicological information

Inhalation: May cause drowsiness or dizziness.

**Skin**: Causes skin irritation. May cause an allergic skin reaction.

Eyes: Causes serious eye irritation.

**Ingestion**: Aspiration hazard. May be fatal if swallowed and enters airways.

**Chronic symptoms**: May cause damage to organs (Neurologic effect, hearing sense) through prolonged or repeated exposure (Inhalation)Suspected of damaging fertility or the unborn child.

Carcinogenicity: Not classified

Carbon dioxide (CO2): This component is not listed as a carcinogen or suspected carcinogen by IARC,

NTP, ACGIH, or OSHA.

Toluene: IARC 3 - Not classifiable;

Heptane, branched, cyclic and

This component is not listed as a carcinogen or suspected carcinogen by IARC,

linear: NTP, ACGIH, or OSHA.

heptane, n-heptane: This component is not listed as a carcinogen or suspected carcinogen by IARC,

NTP, ACGIH, or OSHA.

D-Limonene: IARC 3 - Not classifiable;

Germ cell mutagenicity: Not classified

**Reproductive toxicity**: Suspected of damaging fertility or the unborn child.

Acute toxicity (oral): Not classifiedAcute toxicity (dermal): Not classifiedAcute toxicity (inhalation): Not classified

**Numerical measures of toxicity:** 

The following are the toxicity values for the components:

Carbon dioxide (CO2) No data available

Toluene 5580 mg/kg LD50 oral rat

> 5000 mg/kg LD50 dermal rabbit 28.1 mg/l/4h LC50 Inhalation - Rat

Heptane, branched, cyclic and No data available

linear

heptane, n-heptane > 5000 mg/kg LD50 oral rat

> 2000 mg/kg LD50 dermal rabbit > 29300 mg/m<sup>3</sup> LC50 Inhalation - Rat

D-Limonene > 2000 mg/kg LD50 oral rat

> 5000 mg/kg LD50 dermal rabbit

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/irritation Not classified

03/01/2023 US - en **5** of **7** 

**Respiratory or skin sensitization** May cause an allergic skin reaction. **STOT-single exposure** May cause drowsiness or dizziness.

STOT-repeated exposure May cause damage to organs (Neurologic effect, hearing sense) through prolonged

or repeated exposure (Inhalation).

**Aspiration hazard** May be fatal if swallowed and enters airways.

## 12. Ecological information

**Ecology - general**: Very toxic to aquatic life with long lasting effects.

**Ecotoxicity**:

Toluene 5.5 mg/l Oncorhynchus kisutch LC50 - Fish

7.63 mg/l Oncorhynchus mykiss (Rainbow trout) LC50 - Fish

3.78 mg/l EC50 - Crustacea 10 mg/l EC50 72h - Algae

0.74 mg/l Ceriodaphnia dubia Duration: '7 d' NOEC (chronic) 1.39 mg/l Oncorhynchus kisutch Duration: '40 d' NOEC chronic fish

0.74 mg/l NOEC chronic crustacea

heptane, n-heptane 3.9 mg/l EC50 – Crustacea

0.17 mg/l Daphnia magna Duration: '21 d' NOEC (chronic)

D-Limonene  $720 \mu g/l$  Pimephales promelas (Fathead minnow) LC50 - Fish

0.36 mg/l Daphnia magna (Water flea) EC50 − Crustacea ≈ 8 mg/l Desmodesmus subspicatus EC50 72h - Algae 0.115 mg/l Daphnia magna (Water flea) NOEC (chronic)

0.08 mg/l NOEC chronic fish

Persistence and degradability:No data availableBioaccumulative potential:No data availableMobility in soil:No data available

Other adverse effects: No data available

# 13. Disposal considerations

Regional legislation (waste): Dispose of in accordance with applicable federal, state, and local regulations.

Additional information: Empty containers retain product residue and can be hazardous.

# 14. Transport information

# **Department of Transportation (DOT)**

Proper Shipping Name (DOT) : Aerosols
UN-No.(DOT) : UN1950
Class (DOT) : 2.1

Packing group (DOT): Not applicableHazard labels (DOT): Flammable gas

**Dangerous for the environment** : Yes

03/01/2023 US - en **6** of 7

Transport by sea

**Proper Shipping Name (IMDG)** : AEROSOLS

UN-No. (IMDG) : 1950 Class (IMDG) : 2

Packing group (IMDG) : Not applicable

**Marine pollutant** : Yes

Air transport

**Proper Shipping Name (IATA)** : Aerosols, flammable

UN-No. (IATA) : 1950 Class (IATA) : 2

Packing group (IATA) : Not applicable

# 15. Regulatory information

**SARA Section 313 - Emission** 

Reporting:

Chemical(s) subject to the reporting requirements of Section 313 or Title III of

the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40

CFR Part 372.

Toluene	108-88-3	40-50%

#### **CERCLA Section 103:**

Toluene	108-88-3	1000 lb

#### **SARA 302:**

Not applicable

SARA Section 311/312 Hazard Classes: Refer to Section 2 for OSHA Hazard Classification.

# **California Proposition 65:**



This product can expose you to Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

**TSCA:** All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

## 16. Other information

Issue date : 03/01/2023

Indication of changes:

new version.

#### NOTICE

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or the consequences of its use or misuse.

03/01/2023 US - en **7** of **7**