



Daylight Company ESD Products



Contents

01 | Omega 7 ESD Magnifier



02 | Luminos ESD



OMEGA 7 ESD – KEY FEATURES




- Ergonomic and professional ESD safe magnifying lamp
- Daylight LEDs with 4 brightness levels
- Large 17.5cm (7") 3D (1.75X) optical quality glass lens with anti-static coating included
- Suitable for use in EPA, (Electrostatic Protected Areas) To IEC 61340-5-1 and ANSI/ESD 20:20
- Unique quick change lens mechanism - no tools required
- Heavy duty arm with reinforced joints



OMEGA 7 ESD – SPECIFICATIONS

Product information

- Weight 3.7kg (8.2lb)
- Colour Black
- Reach 118.1cm (46.5")
- Cable Length 2.6m (102.4")
- Lens Size 17.5cm (7")
- Magnification 3D (1.75X) & 12D (4.0X)
- Lens Material Optical Quality Glass



Packaging information


- Width 52cm (20.5")
- Height 60cm (23.6")
- Depth 10cm (3.9")
- Packed Weight per unit 5kg (11lb)
- Products per Master Carton 2



Light output


- Light source: LED
- Lumens: 814 lm
- Lux at 30 cm: (12") 6,300
- Colour temperature: 5,500 K
- CRI: 95+
- Energy consumption: 12W

LUMINOS ESD – KEY FEATURES



- Special ESD Safe coatings for full ESD safety in ESD protected areas
- (IEC 61340-5-1 and ANSI/ESD 20:20)
- Long reach 112 cm
- 3 brightness levels
- Extra wide shade for an even spread of light over a large area
- Multi position head to direct the light where needed
- Heavy duty internal spring balanced arm with reinforced joints & covers

LUMINOS ESD – SPECIFICATIONS



Product information

- Weight 3.2 kg (7.1 lb)
- Colour Black
- Cable length 2.4 m (94.5")

Packaging information

- Height 40.5 cm (15.9")
- Width 91.5 cm (36")
- Depth 11 cm (4.3")
- Packed weight 4.6 kg (10.2 lb)
- Products per master carton 2

Light output

- Light source: LED
- Lumens: 1,960 lm
- Lux at 30 cm: (12") 4,500
- Colour temperature: 5,500 K
- CRI: 95+
- Energy consumption: 22W