




















F1 Foot
 F2 Foot
 F3 Foot
 F4 Foot

Title		Rev
Nexys A7		D.0
Circuit		Copyright 2018
Doc#		500-292
Engineer		EG
Author		DL
Date		7/24/2018
Sheet#		1 out of 11



CE
 ROHS
 Xilinx
 Digilent Inc.
 Chinese ROHS
 Analog Devices










For more information on the parts used in this design, please refer to:

- <http://www.analog.com/ad8592> (CMOS Single Supply RRIO Dual Op Amp with ± 250 mA Output Current and Shutdown Mode)
- <http://www.analog.com/ad8515> (1.8 V Low Power CMOS Rail-to-Rail Input/Output Operational Amplifier)
- <http://www.analog.com/adxl362> (Micropower, 3-Axis, ± 2 g/ ± 4 g/ ± 8 g Digital Output MEMS Accelerometer)
- <http://www.analog.com/adt7420> ($\pm 0.25^\circ\text{C}$ Accurate, 16-Bit Digital I2C Temperature Sensor)


Title		Rev
Nexys A7		D.0
Circuit		Copyright 2018
Doc#		500-292
Engineer		EG
Author		DL
Date		7/24/2018
Sheet#		3 out of 11





Title		Rev
Nexys A7		D.0
Circuit		USB HID
Doc#		500-292
Engineer		EG
Author		DL
Date		7/24/2018
Sheet#		4 out of 11


DIGILENT[®]
 A National Instruments Company



NOTE: REF_CLK In Mode (ETH_REFCLK = 50MHz)

Title		Rev
Nexys A7		D.0
Circuit		ETHERNET
Doc#		500-292
Engineer		EG
Author		DL
Date		7/24/2018
Sheet#		5 out of 11


DIGILENT[®]
A National Instruments Company

This Page Left Intentionally Blank.

A

A

B


B

C


C

D



D






XC7A100T-1CSG324C





XC7A100T-1CSG324C




XC7A100T-1CSG324C



XC7A100T-1CSG324C




XC7A100T-1CSG324C



Title		Rev
Nexys A7		D.0
Circuit		Copyright 2018
FPGA BANKS		
Doc#		500-292
Engineer		EG
Author		DL
Date		7/24/2018
Sheet#		7 out of 11


**DIGILENT**
A National Instruments Company







For more information on the parts used in this design, please refer to:
<http://www.analog.com/adr127> (Precision, Micropower LDO Voltage References in TSOT)

Title		Rev
Nexys A7		D.0
Circuit		Copyright 2018
CONFIG, SPI FLASH		
Doc#	500-292	
Engineer	EG	
Author	DL	
Date	7/24/2018	
Sheet#	8 out of 11	







For more information on the parts used in this design, please refer to:

- <http://www.analog.com/adp2118> (3 A, 1.2 MHz/600 kHz High Efficiency Synchronous Step-Down DC-to-DC Regulator)
- <http://www.analog.com/adm1086> (Voltage Sequencer with Active High, Push-Pull Enable Output)
- <http://www.analog.com/adp2138> (Compact, 800 mA, 3 MHz, Step-Down DC-to-DC Converter)
- <http://www.analog.com/adp121> (CMOS Linear Regulator, 150 mA, Low Quiescent Current)

Title		Rev
Nexys A7		D.0
Circuit		POWER
Doc#		500-292
Engineer		EG
Author		DL
Date		7/24/2018
Sheet#		11 out of 11


DIGILENT
A National Instruments Company