

TECHNICAL DATA SHEET

Part#: 2A-SA



Tweezers - 3 Star Straight Tapered Flat Point - Anti-Mag. SS
Designed for handling labels or SMD components

The 2A-SA straight tapered flat pointed tweezer is designed for handling labels or SMD components. The overall length is 4.75" and it is made of anti-magnetic Neverust[®] stainless steel. The tips measure .059" wide by .008" high.

• Precision Level	★★★
• Material	Anti-Mag. SS (316L)
• Surface Resistivity	Conductive
• Shape	Straight Tapered
• Tip Size	.059" x .008" (1.5mm x .2mm)
• Tip Angle	Straight
• Tip Length	
• Body Width	0.393" (9.83mm)
• Body Height	.06" (1.5mm)
• OAL	4.75" (118.75mm)
• Weight (OZ)	1
• UPC	662847002205
• Schedule B	8203.20.20.00
• ECCN	EAR99
• UNSPSC Code	27112105
• Country of Origin	Switzerland
• Group	Flat Broad Points



C.T.M.
Critical Tip Measurements
(Tip Width and Thickness of one point)



EXCELTA[®]
CORPORATION

- 2A-SA ★★★
- A) 0.059"
 - B) 0.0078"
 - C) 0.393"
 - D) 4.75"
 - E) 0.060"