

TECHNICAL DATA SHEET

Part#: 9247E

Cutters - Medium Taper Relieved Head - Optimum Flush
Designed for cutting .032" soft wire leaving a small 'pinch' on the wire

The 9247E Lazer Line[®] medium tapered/relieved optimum flush cutter has a cutting capacity of .005" - .032" soft wire. It is made of carbon tool steel with induction hardened cutting blades to RHC 63-65. The CNC machining allows the joint surfaces to be perfect to allow for long life. The dual leaf springs provide smooth action. The Anti-Static grips are soft cushioned foam and have a surface resistivity of 10¹⁰ ohms/sq.

• Precision Level	★★★★
• Material	Carbon
• Surface Resistivity	10 ¹⁰ ohms/sq
• Shape	Taper Relieved Head
• Type of Cut	Optimum Flush
• Cutting Capacity	.005 - .032"
• Blade Angle	14.25°
• Blade Length	.38" (9.5mm)
• Body Width	0.42" (10.5mm)
• Body Height	.25"
• OAL	4.5" (112.5mm)
• Weight (OZ)	3
• UPC	662847009891
• Schedule B	8203.20.60.60
• ECCN	EAR99
• UNSPSC Code	27111511
• Country of Origin	USA
• Group	Medium Head - 9200 Series

