## 830 Precision Shims for precision alignment


Stainless steel precut shims are more accurate and designed to speed up the alignment job when even minutes of downtime count.

- ✓ Bur-free for higher accuracy in alignment
- √ Time-saving permanent thickness / dimension marking
- ✓ Reusable, corrosion-resistant high-quality stainless steel
- ✓ Two machine foot sizes and eight thicknesses that fit almost all machine feet
- ✓ No 'leaf spring' effect from stacked shims: come in a graded range of thicknesses that allows you to put together virtually all heights with just 3 shims
- ✓ Perfectly flat for stable, consistent machine support
- ✓ Perforated tab for easier positioning and removal
- ✓ Rounded corners and longitudinal shape for optimum support of the machine foot without material overhang





**FLUKE** 



Size A					Size B				
Dimensions (mm)					Dimensions (mm)				
Thickness	а	b	С	Number	Thickness	а	b	С	Number
0.025 mm / 0.001"	60	50	15	20	0.025 mm / 0.001"	80	70	22	20
0.05 mm / 0.002"	60	50	15	20	0.05 mm / 0.002"	80	70	22	20
0.1 mm / 0.004"	60	50	15	20	0.1 mm / 0.004"		70	22	20
0.2 mm / 0.008"	60	50	15	20	0.2 mm / 0.008" 80 70		22	20	
0.4 mm / 0.016"	60	50	15	20	0.4 mm / 0.016" 80 7		70	22	20
0.7 mm / 0.028"	60	50	15	20	0.7 mm / 0.028"	80	70	22	20
1.0 mm / 0.040"	60	50	15	20	1.0 mm / 0.040" 80 70 22		22	20	
2.0 mm / 0.080"	60	50	15	20	2.0 mm / 0.080" 80 70 22		22	20	



## Lightweight - robust - waterproof case

Case is impact-proof, airtight, waterproof, dustproof, buoyant, tropicalized, extremely durable - resistant to most chemicals and temperatures (-23°C and +99°C)

- Clear arrangement of the shims
- Clear thickness labelling
- Plenty of room for additional shims

•	
1 - 1 - 1 - 4	

		Dimensions of the case:					
Item No	Description	Weight (kg)	Length (mm)	Width (mm)	Height (mm)		
4551330	Shim kit – 320 shims	6.1	27.0	24.6	12.4		