

## **Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing Date 01/26/2015

Reviewed on 01/26/2015

### **1. Identification**

Preparation trade name: Leak Test Vial  
Product number: AC-LSA0001A  
Product description: Leak Test Vial  
Application: Test Leak Detector functionality  
Manufacturer: Techno Tools Corporation  
2651 West 81<sup>st</sup> Street  
Hialeah, FL 33016  
Emergency phone number: 800 222 0956

### **2. Hazards Identification**

Most important hazards: None  
Specific hazards: None  
GHS Label elements: Not required  
Hazard pictograms: Not required

### **3. Composition**

Proprietary Formula Gel: proprietary formulation, dye, calcium acetate, water mixture  
CAS #: Not assigned—product is a mixture.

### **4. First aid measures**

Skin contact: Flush exposed area with warm water.  
Eye contact: Flush eye with large amounts of warm water.  
Ingestion: Drink sips of warm water or milk.

### **5. Fire fighting measures**

Suitable extinguishing media: N/A  
Unsuitable extinguishing media: N/A  
Special hazards in fire: No known toxic combustion products or special fire fighting hazards.  
Required special protective equipment for fire-fighters: N/A

### **6. Accidental release measures**

Personal precautions: None  
Environmental precautions: None  
Methods for cleaning: Absorb on vermiculite, paper or other absorbent.

### **7. Handling and storage**

Handling: Avoid contact with skin and eyes. Do not ingest.  
Storage: Store in cool dry place

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing Date 01/26/2015

Reviewed on 01/26/2015

### 8. Exposure Controls

Engineering measures: N/A  
Control Parameters: Avoid contact with skin and eyes  
Personal protection equipment: Not required  
Eye protection: Not required  
Hand protection: Not applicable  
Hygiene measures: Not required

### 9. Physical and chemical properties

Appearance: Green gel  
Odor: none  
pH: 7.8 – 8.5  
Boiling point: N/A  
Melting point: N/A  
Flashpoint: >200 degrees F  
Explosive properties: N/A  
Vapor pressure: N/A  
Vapor density: N/A  
Solubility in water: Moderate

### 10. Stability and reactivity

Conditions to avoid: This product is stable. Hazardous polymerization will not occur.  
Materials to avoid: Heat, open flame  
Hazardous decomposition products: None known.

### 11. Toxicological information

No information is available at this time.

### 12. Ecological information

No information is available at this time.

### 13. Disposal Considerations

The purchaser is responsible for proper waste disposal of empty, partial or full vials. Any disposal practice must be in compliance with local, state, or federal laws and regulations.

### 14. Transport information

This package conforms to 49 CFR 173.4

### 15. Regulatory information

OSHA STATUS: This product is not hazardous under the criteria of the Federal OSHA hazard Communication Standard 29 CFR 1910.1200.

## ***Safety Data Sheet (SDS)***

*OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.*

*Printing Date 01/26/2015*

*Reviewed on 01/26/2015*

### **16. Other Information**

Preparation trade name: Leak Test Vial

Reference number: AC-LSA0001A

Date of preparation / last revision: 01/26/2015

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.