

FX-780 & FX-781

NITROGEN GENERATOR

The **HAKKO Nitrogen** (N_2) **Soldering System** is the ideal solution for all your lead-free hand-soldering applications. The bench-top FX-780 Nitrogen Generator creates nitrogen gas from filtered, dry compressed air and the FX-791 Nitrogen Controller delivers it efficiently and uniformly to the nitrogen compatible soldering iron and soldering area. It can be used with any HAKKO soldering station that has a nitrogen compatible handpiece.



FEATURES & BENEFITS


FX-780 & FX-781 NITROGEN GENERATOR

- · High-volume, high-performance Nitrogen Generator
- Concentration of generated N₂ gas up to 99.9%
- · Generator can be placed vertically or horizontally
- Nozzle assembly envelops the soldering iron tip and delivers uniform nitrogen gas to the soldering area
- The nitrogen flow can reduce or prevent oxidation from forming during the soldering process

FX-791 CONTROLLER

- Compact Nitrogen Controller
- Controls the flow of nitrogen to the FM-2026 nitrogen iron with the FX-951, FM-206 and FM-203 soldering stations
- Controls the flow level from 0.25 L/min to 2.5 L/min (recommended level 0.5-1.5 L/min.) and should be adjusted to the tip shape

SPECIFICATIONS					
NITROGEN GENERATOR	FX780-01	FX781-81			
Air Supply Pressure	0.3 - 0.7 MPa (44 - 102 psi)				
Concentration of Generated N2	99.9% (max)				
Generated N2 Gas Flow	1.5 L/min.	2.4 L/min.			
Outer Dimensions (W x H x D) (w/o sockets and valve)	2.9 x 11.1 x 2.8 in. / 73 x 282 x 71 mm	2.9 x 16.02 x 2.8 in. / 73 x 407 x 71 mm			
Weight	3.3 lb / 1.5 kg	4.4 lb / 2 kg			
NITROGEN CONTROLLER	FX791-01				
Input Gas Pressure	0.2 - 0.9 MPa (28 - 129 psi)				
Output Gas Flow	0.25 - 2.5 L/min				
Input Hose	0.24 in. / 6.0 mm OD (not included)				
Outer Dimensions (W x H x D)	2.76 x 4.76 x 5.28 in. / 70 x 121 x 134 mm				
Weight	1.3 lb / 600 g				
Contents	FX-791 (1 pc)				



NITROGEN CONTROLLER



FX-791 NITROGEN CONTROLLER P/N: FX791-01

Also Available: FM2026-KIT NITROGEN SOLDERING SYSTEM KIT


Conversion Kit P/N: FM2026-KIT

This Conversion Kit is compatible with only the $\rm N_2$ handpieces listed in the page $\bf 36$



FOR ONE SOLDERING IRON


Small-capacity type: HAKKO FX-780 Large-capacity type: HAKKO FX-781



^{*} It is capable to supply high concentration Nitrogen of 99.9% at the output rate approx. 1L/min. (at air supply pressure of 0.7MPa)

FOR TWO SOLDERING IRONS

Large-capacity type: HAKKO FX-781



^{*} It is capable to supply high concentration Nitrogen of 97% at the output rate approx. 1L/min. (at air supply pressure of 0.5MPa)



NITROGEN HANDPIECE VARIATIONS

Handpiece Only	Category	Station Compatibility	Power Consumption	Tips/Nozzles
FX-9702 See page 37	Standard N ₂ Soldering Handpiece	Only for FX-971 & FX-972 stations	90 W / 24 VAC	T39 Series Not Included See page 24
FM-2026 See page 38	Standard N ₂ Soldering Handpiece	Compatible w/ FX-971, FX-972, FX-951, FM-202, FM-203, FM-204, FM-205, FM-206 & FP-102, stations	70 W / 24 V	T17 Series Not Included See page 38
FX-8802 See page 46	Standard Soldering w/ N ₂ capability	Compatible w/ FX-889, FX-888D, FX-888	65 W / 26 V	T18 Series Not Included See page 49
FX-9704 See page 37	Micro N ₂ Soldering Handpiece	Only for FX-971 & FX-972 stations	70 W / 24 VAC	T50 Series Not Included See page 25
FM-2032 See page 70	Micro Soldering w/ N ₂ capability	Compatible w/ FX-971, FX-972, FX-951, FM-203, & FM-206	48 W / 24 V	T30 Series, See page 70 N2 Nozzles (used with adaptor C5038 - C5040) assemblies See page 70
FX-9708 See page 37	Heavy-Duty N ₂ Soldering Handpiece	Only for FX-972 station	200 W / 24 VAC	T53 Series, Not Included See page 28
FM-2031 See page 39	Heavy-Duty N ₂ Soldering Handpiece	Compatible w/ FX-972 & FM-206 stations	140 W / 24 V	T22 Series, See page 39 N ₂ Nozzles (B3121, B3123, B3124 & B3561) assemblies
FX-8005 See page 37	Ultra Heavy-Duty N ₂ Soldering Handpiece	Only for FX-805 station	390 W /30 V	T33 Series, Not Included See page 33 N ₂ Nozzles (B5318, B5319 & B5320) assemblies See page 32. T37 Series, Not Included See page 32 N ₂ Nozzles (B5316 & B5317) assemblies See page 32.

These are the new nitrogen capable handpiece equivalents for the FX-9701, FX-9703, FX-9707 and for FX-8004 when equipped with the the FX-791 controller and FX-780 or FX-781 Nitrogen Generators





FX-9702

N₂ STANDARD SOLDERING HANDPIECE

P/N: FX9702-81





FX-9704

N₂ MICRO SOLDERING HANDPIECE

P/N: FX9704-81







FX-9708

N₂ HEAVY-DUTY HANDPIECE

P/N: FX9708-81







FX-8005

N₂ ULTRA HEAVY-DUTY SOLDERING HANDPIECE For more information Scan QR Code.








FM-2026

NITROGEN SOLDERING IRON

For more information Scan QR Code.

The **HAKKO FM-2026 Soldering Iron** can be used with the HAKKO FM-203, FM-206 and FX-951 stations. Soldering efficiency is improved as the preheated nitrogen envelops the soldering iron tip.

T17 SERIES TIPS





FM-2031

NITROGEN HEAVY DUTY SOLDERING IRON

The **HAKKO FM-2031 Nitrogen Heavy Duty Soldering Iron** is a compatible handpiece that can be attached to the FM-203 "D" port and the HAKKO FM-206 CH2 or CH3 ports.



For more information Scan QR Code.



