

Specification Sheet

Part Number: 106-00050



Bench Mount Kit CPK converts the AT2000 CPK to a stationary position for increased bundling precision.

Power Pack CPK with Control Box provides integration with automated processes, speeding production and reducing personnel requirements.

HH20 screw mount wire retainer is used as a spacer for optimal bundling support.

Counterbalanced overhead hanger system improves ergonomics, reducing fatigue-related injuries.

Overhead suspension CPK, 1/pkg

Article Number	106-00050
Type	Overhead suspension CPK
Color	Metal (ML)
Quantity Per	carton

Product Description	This overhead suspension system makes the AT2000 CPK automatic cable tying tool virtually weightless thanks to its counterbalance mechanism. It is ideal for enhanced portability and ergonomic comfort during extended use of the tool on assembly lines, large cable management projects and similar applications where the operator must hand hold the tool for long periods. Product features a braking system to ensure cable ties remain on reel until fed to tool. Holds a reel of 5000 18 lb HellermannTyton cable ties and power pack (not included).
Short Description	Overhead suspension CPK, 1/pkg
Global Part Name	Overhead suspension CPK-MET-ML
Width W (Imperial)	0.1
Width W (Metric)	2.5
Cable Ties	T18RA50, T18RA5000
Power supply unit	Electrical
Tension Setting Tools	Adjustable
Power Supply	Power pack CPK
Material	Metal (MET)
Material Shortcut	MET
UV Resistant (Yes/No)	No

Reach Compliant (Article 33)	Yes
------------------------------	-----

ROHS Compliant	Yes
----------------	-----

UL Recognized (US)	Yes
--------------------	-----

UL Recognized (US and Canada)	Yes
-------------------------------	-----

Package Quantity (Imperial)	1
-----------------------------	---

Package Quantity (Metric)	1
---------------------------	---

Customs Number	8467990190
----------------	------------

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)