

Specification Sheet

Part Number: MK9P-109

Enhanced technology for better application of cable ties.

Improved compressed air supply for faster tensioning piston movement.

Shorter processing time and greater volume of connecting tie application.

Genuine potential for rationalization.

Ergonomic design, molded handle to prevent slippage, reduce operator fatigue.

Lightweight but very tough housing made of glass fiber-reinforced plastic.

Meets high industry standards.

Tensioning and cutting off cable ties flush with head by pressing one button.

Smooth cut edge to prevent injuries.

Automatic ejection of cut-off cable tie end.

Three-level preset control to set tool tension.

Optional safety cap to prevent tension setting from being changed by accident (important when bundling sensitive materials and maintaining process reliability.)

Non-slip, comfortable grip, soft touch trigger, and one-touch tensioning/cut off.

Very lightweight and easy to use on all cable ties 2.5–4.8 mm wide.

All separately sold accessories are compatible with the MK7P series tool.



MK9P Replacement Blade, 1/Pkg

| | |
|-----------------------|----------------------------------|
| Article Number | 110-09111 |
| Type | SP MK9P replacement blade |
| Color | Metal (ML) |
| Quantity Per | pack |
| Product Description | Replacement Blade |
| Short Description | MK9P Replacement Blade, 1/Pkg |
| Global Part Name | SP MK9P replacement blade-MET-ML |
| Length L (Metric) | 280 |
| Width W (Metric) | 55 |
| Height H (Metric) | 200 |
| Tension Setting Tools | Adjustable |
| Material | Metal (MET) |
| Material Shortcut | MET |
| UV Resistant (Yes/No) | No |
| Use Conditions | For Indoor and Outdoor Use |

Reach Compliant (Article 33) Yes

ROHS Compliant Yes

Package Quantity (Imperial) 1

Package Quantity (Metric) 1

Customs Number 8208900000