

Specification Sheet

Part Number: 151-02061



Angled channel allows specific guidance around corners or obstructions.
U-Shape channel provides three sides of protection for wire or bundle.
High-quality polypropylene material with high heat resistance.
Protects against abrasion and other environmental factors.

Mini Channel, 60mm Long, 90 degree 22.5mm radius angle, PPT20, Black, 1000/ctn

Article Number	151-02061
Type	90RADMINICHNL
Color	Black (BK)
Quantity Per	carton
Product Description	The mini-channel family allows a cost effective routing solution that provides protection and configurable routing. Pieces are modular and interchangeable, providing high levels of customization. Mini channels replace engineered channels that are costly to design and develop.
Short Description	Mini Channel, 60mm Long, 90 degree 22.5mm radius angle, PPT20, Black, 1000/ctn

Global Part Name	90RADMINICHNL-PPTD20-BK
------------------	-------------------------

Length L (Imperial)	2.34
---------------------	------

Length L (Metric)	59.5
-------------------	------

Width W (Metric)	59.5
------------------	------

Height H (Metric)	1.75
-------------------	------

Mounting Hole Diameter D (Imperial)	0.246 - 0.265
-------------------------------------	---------------

Mounting Hole Diameter D (Metric)	6.25 - 6.75 mm
-----------------------------------	----------------

Mounting Hole Diameter D Max (Metric)	6.75
---------------------------------------	------

Material	Polypropylene 20% Talkum (PPTD20)
----------	-----------------------------------

Material Shortcut	PPTD20
-------------------	--------

UV Resistant (Yes/No)	No
-----------------------	----

Operating Temperature	-40°F to +149°F (-40°C to +65°C)
-----------------------	----------------------------------

Reach Compliant (Article 33)	Yes
------------------------------	-----

ROHS Compliant	Yes
----------------	-----

Package Quantity (Imperial)	1000
Package Quantity (Metric)	1000
Customs Number	3926909988