

Specification Sheet

Part Number: 151-02432



The different fixing orientations allow tape clips to be used with a wide range of panel thicknesses and hole diameters.

Clip can be installed by hand – no need for hardware or tools.

Design provides low insertion and high extraction force, for simple, secure performance.

Clip keeps bundle away from areas that could cause damage due to rubbing.

Standoff Bundling Clip, 2.4" Long, 0.03 - 0.22" Panel Thickness, PA66HIRHS, Natural, 2500/carton

Article Number	151-02432
----------------	-----------

Type	SOC8FT8
------	---------

Color	Natural (NA)
-------	--------------

Quantity Per	bag
--------------	-----

Product Description	Tape clips are designed to provide simple and easy methods of securing cable bundles, hoses, or pipes.
---------------------	--

Short Description	Standoff Bundling Clip, 2.4" Long, 0.03 - 0.22" Panel Thickness, PA66HIRHS, Natural, 2500/carton
-------------------	--

Global Part Name	SOC8FT8-PA66HIRHS-NA
------------------	----------------------

Length L (Imperial)	2.4
Length L (Metric)	61
Offset Length (Imperial)	0.625
Offset Length (Metric)	15.9
Width W (Imperial)	0.47
Width W (Metric)	12.0
Height H (Imperial)	0.88
Height H (Metric)	22.4
Panel Thickness Min (Imperial)	0.02
Panel Thickness Max (Imperial)	0.21
Panel Thickness Min (Metric)	0.6
Panel Thickness Max (Metric)	5.5
Mounting Hole Diameter D (Imperial)	0.31
Mounting Hole Diameter D (Metric)	8.0 mm
Mounting Hole Diameter D Min (Imperial)	0.29
Mounting Hole Diameter D Max (Imperial)	0.32

Mounting Hole Diameter D Max (Metric)	8.2
Material	Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)
Material Shortcut	PA66HIRHS
Flammability	UL 94 HB
Halogen Free	Yes
UV Resistant (Yes/No)	No
Operating Temperature	-40°F to +230°F (-40°C to +110°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	2500
Package Quantity (Metric)	2500
Customs Number	3926909988

