


Specification Sheet

Part Number: 151-10905



2- or 4-way entry options for the Q Tie, offering flexibility and stability

Q Tie Mount with Adhesive, 1.2" x 1.2" x 0.21", 4 way entry for Q18 thru Q50 ties, PA66, White, 100/bag

Article Number 151-10905

Type QM30A

Color Natural (NA)

Quantity Per bag

Product Description Q Mounts are designed to work exclusively with the Q Tie cable tie series. This mounting component is available with adhesive or can be secured with screws. The Q Mount allows either a 2- or 4-way entry for the Q Tie, providing a quick and simple insertion into the mount. Once in place, the Q Tie will not slip out, even in vertical mounting applications.

Short Description Q Tie Mount with Adhesive, 1.2" x 1.2" x 0.21", 4 way entry for Q18 thru Q50 ties, PA66, White, 100/bag

| | |
|---|-----------------------------|
| Global Part Name | QM30A-PA66-NA |
| Length L (Imperial) | 1.2 |
| Length L (Metric) | 30.0 |
| Fixation Method | Screw Mounting and Adhesive |
| Width W (Imperial) | 1.2 |
| Width W (Metric) | 30.0 |
| Height H (Imperial) | 0.21 |
| Height H (Metric) | 4.5 |
| Cable Tie Width Max (Imperial) | 0.2 |
| Cable Tie Width Max (Metric) | 5.1 |
| Mounting Hole Diameter D (Imperial) | 0.16 |
| Mounting Hole Diameter D (Metric) | 4.1 mm |
| Mounting Hole Diameter D Min (Imperial) | 0.16 |
| Mounting Hole Diameter D Max (Metric) | 4.1 |
| Mounting Hole Centers (Imperial) | 0.83 |

| | |
|--------------------------------|---|
| Material | Polyamide 6.6 (PA66) |
| Material Shortcut | PA66 |
| Adhesive | Synthetic rubber with base of polyethylene foam |
| Flammability | UL 94 V-2 (excluding adhesive) |
| Halogen Free | Yes |
| UV Resistant (Yes/No) | No |
| Adhesive Operating Temperature | -40°F to +140°F (-40°C to +60°C) |
| Operating Temperature | -40°F to +140°F (-40°C to +60°C) |
| Reach Compliant (Article 33) | Yes |
| ROHS Compliant | Yes |
| Package Quantity (Imperial) | 100 |
| Package Quantity (Metric) | 100 |
| Customs Number | 3926909988 |

