

## Specification Sheet

Part Number: 169-23010

Excellent resistance to almost all chemicals.

Protects cables from extreme temperatures, fire, moisture, corrosion, vibration and abrasion.



Combination of high tensile strength and fatigue life make it resistant to wear.

Superior dielectric strength and anti-adhesive properties.

Non-Metallic Tubing, 10mm Dia, PTFE, Black, 164 ft/pkg

Article Number 169-23010

Type CTT-10 NSA935805-10

Color Black (BK)

Quantity Per reel

Product Description HellermannTyton's Polytetrafluoroethylene Convoluted Tubing provides an efficient method of routing and protecting wire harness assemblies while reducing the chance of installation damage. It also protects valuable hoses and cables. It is used in industries with demanding environments including aviation, aerospace, chemical, pharmaceutical, ship building, food processing and electrical.

Short Description Non-Metallic Tubing, 10mm Dia, PTFE, Black, 164 ft/pkg

Global Part Name CTT-10 NSA935805-10-PTFE-BK

Length L (Imperial) 164.0

Length L (Metric) 50.0

Variant Unslit

Inner Diameter D (Imperial) 0.38

Inner Diameter D (Metric) 9.65

Diameter D (Imperial) 0.45

Diameter D (Metric) 11.4

Outside Diameter OD (Imperial) 0.526

Outside Diameter OD (Metric) 13.36

Nominal Diameter (Imperial) 0.375

Nominal Diameter (Metric) 9.65

Material Polytetrafluoroethylene (PTFE)

Material Shortcut PTFE

|                              |                                   |
|------------------------------|-----------------------------------|
| Flammability                 | FAR 25                            |
| Halogen Free                 | No                                |
| UV Resistant (Yes/No)        | No                                |
| Operating Temperature        | -85°F to +500°F (-65°C to +260°C) |
| Reach Compliant (Article 33) | Yes                               |
| ROHS Compliant               | Yes                               |
| Certification/Specification  | Airbus France   NSA 935805        |
| Package Quantity (Imperial)  | 164.04                            |
| Package Quantity (Metric)    | 50.0                              |
| Customs Number               | 3926909988                        |