

Specification Sheet

Part Number: 173-04000

Excellent electromagnetic protection.


Extremely flexible, expandable and easy to apply.

No kinks or ruptures even when bent at sharp angles.

Special copper alloy for enhanced protection against salt spray.

Particularly suitable for applications with restricted space or requiring movement.

Inner disposable tube protects sleeve from deformation and allows for easy insertion of cables.



Electromagnetic Protection Braided Sleeving, 40 mm Dia, PET/SNCU, Orange, 164ft/Reel

Article Number 173-04000

Type HEGEMIP-HY40

Color Orange (OG) Silver (SR)

Quantity Per box

Product Description Special braided sleeving protects sensitive electronics from electromagnetic interference in hybrid and electric powered vehicles. It won't rupture or kink, even when flexed at sharp angles. The sleeving has a 3:1 expansion ratio. It comes with an inner disposable tube, making it simple to insert cables.

| | |
|--------------------------------|--|
| Short Description | Electromagnetic Protection Braided Sleeving, 40 mm Dia, PET/SNCU, Orange, 164ft/Reel |
| Global Part Name | HEGEMIP-HY40-PET/SNCU-OG/SR |
| Bundle Diameter Min (Imperial) | 1.2 |
| Bundle Diameter Min (Metric) | 30 |
| Bundle Diameter Max (Imperial) | 1.9 |
| Bundle Diameter Max (Metric) | 50 |
| Diameter D (Imperial) | 1.6 |
| Diameter D (Metric) | 40 |
| Nominal Diameter (Imperial) | 1.6 |
| Nominal Diameter (Metric) | 40 |
| Material | Tin-plated copper (SNCU) Polyester (PET) |
| Material Shortcut | PET SNCU |
| Flammability | UL 94 V-2 FMVSS 302 |
| Halogen Free | Yes |

| | |
|------------------------------|-----------------------------------|
| UV Resistant (Yes/No) | No |
| Operating Temperature | -40°F to +302°F (-40°C to +150°C) |
| Reach Compliant (Article 33) | Yes |
| ROHS Compliant | Yes |
| Package Quantity (Imperial) | 164.0 |
| Package Quantity (Metric) | 50 |
| Customs Number | 7419805500 |

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)