

## Specification Sheet

Part Number: 556-00250



Compact, lightweight design saves space and is easy to transport. Integrated cutter cuts continuous media to any length.

Designed to work with TagPrint® Pro label design software for ultimate label printing capabilities.

TT130SMC Compact Thermal Transfer Printer with Cutter, 300 dpi, Black, 1/pkg

Article Number 556-00250

Type TT130SMC

Color Black (BK)

Quantity Per EA

**Product Description**

HellermannTyton's TT130SMC thermal transfer printer is made of durable materials for long life in a variety of applications and environments. The compact, portable design makes it ideal for transporting to work sites. HellermannTyton thermal transfer printers work flawlessly with HellermannTyton TagPrint® Pro label printing software to create customized labels. An integrated cutter cuts continuous label media and an optional caddy holds larger label stock reels to allow higher capacity printing.

|                                |  |
|--------------------------------|--|
| Short Description              | TT130SMC Compact Thermal Transfer Printer with Cutter, 300 dpi, Black, 1/pkg |
| Global Part Name               | TT130SMC-PL-BK   |
| Length L (Imperial)            | 10.75  |
| Length L (Metric)              | 273.05   |
| Width W (Imperial)             | 5.5  |
| Width W (Metric)               | 139.7  |
| Height H (Imperial)            | 6.98   |
| Height H (Metric)              | 177.29   |
| Material                       | Plastic (PL)   |
| Material Shortcut              | PL   |
| UV Resistant (Yes/No)          | No   |
| Adhesive Operating Temperature | +40°F to +104°F (+4°C to +40°C)  |
| Operating Temperature          | +40°F to +104°F (+4°C to +40°C)  |
| Reach Compliant (Article 33)   | Yes  |

ROHS Compliant Yes

UL Listed (US and Canada) Yes

UL Listed (US) Yes

Package Quantity (Imperial) 1

Package Quantity (Metric) 1

Customs Number 8443321050

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)