

## Specification Sheet

Part Number: 556-26006

Halogen free for low-smoke and low-fire hazard applications.  
White front and yellow back for versatility.

Superior strength and tear resistance for long lasting identification.

Pre-cut slots to secure the TipTags using HellermannTyton cable ties.



TipTag, 2.59" x .50", PO/Polyester, White/Yellow, 500/roll

Article Number 556-26006

Type TIPTAGVA10X65YEWB

Color White (WH) Yellow (YE)

Quantity Per pack

Product Description TIPTAGs are halogen free, tear resistant, and lightweight cross laminated polyolefin tags ideal for use where weight is a critical factor. Each side is a different color. One side is yellow and the other side is White so that a high contrast black on yellow or black on white mark can be printed.

Short Description TipTag, 2.59" x .50", PO/Polyester, White/Yellow, 500/roll

Global Part Name TIPTAGVA10X65YEWB-PO-WH/YE

Fixation Method	Others
Variant	Other
Width W (Imperial)	2.59
Width W (Metric)	65.0
Height H (Imperial)	0.5
Height H (Metric)	12.7
Material	Polyolefin (PO)
Material Shortcut	PO
US MIL SPEC	MIL-STD-202G Method 215K SAE-AS81531
Halogen Free	Yes
UV Resistant (Yes/No)	No
Operating Temperature	-58°F to +221°F (-50°C to +105°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes

Certification/Specification	MIL-STD-202G Method 215K BS-4G-198-3, Type 11a SAE - AS81531
-----------------------------	--

Package Quantity (Imperial)	500
-----------------------------	-----

Package Quantity (Metric)	500
---------------------------	-----

Customs Number	3920990000
----------------	------------

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)