

## Specification Sheet

Part Number: 596-28251



Polyethylene is conformable to adhere to a wide variety of curved and compound surfaces.

The adhesive sticks to itself and can be used for flag wrap applications.

The smooth, printable surface allows for high-quality imaging for text and graphics.

Thermal Transfer Labels, 0.8" x 1.43", 4 Across, Polyethylene, White, 5000/roll

Article Number 596-28251

Type TAG28T4

Color White (WH)

Quantity Per roll

Product Description HellermannTyton's polyethylene labels are smooth and conformable to most surfaces. The material's ability to withstand areas where oil and moisture are present is an important feature. Bonds well to low surface energy plastics such as polypropylene and nylon. A low cost alternative to cloth style labels.

Short Description Thermal Transfer Labels, 0.8" x 1.43", 4 Across, Polyethylene, White, 5000/roll

Global Part Name	TAG28T4-PE-WH
Width W (Imperial)	0.80
Width W (Metric)	20.3
Thickness T (Metric)	64.0
Height H (Imperial)	1.43
Height H (Metric)	36.3
Width of Liner (Metric)	87.6
Width of Liner (Imperial)	3.45
Material	Polyethylene (PE)
Material Shortcut	PE
Adhesive	Acrylic
Halogen Free	No
UV Resistant (Yes/No)	No
Adhesive Operating Temperature	-40°F to +248°F (-40°C to +120°C)

Operating Temperature -40°F to +176°F (-40°C to +80°C)

Reach Compliant (Article 33) Yes

ROHS Compliant Yes

Package Quantity (Imperial) 5006

Package Quantity (Metric) 5000

Customs Number 3919102055

Labels per Column 1

Labels per Row 4