HellermannTyton

Specification Sheet

Part Number: MK9SST



Glass fiber reinforced housing for extra durability. Ergonomic design protects against repetitive strain injuries. Consistently tensions and cuts metal ties in the MBT/MAT-series.

MK9 Stainless Steel Tie Tensioning and Cut-Off Tool, PL/GF, Gray, 1/pkg

| Article Number | 110-95000 |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Туре | MK9SST |
| Color | Gray (GY) |
| Quantity Per | carton |
| Product Description | With its lightweight, ergonomic design, the MK9SST is an ideal tool for applying MBT-series stainless steel cable ties. As tough as these ties are, the MK9SST cuts and tensions without operator fatigue and is easy on joints. Tensioning is fully adjustable using a quick, two-level control with an additional fine setting. This avoids damage to bundles. Cable ties are cut off automatically flush with the head when the preset tensioning level has been reached. |
| Short Description | MK9 Stainless Steel Tie Tensioning and Cut-Off Tool, PL/GF, Gray, 1/pkg |

Global Part Name

| Cable Ties | All MBT Series for both 304 and 316 materials |
|--------------------------------|---------------------------------------------------|
| Tension Setting Tools | Adjustable |
| Cable Tie Width Max (Imperial) | 0.6 |
| | |
| | |
| Material | Polyamide 6.6, glass fiber reinforced (PA66GF30%) |
| Material Shortcut | PA66GF30 |
| UV Resistant (Yes/No) | No |
| Reach Compliant (Article 33) | Yes |
| ROHS Compliant | Yes |
| | |
| Package Quantity (Imperial) | 1 |
| Package Quantity (Metric) | 1 |
| Customs Number | 8205599000 |

Contact Us RoHS/WEEE Compliance Disclaimer Terr